

Forage Suitability Groups (MN)

Lake County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
21A:			
Hermantown	85	N	05
Twig	5	---	---
21B:			
Ahmeek	85	N	06
Twig	5	---	---
21BC:			
Ahmeek	85	N	06
Twig	5	---	---
21C:			
Ahmeek	85	N	06
Twig	5	---	---
21D:			
Ahmeek	85	N	23
Twig	5	---	---
21DE:			
Ahmeek	85	N	17
Twig	5	---	---
21E:			
Ahmeek	85	N	17
Twig	5	---	---
21F:			
Ahmeek	85	N	24
Twig	5	---	---
22:			
Allendale	85	N	07
Bergland	5	---	---

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
166:			
Ronneby	85	N	05
Twig	5	---	---
186:			
Nemadji	85	N	08
Newson	5	---	---
254B:			
Hibbing	85	N	06
Blackhoof	5	---	---
254BC:			
Hibbing	85	N	06
Blackhoof	5	---	---
254C:			
Hibbing	85	N	06
Blackhoof	5	---	---
254D:			
Hibbing	85	N	23
Blackhoof	5	---	---
254DE:			
Hibbing	85	N	17
Blackhoof	5	---	---
254E:			
Hibbing	85	N	17
Blackhoof	5	---	---
254F:			
Hibbing	85	N	24
Blackhoof	5	---	---

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
274:			
Newson	85	N	13
303A:			
Ontonagon	85	N	06
Bergland	5	---	---
303B:			
Ontonagon	85	N	06
Bergland	5	---	---
303BC:			
Ontonagon	85	N	06
Bergland	5	---	---
303C:			
Ontonagon	85	N	06
Bergland	5	---	---
303D:			
Ontonagon	85	N	23
Bergland	5	---	---
303DE:			
Ontonagon	85	N	17
Bergland	5	---	---
303E:			
Ontonagon	85	N	17
Bergland	5	---	---
303F:			
Ontonagon	85	N	24
Bergland	5	---	---
305:			
Bergland	85	N	13

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
355A:			
Cloquet	85	N	22
Newson	5	---	---
355B:			
Cloquet	85	N	22
Newson	5	---	---
355BC:			
Cloquet	85	N	22
Newson	5	---	---
355C:			
Cloquet	85	N	22
Newson	5	---	---
355D:			
Cloquet	85	N	22
Newson	5	---	---
355DE:			
Cloquet	85	N	22
Newson	5	---	---
355E:			
Cloquet	85	N	18
Newson	5	---	---
355F:			
Cloquet	85	N	24
Newson	5	---	---
407:			
Brimson, rubbly	85	N	20
Bugcreek	5	---	---

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
420:			
Twig	85	N	14
454AC:			
Mahtomedi	85	N	22
Newson	5	---	---
454DE:			
Mahtomedi	85	N	18
Newson	5	---	---
454F:			
Mahtomedi	85	N	24
Newson	5	---	---
502:			
Dusler	85	N	05
Blackhoof	5	---	---
504A:			
Dusler	85	N	05
Blackhoof	5	---	---
504B:			
Duluth	85	N	06
Blackhoof	5	---	---
504BC:			
Duluth	85	N	06
Blackhoof	5	---	---
504C:			
Duluth	85	N	06
Blackhoof	5	---	---
504D:			
Duluth	85	N	23

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
504D: Blackhoof	5	---	---
504DE: Duluth	85	N	17
Blackhoof	5	---	---
504E: Duluth	85	N	17
Blackhoof	5	---	---
504F: Duluth	85	N	24
Blackhoof	5	---	---
512A: Amasa	85	N	08
Newson	5	---	---
512B: Amasa	85	N	08
Newson	5	---	---
512C: Amasa	85	N	08
Newson	5	---	---
515A: Newfound	85	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
515B: Newfound	85	N	22
Poorly drained soils	5	---	---

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
515B:			
Very poorly drained soils	5	---	---
515BC:			
Newfound	85	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
515C:			
Newfound	85	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
515D:			
Newfound	85	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
515DE:			
Newfound	85	N	18
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
515EF:			
Newfound	85	N	18
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
515F:			
Newfound	85	N	24
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
530: Greenwood	85	N	14
531: Beseman	85	N	14
533: Loxley	85	N	14
534: Mooselake	85	N	14
537: Lobo	85	N	14
540: Seelyeville	85	N	14
544: Cathro	85	N	14
555AD: Barto	85	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
556AD: Insula	85	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
556DE: Insula	85	N	18
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
557AD: Conic	85	N	22

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
557AD:			
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
557DF:			
Conic	85	N	18
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
614:			
Blackhoof	85	N	14
685:			
Oesterle	85	N	07
Newson	5	---	---
695B:			
Finland	85	N	08
Twig	5	---	---
695C:			
Finland	85	N	08
Twig	5	---	---
695D:			
Finland	85	N	23
Twig	5	---	---
695E:			
Finland	85	N	18
Twig	5	---	---
695F:			
Finland	85	N	24
Twig	5	---	---

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
696:			
Hermantown	85	N	05
Twig	5	---	---
697B:			
Toimi	85	N	08
Bugcreek	5	---	---
697C:			
Toimi	85	N	08
Bugcreek	5	---	---
697D:			
Toimi	85	N	23
Bugcreek	5	---	---
714:			
Buhl	85	N	05
Blackhoof	5	---	---
872:			
Pengilly, frequently flooded	50	N	16
Winterfield, occasionally flooded	50	N	06
890B:			
Barto	50	N	22
Mesaba	40	N	22
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
890BD:			
Barto	50	N	22
Mesaba	40	N	22

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
890BD:			
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
890EF:			
Barto	50	N	18
Mesaba	40	N	18
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
952AD:			
Quetico	60	N	19
Rock outcrop	30	---	---
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
952EF:			
Quetico	60	N	19
Rock outcrop	30	---	---
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
980:			
Blackhoof	50	N	14
Mahtowa	50	N	13
990:			
Parent	50	N	13
Twig	50	N	14
995:			
Borosaprists	85	N	14

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1001: Alluvial land, occasionally flooded	90	N	06
Alluvial land, frequently flooded	5	N	16
1002: Alluvial land, frequently flooded	90	N	16
1020F: Udorthents, very steep	100	N	24
1022: Dumps	100	---	---
1334B: Eveleth	85	N	19
Bugcreek	5	---	---
1334C: Eveleth	85	N	19
Bugcreek	5	---	---
1335BC: Eveleth	85	N	19
Bugcreek	5	---	---
1336: Bugcreek	85	N	13
1340A: Ontonagon	50	N	06
Omega	40	N	08
Bergland	5	---	---
1340B: Ontonagon	50	N	06

Forage Suitability Groups (MN)

Lake County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1340B:			
Omega	40	N	08
Bergland	5	---	---
1340C:			
Ontonagon	50	N	06
Omega	40	N	08
Bergland	5	---	---
1340D:			
Ontonagon	50	N	23
Omega	40	N	08
Bergland	5	---	---
1340E:			
Ontonagon	50	N	17
Omega	40	N	18
Bergland	5	---	---
1340F:			
Ontonagon	50	N	24
Omega	40	N	24
Bergland	5	---	---
1823:			
Mesaba, variant	85	N	08
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
NOTCOM:			
NOTCOM	100	---	---
W:			
Water	100	---	---