

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

[Absence of an entry indicates that a conservation tree/shrub suitability group is not assigned]

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
82B:		
Redeye	80	5
Staples and similar soils	5	---
Rockwood and similar soils	5	---
Huntersville and similar soils	5	---
Graycalm and similar soils	5	---
82C:		
Redeye	80	5
Graycalm and similar soils	10	---
Huntersville and similar soils	5	---
Staples and similar soils	3	---
Rockwood and similar soils	2	---
133B:		
Dalbo	85	4
Spooner and similar soils	5	---
Sol and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
133B:		
Graycalm and similar soils	3	---
Cathro and similar soils	2	---
133C:		
Dalbo	85	4
Spooner and similar soils	5	---
Sol and similar soils	5	---
Graycalm and similar soils	3	---
Cathro and similar soils	2	---
139B:		
Huntersville	80	5
Wurtsmith and similar soils	5	---
Staples and similar soils	5	---
Redeye and similar soils	5	---
Blowers and similar soils	5	---
147:		
Spooner	90	2

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
147:		
Roscommon and similar soils	5	---
Baudette and similar soils	3	---
Cathro and similar soils	2	---
158B:		
Zimmerman	90	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
158C:		
Zimmerman	90	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
167A:		
Baudette	85	1
Spooner and similar soils	5	---
Roscommon and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
167A:		
Debs and similar soils	5	---
170:		
Blomford	85	2
Talmoon and similar soils	5	---
Cathro and similar soils	5	---
Braham and similar soils	5	---
202:		
Meehan, map 22-30	85	1s
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
Markey and similar soils	5	---
207B:		
Nymore	90	7
Verndale and similar soils	5	---
Duelm and similar soils	5	---
207C:		
Nymore	90	7
Verndale and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
207C:		
Duelm and similar soils	5	---
207D:		
Nymore	90	7
Verndale and similar soils	5	---
Duelm and similar soils	5	---
260:		
Duelm	80	1s
Isan and similar soils	14	---
Verndale and similar soils	3	---
Nymore and similar soils	3	---
261:		
Isan, depressional	90	2
Nidaros and similar soils	5	---
Duelm and similar soils	5	---
267B:		
Snellman	85	3
Nary and similar soils	5	---
Egglake and similar soils	5	---

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
267B:		
Cathro and similar soils	5	---
346:		
Talmoon	90	2
Cathro and similar soils	5	---
Beltrami and similar soils	5	---
406A:		
Dorset	90	6g
Duelm and similar soils	5	---
Corliss and similar soils	5	---
488:		
Becida, morainic, stony	85	2
Runeberg and similar soils	5	---
Cathro and similar soils	5	---
Blowers and similar soils	5	---
526C:		
Steamboat, pitted	40	3
Two Inlets, pitted	30	7

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
526C:		
Seelyeville, pitted	20	10
Potatolake and similar soils	5	---
Egglake and similar soils	4	---
water	1	---
526E:		
Steamboat, pitted	45	3
Two Inlets, pitted	25	7
Seelyeville, pitted	20	10
Potatolake and similar soils	5	---
Egglake and similar soils	4	---
water	1	---
540:		
Seelyeville, depressional, map 22-30	90	2h
Cathro and similar soils	5	---
Markey and similar soils	3	---
Haslie and similar soils	2	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
540:		
541:		
Rifle, depressional, map 22-30	90	10
Cathro and similar soils	5	---
Markey and similar soils	3	---
Haslie and similar soils	2	---
545:		
Rondeau, depressional	90	10
Seelyeville and similar soils	10	---
567A:		
Verndale	90	7
Nymore and similar soils	5	---
Duelm and similar soils	5	---
574G:		
Steamboat, pitted	45	3
Two Inlets, pitted	35	7
Seelyeville and similar soils	10	---
Egglake and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
574G:		
Potatolake and similar soils	4	---
water	1	---
628:		
Talmoon, depressional	90	2h
Cathro and similar soils	5	---
Beltrami and similar soils	5	---
672:		
Wilosippi	90	2
Zerkel and similar soils	5	---
Cathro and similar soils	5	---
675C:		
Two Inlets, pitted	45	7
Eagleview, pitted	25	7
Steamboat, pitted	20	3
Wurtsmith and similar soils	5	---
Potatolake and similar soils	3	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
675C:		
Seelyeville and similar soils	2	---
675E:		
Two Inlets, pitted	45	7
Eagleview, pitted	25	7
Steamboat, pitted	20	3
Wurtsmith and similar soils	5	---
Potatolake and similar soils	3	---
Seelyeville and similar soils	2	---
675G:		
Two Inlets, pitted	45	7
Eagleview, pitted	30	7
Steamboat, pitted	20	3
Wurtsmith and similar soils	3	---
Seelyeville and similar soils	2	---
701:		

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
701:		
Runeberg, depressional	90	2
Becida and similar soils	5	---
Cathro and similar soils	3	---
Blowers and similar soils	2	---
709B:		
Lengby	80	5
Zerkel and similar soils	5	---
Willossippi and similar soils	5	---
Sol and similar soils	5	---
Cathro and similar soils	5	---
709C:		
Lengby	80	5
Zerkel and similar soils	5	---
Willossippi and similar soils	5	---
Sol and similar soils	5	---
Cathro and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
719B:		
Rondeau, seepland	80	10
Spooner and similar soils	5	---
Nidaros and similar soils	5	---
Meehan and similar soils	5	---
Isan and similar soils	5	---
731A:		
Sanburn	90	7
Wurtsmith and similar soils	5	---
Graycalm and similar soils	5	---
744B:		
Debs	55	3
Akeley	25	5
Baudette and similar soils	8	---
Wurtsmith and similar soils	7	---
Spooner and similar soils	3	---
Zimmerman and similar soils	2	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
744B:		
746:		
Haslie, depressional	90	2h
Seelyeville and similar soils	10	---
775B:		
Sugarbush	60	6g
Two Inlets	30	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
775C:		
Sugarbush	55	6g
Two Inlets	35	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
778B:		
Dorset	60	6g
Corliss	30	7

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
778B:		
Duelm and similar soils	10	---
778C:		
Dorset	55	6g
Corliss	35	7
Duelm and similar soils	10	---
797:		
Mooselake	45	10
Lupton	45	10
Cathro and similar soils	10	---
799:		
Seelyeville, frequently flooded	45	10
Bowstring, frequently flooded	40	10
Roscommon and similar soils	5	---
Markey and similar soils	5	---
Cathro and similar soils	5	---
820B:		
Potatolake	85	3

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
820B:		
Willossippi and similar soils	5	---
Steamboat and similar soils	5	---
Debs and similar soils	5	---
820C:		
Potatolake	85	3
Willossippi and similar soils	5	---
Steamboat and similar soils	5	---
Debs and similar soils	5	---
831C:		
Akeley	45	5
Debs	40	3
Zimmerman and similar soils	10	---
Wurtsmith and similar soils	2	---
Baudette and similar soils	2	---
Spooner and similar soils	1	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
831E:		
Akeley	60	5
Debs	25	3
Zimmerman and similar soils	10	---
Wurtsmith and similar soils	2	---
Baudette and similar soils	2	---
Spooner and similar soils	1	---
844B:		
Sanburn	55	7
Graycalm	35	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
867B:		
Graycalm	60	7
Menahga	30	7
Wurtsmith and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
867B:		
Roscommon and similar soils	5	---
867C:		
Graycalm	60	7
Menahga	30	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
867E:		
Graycalm	50	7
Menahga	40	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
867F:		
Graycalm	50	7
Menahga	40	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
867F:		
1015:		
Udipsamments, cut and fill land	90	10
Poorly drained soils	10	---
1016:		
Udorthents, loamy, cut and fill land	90	10
Poorly drained areas	10	---
1021C:		
Graycalm	55	7
Sanburn	35	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
1027:		
Udorthents, wet substratum, fill land	90	10
Well drained soils	5	---
Moderately well drained soils	5	---
1030:		

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1030:		
Pits, gravel	60	10
Udipsamments	40	10
1111:		
Nidaros, frequently flooded	75	10
Seelyeville and similar soils	10	---
Roscommon and similar soils	10	---
Bowstring and similar soils	5	---
1113:		
Seelyeville, ponded	30	10
Haslie, ponded	30	10
Cathro, ponded	30	10
Willossippi and similar soils	5	---
Runeberg and similar soils	5	---
1126B:		
Verndale	60	7
Nymore	30	7

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1126B:		
Duelm and similar soils	10	---
1127A:		
Bootlake	60	7
Graycalm	30	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
1127B:		
Bootlake	60	7
Graycalm	30	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
1136:		
Nidaros, depressional	90	2h
Seelyeville and similar soils	5	---
Roscommon and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1164:		
Zerkel	85	1
Wilosippi and similar soils	5	---
Nary and similar soils	5	---
Lengby and similar soils	5	---
1200:		
Egglake	85	2
Steamboat and similar soils	5	---
Nary and similar soils	5	---
Cathro and similar soils	5	---
1230:		
Nidaros, ponded	45	10
Haslie, ponded	45	10
Seelyeville and similar soils	5	---
Roscommon and similar soils	5	---
1238E:		
Two Inlets	60	7

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1238E:		
Sugarbush	35	6g
Wurtsmith and similar soils	3	---
Roscommon and similar soils	2	---
1238F:		
Two Inlets	70	7
Sugarbush	25	6g
Wurtsmith and similar soils	3	---
Roscommon and similar soils	2	---
1244B:		
Sol, very stony	50	3
Sugarbush, very stony	25	6g
Cathro and similar soils	10	---
Nary and similar soils	5	---
Egglake and similar soils	5	---
Debs and similar soils	4	---
water	1	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1244B:		
1244C:		
Sol, very stony	50	3
Sugarbush, very stony	25	6g
Cathro and similar soils	10	---
Nary and similar soils	5	---
Egglake and similar soils	5	---
Debs and similar soils	4	---
water	1	---
1244E:		
Sol, very stony	45	3
Sugarbush, very stony	35	6g
Nary and similar soils	5	---
Egglake and similar soils	5	---
Cathro and similar soils	5	---
Debs and similar soils	4	---
water	1	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1247D:		
Corliss	60	7
Dorset	30	6g
Duelm and similar soils	10	---
1248C:		
Nymore	55	7
Verndale	35	7
Duelm and similar soils	10	---
1249C:		
Graycalm	55	7
Bootlake	35	7
Wurtsmith and similar soils	5	---
Roscommon and similar soils	5	---
1271:		
Roscommon, depressional, map 22-30	90	2
Meehan and similar soils	5	---
Markey and similar soils	5	---
1272B:		

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1272B:		
Sol	85	3
Nary and similar soils	5	---
Egglake and similar soils	5	---
Cathro and similar soils	5	---
1294:		
Nary	85	1
Sol and similar soils	5	---
Egglake and similar soils	5	---
Cathro and similar soils	5	---
1319B:		
Rockwood, stony	80	5
Blowers and similar soils	10	---
Redeye and similar soils	5	---
Becida and similar soils	3	---
Runeberg and similar soils	2	---
1319C:		
Rockwood, stony	80	5

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1319C:		
Blowers and similar soils	10	---
Redeye and similar soils	5	---
Becida and similar soils	3	---
Runeberg and similar soils	2	---
1319D:		
Rockwood, stony	80	5
Runeberg and similar soils	5	---
Redeye and similar soils	5	---
Blowers and similar soils	5	---
Becida and similar soils	5	---
1320B:		
Blowers, stony	80	5
Runeberg and similar soils	5	---
Rockwood and similar soils	5	---
Huntersville and similar soils	5	---
Becida and similar soils	5	---

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1320B:		
1321:		
Paddock, stony	45	1
Becida, stony	35	2
Runeberg and similar soils	10	---
Cathro and similar soils	5	---
Blowers and similar soils	5	---
1332B:		
Rockwood, morainic, stony	85	5
Blowers and similar soils	10	---
Becida and similar soils	3	---
Runeberg and similar soils	2	---
1332C:		
Rockwood, morainic, stony	85	5
Blowers and similar soils	10	---
Becida and similar soils	3	---
Runeberg and similar soils	2	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1332C:		
1332E:		
Rockwood, morainic, stony	90	5
Blowers and similar soils	5	---
Becida and similar soils	3	---
Runeberg and similar soils	2	---
1334:		
Huntersville	80	5
Wurtsmith and similar soils	5	---
Staples and similar soils	5	---
Redeye and similar soils	5	---
Blowers and similar soils	5	---
1336:		
Blowers, morainic, stony	80	5
Becida and similar soils	10	---
Runeberg and similar soils	5	---
Rockwood and similar soils	5	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1336:		
1356:		
Water, miscellaneous	100	---
1421B:		
Rockwood, morainic, stony	50	5
Two Inlets, morainic, stony	25	7
Runeberg and similar soils	9	---
Blowers and similar soils	8	---
Becida and similar soils	8	---
1421C:		
Rockwood, morainic, stony	45	5
Two Inlets, morainic, stony	30	7
Runeberg and similar soils	9	---
Blowers and similar soils	8	---
Becida and similar soils	8	---
1421E:		
Rockwood, morainic, stony	45	5

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1421E:		
Two Inlets, morainic, stony	40	7
Runeberg and similar soils	5	---
Graycalm and similar soils	5	---
Blowers and similar soils	3	---
1438B:		
Braham, moderately wet	75	5
Blomford and similar soils	13	---
Nebish and similar soils	12	---
1439:		
Cathro, depressional, map 22-30	75	2h
Seelyeville and similar soils	13	---
Becida and similar soils	12	---
1440B:		
Redeye, morainic	75	5
Huntersville and similar soils	7	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1440B:		
Graycalm and similar soils	7	---
Rockwood and similar soils	6	---
Staples and similar soils	5	---
1440C:		
Redeye, morainic	75	5
Graycalm and similar soils	10	---
Staples and similar soils	5	---
Rockwood and similar soils	5	---
Huntersville and similar soils	5	---
1444:		
Wurtsmith, map 22-30	75	7
Meehan and similar soils	9	---
Graycalm and similar soils	9	---
Roscommon and similar soils	7	---
1445:		

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1445:		
Markey, depressional, map 22-30	75	2h
Roscommon and similar soils	13	---
Seelyeville and similar soils	12	---
1447:		
Beltrami	75	1
Cathro and similar soils	13	---
Talmoon and similar soils	12	---
1450B:		
Sanburn, bouldery	80	7
Roscommon and similar soils	7	---
Graycalm and similar soils	7	---
Wurtsmith and similar soils	6	---
1450C:		
Sanburn, bouldery	80	7
Roscommon and similar soils	7	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1450C:		
Graycalm and similar soils	7	---
Wurtsmith and similar soils	6	---
1450E:		
Sanburn, bouldery	75	7
Roscommon and similar soils	10	---
Graycalm and similar soils	10	---
Wurtsmith and similar soils	5	---
1460B:		
Nebish, moderately wet	70	3
Talmoon and similar soils	10	---
Cathro and similar soils	10	---
Beltrami and similar soils	10	---
1460C:		
Nebish	70	3
Talmoon and similar soils	10	---
Cathro and similar soils	10	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1460C:		
Beltrami and similar soils	10	---
1943:		
Roscommon, map 22-30	85	2
Markey and similar soils	15	---
1956:		
Staples	75	2
Runeberg and similar soils	9	---
Cathro and similar soils	8	---
Becida and similar soils	8	---
1968:		
Ewart, occasionally flooded	80	2
Nidaros and similar soils	10	---
Duelm and similar soils	10	---
1969:		
Ewart, channeled, frequently flooded	55	2
Isan, channeled, frequently flooded	25	2
Nidaros and similar soils	10	---

Conservation Tree/Shrub Suitability Groups (MN)

Hubbard County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
-----------------------------	---------------------	--

1969:

Duelm and similar soils	10	---
-------------------------	----	-----

W:

Water	100	---
-------	-----	-----