

# Forage Suitability Groups (MN)

Kittson County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
50:			
Cashel, occasionally flooded	85	N	01
Northcote	15	---	---
157:			
Wahpeton, occasionally flooded	85	N	02
Bearden	4	---	---
Northcote	4	---	---
Noyes	4	---	---
Cashel	3	---	---
157B:			
Wahpeton, occasionally flooded	85	N	02
Bearden	5	---	---
Cashel	5	---	---
Northcote	5	---	---
429B:			
Northcote	85	N	01
Colvin	5	---	---
Hegne	5	---	---
Wahpeton	5	---	---
1002:			
Alluvial land, frequently flooded	100	N	16
1006:			
Alluvial land, frequently flooded	50	N	16
Breaks	50	N	02

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I13A: Espelie	75	N	01
I16F: Fluvaquents, frequently flooded	55	N	16
Hapludolls, rarely flooded	25	N	17
I32A: Hilaire	75	N	02
I34A: Huot	75	N	10
I40B: Maddock	75	N	04
I41A: Markey	80	N	14
I42A: Markey, ponded	85	N	24
I47A: Poppleton	75	N	04
I48A: Radium	75	N	04
I57B: Sandberg	50	N	04
Radium	25	N	04
I63A: Thiefriever	70	N	09
I75A: Radium	40	N	04
Sandberg	20	N	04
Garborg	15	N	04

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I76A: Karlstad	70	---	---
I77A: Deerwood	75	---	---
I78B: Marquette	65	---	---
I79A: Berner, ponded, dense till	30	---	---
Cathro, ponded, dense till	30	---	---
Haug, ponded	30	---	---
I80B: Karlstad	45	---	---
Marquette	25	---	---
I81A: Northwood, dense till	70	---	---
I82A: Cathro, dense till	75	---	---
I83A: Wildwood	75	---	---
I84A: Percy, very cobbly	70	---	---
I85A: Percy, bouldery	65	---	---
I86A: Percy	70	---	---
I87A: Pelan, dense till	65	---	---
I88A: Haug	75	---	---

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I89A: Nereson, very cobbly	65	---	---
I90A: Redby	65	---	---
I91A: Rosewood	70	---	---
I92A: Grano	75	---	---
I93A: Viking	75	---	---
I94A: Strathcona, dense till	65	---	---
I95A: Kratka, dense till	35	---	---
Strathcona, dense till	35	---	---
I96D: Serden	40	---	---
Aylmer	30	---	---
Bantry	15	---	---
I97A: Cormant	65	---	---
I98A: Ulen	65	---	---
I99A: Bernier, dense till	75	---	---
I100A: Cormant	35	---	---
Rosewood	35	---	---

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I101A: Foxhome, dense till	65	---	---
I102A: Mavie, dense till	65	---	---
I103A: Kratka, dense till	65	---	---
I104A: Strandquist, dense till	65	---	---
I105A: Hangaard	70	---	---
I106A: Enstrom, dense till	70	---	---
I107A: Syrene	70	---	---
I108A: Syrene	65	---	---
I109A: Fluvaquents, frequently flooded	70	---	---
I110A: Augsburg	40	---	---
Colvin	40	---	---
I111A: Wheatville	58	---	---
I112A: Augsburg	55	---	---
I113A: Grimstad, dense till	65	---	---
I114A: Foldahl, dense till	65	---	---

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I115A: Garnes, dense till	65	---	---
I116A: Grygla, dense till	65	---	---
I117A: Skagen, very cobbly	65	---	---
I118A: Poppleton	70	---	---
I119A: Bearden	58	N	10
I120A: Northcote	70	---	---
I121A: Glyndon	55	---	---
Ulen	15	---	---
I122A: Borup	55	---	---
Rosewood	15	---	---
I123A: Bearden	35	---	---
Colvin	30	---	---
I124A: Colvin	50	---	---
Fargo	30	---	---
I125A: Skagen	65	---	---
I126A: Nereson	65	---	---

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I127A: Percy	70	---	---
I128A: Noyes	50	---	---
I129A: Donaldson	50	---	---
I130A: Hegne	43	N	09
Fargo	36	N	01
I131B: Bearden	50	---	---
Lamoure, frequently flooded	20	---	---
I132A: Northcote	45	---	---
Eaglepoint	30	---	---
I133A: Northcote	75	---	---
I134A: Hegne	38	---	---
Fargo	34	---	---
I135A: Wahpeton, occasionally flooded	75	---	---
I135B: Wahpeton, gently sloping, occasionally flooded	50	---	---
Ludden, frequently flooded	20	---	---

## Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
I136F:			
Cashel, occasionally flooded	30	---	---
Lallie, frequently flooded	25	---	---
Wahpeton, sloping, occasionally flooded	20	---	---
I137B:			
Sinai	40	---	---
Ludden, frequently flooded	20	---	---
I138A:			
Fargo, depressional	70	---	---
I139A:			
Colvin	70	---	---
I140A:			
Northcote, slightly saline	73	---	---
I141B:			
Sinai	53	---	---
Ludden, frequently flooded	20	---	---
I145A:			
Northcote, slightly saline	40	---	---
Eaglepoint, slightly saline	30	---	---
I200F:			
Dumps, sanitary landfill	60	---	---
Udorthents, shallow (sanitary landfill)	40	---	---
IGp:			
Pits, gravel and sand	85	---	---
M-W:			
Water, miscellaneous	100	---	---

# Forage Suitability Groups (MN)

Kittson County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
--------------------------	------------------	--------------------	---------------------------------

W: Water	100	---	---
-------------	-----	-----	-----