

Lac qui Parle County RUSLE2 Slope and Slope Length 11/20/2012

musym	muname	slope_r	sloplen_r_feet
31D2	Storden loam, 12 to 18 percent slopes, eroded	15	98
34	Parnell silty clay loam, depressional	1	125
47	Colvin silty clay loam	1	125
51	La Prairie loam, occasionally flooded	1	125
60	Glyndon silt loam	2	82
67	Bearden silty clay loam	2	82
70	Svea loam	2	125
85	Calco silty clay loam, occasionally flooded	1	148
108	McIntosh silt loam	2	82
113	Webster clay loam	1	125
127A	Sverdrup sandy loam, 0 to 2 percent slopes	1	125
127B	Sverdrup sandy loam, 2 to 6 percent slopes	4	125
127C	Sverdrup sandy loam, 6 to 12 percent slopes	9	125
137	Dovray silty clay	1	125
141A	Egeland sandy loam, 0 to 2 percent slopes	1	125
141B	Egeland sandy loam, 2 to 6 percent slopes	4	125
141C	Egeland loam, 6 to 12 percent slopes	9	125
168B	Forman clay loam, 2 to 6 percent slopes	4	125
184	Hamerly loam	1	82
210	Fulda silty clay	1	125
212A	Sinai silty clay loam, 1 to 3 percent slopes	2	125
212B	Sinai silty clay, 3 to 6 percent slopes	4	125
219	Rolfe silt loam	1	125
220D2	Langhei loam, 12 to 18 percent slopes, eroded	15	98
236	Vallers clay loam	1	125
246	Marysland loam	1	125
276	Oldham silty clay	1	125
284B	Poinsett silty clay loam, 1 to 4 percent slopes	2	125
288F	Esmond loam, 18 to 40 percent slopes	29	82
290B	Rothsay silt loam, 1 to 4 percent slopes	3	125
293B	Swenoda loam, 2 to 6 percent slopes	4	125
314	Spottswood loam	1	125
338	Waubay silty clay loam	2	125
339	Fordville loam	2	125
341A	Arvilla sandy loam, 0 to 2 percent slopes	1	125
341B	Arvilla sandy loam, 2 to 6 percent slopes	4	125
341C	Arvilla sandy loam, 6 to 12 percent slopes	9	125
344	Quam silty clay loam	1	125
347	Malachy loam	2	125
375	Forada loam	1	125
396D2	Sisseton loam, 12 to 18 percent slopes, eroded	15	98
402F	Sioux gravelly loam, 12 to 40 percent slopes	26	89
418	Lamoure silty clay loam, occasionally flooded	1	148
421B	Ves loam, 1 to 4 percent slopes	3	125
423	Seaforth loam	2	125

434	Perella silty clay loam	1	125
437F	Buse loam, 18 to 40 percent slopes	29	82
450	Rauville silty clay loam, frequently flooded	1	98
494B	Darnen loam, 2 to 6 percent slopes	4	125
497	Hantho silt loam	2	125
509	Vallers clay loam, very stony	1	125
574	Du Page loam, occasionally flooded	1	125
597	Tara silt loam	2	125
610	Calco silty clay loam, frequently flooded	1	148
680	Parnell silty clay loam	1	125
694C2	Zell silt loam, 6 to 12 percent slopes, eroded	9	125
706	Bigstone silty clay loam, ponded	1	125
724	Bigstone silty clay loam	1	125
741B	Poinsett-Buse complex, 2 to 6 percent slopes	4	125
748B	Hamlet loam, 1 to 4 percent slopes	3	125
769A	Mehurin clay loam, 0 to 2 percent slopes	1	125
769B	Mehurin clay loam, 2 to 6 percent slopes	4	125
774	Svea loam, very stony	2	125
777C2	Sisseton-Heimdal complex, 6 to 12 percent slopes, eroded	9	112
883	Du Page-Zumbro complex, occasionally flooded	1	125
891B	Doland-Buse complex, 3 to 6 percent slopes	5	125
902B	Barnes-Buse complex, 2 to 6 percent slopes	4	125
915C2	Buse-Forman complex, 6 to 12 percent slopes, eroded	9	112
942C2	Langhei-Barnes complex, 6 to 12 percent slopes, eroded	9	112
954B	Ves-Swanlake complex, 3 to 6 percent slopes	5	125
954C2	Storden-Ves complex, 6 to 12 percent slopes, eroded	9	112
969B	Zell-Rothsay complex, 3 to 6 percent slopes	5	125
1013	Pits, quarry	10	0
1016	Udorthents, loamy	2	0
1030	Udorthents-pits, gravel complex	3	0
1051	Glencoe silty clay loam, ponded	1	125
1106C	Storden-Hawick-Ves complex, 6 to 12 percent slopes, eroded	9	112
1107D	Sisseton-Sioux-Heimdal complex, 6 to 18 percent slopes, eroded	12	98
1108	Harps-Glencoe-Seaforth complex	1	125
1222	Parle clay loam	1	125
1233B	Esmond-Heimdal complex, 2 to 6 percent slopes	4	125
1266C	Yellowbank-Rock outcrop complex, 1 to 25 percent slopes	13	112
1295B	Doland silt loam, 2 to 4 percent slopes, moderately wet	3	125
1296	Swenoda sandy loam, 0 to 2 percent slopes, moderately wet	1	125
1309C	Buse-Doland complex, 6 to 12 percent slopes, eroded	9	112
1356	Water, miscellaneous		0
1865C	Buse-Barnes complex, 2 to 12 percent slopes, extremely stony	7	112
1865F	Buse loam, 12 to 40 percent slopes, extremely stony	26	82
1870	Burr-Calco complex, occasionally flooded	1	125
1938	Lakepark loam	2	125
1994	Embden sandy loam	1	125
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	0.5	125

L201A Normania loam, 0 to 3 percent slopes
W Water

2

125
0