

Highly Erodible Soil Map Unit List - Meeker County, MN

C= 0.15

R= 120

This data is only to be used for HEL determinations

This is the "frozen data" based on 01/01/1990 information. Values other than "HEL" should only be used for PHEL.

Mapunit Symbol	Mapunit Name	HEL	T	K	I	Slope Percent	Slope Length	LS
8B	SPARTA LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES	NHEL	5	0.17	134	4.00	125	0.43
8C	SPARTA LOAMY SAND, 6 TO 12 PERCENT SLOPES	NHEL	5	0.17	134	9.00	125	1.31
8D	SPARTA LOAMY SAND, 12 TO 25 PERCENT SLOPES	HEL	5	0.17	134	18.00	125	4.00
35	BLUE EARTH MUCKY SILT LOAM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
39A	WADENA LOAM, 0 TO 2 PERCENT SLOPES	NHEL	4	0.24	48	1.00	150	0.15
41A	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	3	0.20	86	2.00	100	0.20
85	CALCO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCC. FLOODED	NHEL	5	0.28	86	1.00	150	0.15
86	Canisteo clay loam, 0 to 2 percent slopes	NHEL	5	0.24	86	1.00	100	0.13
96B	COLLINWOOD SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	NHEL	5	0.32	86	4.50	125	0.52
101B	TRUMAN SILT LOAM, 2 TO 6 PERCENT SLOPES	NHEL	5	0.32	48	4.00	150	0.47
102B	CLARION LOAM, MOD. FINE SUB., 2 TO 5 PERCENT SLOPES	NHEL	5	0.24	48	4.00	125	0.43
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.28	48	9.00	150	1.44
112	HARPS CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.24	86	2.00	100	0.13
129	Cylinder loam, 0 to 2 percent slopes	NHEL	4	0.24	48	1.00	150	0.15
136	MADELIA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	38	1.00	100	0.13
140	SPICER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
143B	CHELSEA LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES	NHEL	5	0.17	134	3.00	125	0.31
178	GRANBY FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.20	86	1.00	150	0.11
181	LITCHFIELD LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	NHEL	5	0.17	134	2.00	100	0.20
183	DASSEL MUCKY FINE SANDY LOAM, DEP., 0 TO 1 PERCENT SLOPES	NHEL	5	0.20	86	1.00	100	0.13
197	KINGSTON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	NHEL	5	0.28	38	2.00	100	0.20
211	Lura silty clay, 0 to 1 percent slopes	NHEL	5	0.28	86	1.00	100	0.13
229	WALDORF SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
239	Le Sueur loam, 1 to 3 percent slopes	NHEL	5	0.24	48	2.00	150	0.23
281	DARFUR LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.20	56	1.00	100	0.13
286B	SHOREWOOD SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	NHEL	5	0.28	38	4.00	125	0.43
311C2	SHOREWOOD SILTY CLAY, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.28	86	9.00	125	1.31
327A	DICKMAN SANDY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	3	0.20	86	2.00	125	0.21
327B	DICKMAN SANDY LOAM, 2 TO 6 PERCENT SLOPES	NHEL	3	0.20	86	4.00	135	0.45
399	BISCAY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES	NHEL	4	0.28	48	1.00	100	0.13
415	KANARANZI LOAM, 0 TO 3 PERCENT SLOPES	NHEL	3	0.24	48	1.50	150	0.19
423	SEAFORTH LOAM, 1 TO 3 PERCENT SLOPES	NHEL	5	0.28	86	2.00	100	0.20
511	MARCELLON LOAM, 0 TO 3 PERCENT SLOPES	NHEL	5	0.24	56	2.00	100	0.20
523	Houghton muck, 0 to 1 percent slopes	NHEL	5		134	1.00	100	0.13

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
525	MUSKEGO MUCK, DEP., 0 TO 1 PERCENT SLOPES	NHEL	4		134	1.00	100	0.13
548	MEDO MUCK, DEP., 0 TO 1 PERCENT SLOPES	NHEL	5		134	1.00	100	0.13
610	CALCO SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, FREQ. FL.	NHEL	5	0.28	86	1.00	100	0.13
611D	Hawick gravelly sandy loam, 12 to 20 percent slopes	HEL	3	0.10	86	18.00	125	4.00
612B	WADINILL LOAM, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	56	4.00	120	0.43
613	GROVECITY LOAM, 1 TO 3 PERCENT SLOPES	NHEL	5	0.20	56	2.00	100	0.20
664	ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCC. FLOODED	NHEL	5	0.28	38	1.00	100	0.13
740	Hamel-Glencoe complex, 0 to 2 percent slopes	NHEL	5	0.28	48	2.00	100	0.20
804B	KORONIS-SUNBURG-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	86	4.50	125	0.51
804C2	KORONIS-SUNBURG-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.24	86	10.00	125	1.53
804D2	KORONIS-SUNBURG-HAWICK COMPLEX, 12 TO 18 PERCENT SLOPES, ERODED	HEL	5	0.24	86	15.00	125	2.86
804E	KORONIS-SUNBURG-HAWICK COMPLEX, 18 TO 40 PERCENT SLOPES	HEL	5	0.24	86	15.00	125	2.86
805C2	SUNBURG-WADENILL COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.24	86	10.00	125	1.53
805D2	SUNBURG-WADENILL COMPLEX, 12 TO 18 PERCENT SLOPES, ERODED	HEL	5	0.24	86	15.00	125	2.86
875B	ESTHERVILLE-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	3	0.20	86	4.00	125	0.43
875C	HAWICK-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES	NHEL	3	0.20	86	9.00	125	1.31
887B	CLARION-SWANLAKE COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.28	86	5.00	125	0.60
899	Harps-Okobojo complex, 0 to 2 percent slopes	NHEL	5	0.24	86	1.00	100	0.13

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
909C2	BOLD-TRUMAN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.43	86	9.00	125	1.31
909D2	BOLD-TRUMAN COMPLEX, 12 TO 18 PERCENT SLOPES, ERODED	HEL	5	0.43	86	15.00	125	2.86
920B	CLARION-STORDEN-HAWICK COMPLEX, 2 TO 6 percent SLOPES	NHEL	5	0.24	48	4.50	150	0.56
945D2	Lester-Storden complex, 10 to 16 percent slopes, moderately eroded	HEL	5	0.28	86	15.00	125	2.86
945E	Lester-Belview complex, 22 to 40 percent slopes	HEL	5	0.28	48	22.00	125	5.25
960C2	STORDEN-OMSRUD COMPLEX, 6 TO 12 percent SLOPES, ERODED	PHEL	5	0.28	86	9.00	125	1.31
960D2	Omsrud-Storden complex, 10 to 16 percent slopes, moderately eroded	HEL	5	0.28	86	15.00	125	2.86
978	Cordova-Rolfe complex, 0 to 2 percent slopes	NHEL	5	0.28	48	1.00	100	0.13
1015	UDIPSAMMENTS, (CUT AND FILL LAND)	NHEL	5	0.10	134	2.00	100	0.20
1016	UDORTHENTS, LOAMY, CUT AND FILL LAND	NHEL	5	0.24	86	2.00	100	0.20
1030	PITS, GRAVEL-UDIPSAMMENTS COMPLEX	NHEL	5	0.10	134	10.00	25	0.69
1080	KLOSSNER, OKOBOJI, AND GLENCOE SOILS, PD, 0 TO 1 percent SLOPES	NHEL	5	0.37		0.50	100	0.10
1096	FIELDON-DASSEL, DEPRESSIONAL COMPLEX, 0 TO 2 percent SLOPES	NHEL	5	0.28	86	1.00	100	0.13
1097	MAYER-BISCAY, DEPRESSIONAL COMPLEX, 0 TO 2 percent SLOPES	NHEL	4	0.28	86	2.00	100	0.20
1098	BISCAY CLAY LOAM, 0 TO 2 percent SLOPES	NHEL	4	0.28	48	1.00	150	0.15
1099	GRANBY LOAMY FINE SAND, VERY WET 0 TO 1 percent SLOPES	NHEL	5	0.17	134	1.00	150	0.15
1100	NICOLLET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	NHEL	5	0.24	38	2.00	150	0.23
1159B	STROUT-ARKTON-COMPLEX, 3 TO 6 PERCENT SLOPES	NHEL	5	0.28	86	4.00	150	0.47

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
1162A	KANDIYOHI CLAY, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	2.00	150	0.23
1162B	KANDIYOHI CLAY, 2 TO 5 PERCENT SLOPES	NHEL	5	0.28	86	4.50	125	0.51
1163	COHOCTAH LOAM, 0 TO 2 percent SLOPES, FREQ. FLOODED	NHEL	5	0.28	86	1.00	100	0.13
1165	LUNDLAKE SILTY CLAY LOAM, DEP., 0 TO 2 percent SLOPES	NHEL	5	0.28	38	0.50	100	0.10
1169	CORVUSO-LURA, DEP. COMPLEX, 0 TO 2 percent SLOPES	NHEL	5	0.28	86	1.00	100	0.13
1171C	NEWLONDON-STROUT COMPLEX, 6 TO 12 percent SLOPES, ERODED	PHEL	5	0.28	86	9.00	125	1.31
1172C	SPARTA-GARDENCITY COMPLEX, 6 TO 12 PERCENT SLOPES	NHEL	5	0.17	134	10.00	150	1.68
1173	MUSKEGO AND KLOSSNER SOILS, DEP., 0 TO 1 percent SLOPES FREQ. FL.	NHEL	5			0.50	100	0.10
1174	DANIELSON CLAY LOAM, 1 TO 3 PERCENT SLOPES	NHEL	5	0.28	48	2.00	150	0.23
1175	SWEDEGROVE LOAM, 0 TO 2 percent SLOPES	NHEL	5	0.32	86	1.00	100	0.13
1176	LITCHFIELD SANDY LOAM, 0 TO 2 percent SLOPES	NHEL	3	0.20	86	1.00	100	0.13
1177C	GARDENCITY-BOLD COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.32	86	9.00	125	1.31
1178	UNIONGROVE LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.24	48	1.00	100	0.13
1184	CORVUSO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
1185	GARDENCITY FINE SANDY LOAM, MOD. WET, 0 TO 2 PERCENT SLOPES	NHEL	5	0.20	86	0.50	100	0.10
1193	COSMOS SILTY CLAY, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
1197	COHOCTAH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES. OCC. FL.	NHEL			86	1.00	100	0.13
1203	MUSKEGO, BLUE EARTH, AND HOUGHTON SOILS, PONDED	NHEL	5			0.50	100	0.10

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
1213C	COKATO-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.28	86	9.00	125	1.31
1220C	COKATO-STORDEN-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	PHEL	5	0.28	86	9.00	125	1.31
1383A	SHOREWOOD SILTY CLAY LOAM, MODERATELY WET, 0 TO 3 PERCENT SLOPES	NHEL	5	0.28	38	2.00	100	0.20
1384	CASEYLAKE LOAM, 0 TO 2 PERCENT SLOPES	NHEL	3	0.28	56	1.00	100	0.13
1385	HAVELOCK LOAM, 0 TO 2 PERCENT, FREQUENTLY FLOODED	NHEL	5	0.28	86	1.00	100	0.13
1387A	COLLINWOOD SILTY CLAY LOAM, MODERATELY WET, 0 TO 3 PERCENT SLOPES	NHEL	5	0.32	86	2.00	100	0.20
1391B	WADENILL-SUNBURG COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	56	4.50	120	0.46
1406	MEDO, DASSEL, AND BISCAY SOILS, PONDED, 0 TO 1 PERCENT SLOPES	NHEL	4	0.28	48	1.00	100	0.13
1801B	GARDENCITY VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	NHEL	5	0.28	86	3.50	125	0.35
L13A	KLOSSNER MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES	NHEL	5		134	1.00	100	0.13
L33A	KANDIYOHI CLAY, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	4.00	125	0.43
L33B	KANDIYOHI CLAY 2 TO 5 PERCENT SLOPES	NHEL	5	0.28	86	1.00	150	0.15
L34A	COSMOS SILTY CLAY, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
L83A	WEBSTER CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
L84A	Glencoe clay loam, 0 to 1 percent slopes	NHEL	5	0.28	86	1.00	100	0.13
L85A	NICOLLET CLAY LOAM, DEPRESSIONAL, 1 TO 3 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
L107A	Canisteo-Glencoe complex, 0 to 2 percent slopes	NHEL	5	0.28	86	1.00	100	0.13
L113B	Reedslake-Le Sueur complex, 1 to 6 percent slopes	NHEL	5	0.28	48	5.00	125	0.60

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
L163A	Okoboji silty clay loam, 0 to 1 percent slopes	NHEL	5	0.32	86	0.50	100	0.10
L164A	LURA SILTY CLAY, DEPRESSIONAL, FIRM SUBSTRATUM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.32	86	0.50	100	0.10
L166C2	NEWLONDON-STROUT COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.28	86	9.00	125	1.31
L166D2	NEWLONDON-STROUT COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	HEL	5	0.28	86	15.00	150	3.13
L179A	CORVUSO-LURA, DEPRESSIONAL, FIRM SUBSTRATUM COMPLEX, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
L184A	CORVUSO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	86	1.00	100	0.13
L185B	STROUT-ARKTON COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.28	86	4.00	125	0.43
L186A	DANIELSON-DANIELSON, OVERWASH COMPLEX, 1 to 4 PERCENT SLOPES	NHEL	5	0.28	86	4.00	125	0.43
L187A	KLOSSNER, FIRM SUBSTRATUM AND LURA SOILS, PONDED, FIRM SUBSTRATUM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.32	86	0.50	100	0.10
L191A	BLUE EARTH, HOUGHTON AND KLOSSNER SOILS, PONDED, FIRM SUBSTRATUM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.28	86	0.50	100	0.10
L199A	MUSKEGO-KLOSSNER, DEPRESSIONAL, FIRM SUBSTRATUM, COMPLEX, 0 TO 1 PERCENT SLOPES	NHEL	4		134	5.00	100	0.54
L200A	KLOSSNER MUCK, DEPRESSIONAL, FIRM SUBSTRATUM, 0 TO 1 PERCENT SLOPES	NHEL	4		134	5.00	100	0.54
L204C2	NEWLONDON-STROUT-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.28	86	9.00	125	1.31
L204D2	NEWLONDON-STROUT-HAWICK COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	HEL	5	0.28	86	15.00	150	3.13
L205A	BLUE EARTH MUCKY SILTY CLAY LOAM, DEPRESSIONAL, FIRM SUBSTRATUM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.28	86	0.50	100	0.10
L206B	STROUT-ARKTON-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.28	86	4.00	125	0.43
L210F	ARKTON-STROUT COMPLEX, 18 TO 40 PERCENT SLOPES	HEL	5	0.28	86	4.00	125	0.43
L307B	KORONIS LOAM, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	86	4.00	150	0.47

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
L307C2	Koronis loam, 6 to 10 percent slopes, moderately eroded	PHEL	5	0.24	86	10.00	125	1.53
L307E	KORONIS LOAM, 18 TO 40 PERCENT SLOPES	HEL	5	0.24	86	25.00	150	7.00
L315C2	SUNBURG-WADENILL-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.24	86	10.00	125	1.53
L315D2	SUNBURG-WADENILL-HAWICK COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	HEL	5	0.24	86	15.00	125	2.86
L317A	BARRY LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	38	2.00	100	0.20
L318A	LUNDLAKE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	NHEL	5	0.28	48	1.00	100	0.13
L319A	SWEDEGROVE-LUNDLAKE COMPLEX, 0 TO 2 PERCENT SLOPES	NHEL	5	0.24	86	1.00	100	0.13
L320A	MUSKEGO AND KLOSSNER SOILS, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	NHEL	5			0.50	100	0.10
L321A	SWEDEGROVE LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.32	86	1.00	100	0.13
L322A	UNIONGROVE LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.28	38	2.00	100	0.20
L323A	CROWRIVER LOAM, 0 TO 2 PERCENT SLOPES	NHEL	5	0.24	86	2.00	100	0.20
L324A	FORESTCITY, OVERWASH-FORESTCITY COMPLEX, 1 to 4 PERCENT SLOPES	NHEL	5	0.24	48	2.00	100	0.20
L325A	CROWRIVER-LUNDLAKE COMPLEX, 0 TO 2 PERCENT SLOPES	NHEL	5	0.24	86	2.00	100	0.20
L326B	RHORBECK-KORONIS COMPLEX, 1 TO 6 PERCENT SLOPES	NHEL	5	0.17	134	4.00	125	0.43
L330A	MUSKEGO, BLUE EARTH AND HOUGHTON SOILS, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES, PONDED	NHEL	5		86	0.50	100	0.10
L331A	KLOSSNER MUCK, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES	NHEL	5		134	1.00	100	0.13
L332A	BLUE EARTH MUCKY SILT LOAM, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES	NHEL	5	0.28	86	0.50	100	0.10
L334A	HOUGHTON AND MUSKEGO SOILS, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES	NHEL	5		134	1.00	100	0.13

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
L335A	KLOSSNER SOILS, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES	NHEL	5		134	1.00	100	0.13
L336A	ARCTANDER, OVERWASH-ARCTANDER COMPLEX, 1 to 4 PERCENT SLOPES	NHEL	5	0.24	48	2.00	100	0.20
L337B	WADENILL-SUNBURG COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	56	4.00	125	0.43
L340B	WADENILL-SUNBURG-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	86	4.00	150	0.47
L345A	SEAFORTH LOAM, LUNDLAKE CATENA, 1 TO 3 PERCENT SLOPES	NHEL	5	0.28	86	2.00	100	0.20
L347A	KLOSSNER AND LUNDLAKE SOILS, 0 TO 1 PERCENT SLOPES, PONDED	NHEL	5	0.37	86	0.50	100	0.10
L350A	MARCELLON LOAM, 0 TO 3 PERCENT SLOPES	NHEL	5	0.24	56	2.00	100	0.20
L351A	HOUGHTON MUCK, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES	NHEL	5		134	1.00	100	0.13
L352A	MUSKEGO MUCK, LUNDLAKE CATENA, 0 TO 1 PERCENT SLOPES	NHEL	4		134	5.00	100	0.54
L353B	WADENILL LOAM, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	56	4.00	120	0.43
L354A	GROVECITY LOAM, 1 TO 3 PERCENT SLOPES	NHEL	5	0.20	56	2.00	100	0.20
L355B	KORONIS-SUNBURG-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES	NHEL	5	0.24	86	4.00	150	0.47
L355C2	KORONIS-SUNBURG-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.24	86	10.00	175	1.81
L355D2	KORONIS-SUNBURG-HAWICK COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	HEL	5	0.24	86	16.00	150	3.48
L355E	KORONIS-SUNBURG-HAWICK COMPLEX, 18 TO 40 PERCENT SLOPES	HEL	5	0.24	86	25.00	150	7.00
L356C2	SUNBURG-WADENILL COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.24	86	10.00	125	1.53
L356D2	SUNBURG-WADENILL COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	HEL	5	0.24	86	15.00	150	3.13
L357B	KORONIS-SUNBURG COMPLEX, 1 TO 6 PERCENT SLOPES	NHEL	5	0.24	86	4.00	150	0.47

Mapunit Symbol	Mapunit Name	HELC	T	K	I	Slope Percent	Slope Length	LS
L357C2	KORONIS-SUNBURG COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	PHEL	5	0.24	86	10.00	125	1.53
L357D2	KORONIS-SUNBURG COMPLEX, 12 TO 18 PERCENT SLOPES, MODERATELY ERODED	HEL	5	0.24	86	16.00	125	3.48
L1207B	Le Sueur-Reedslake-Cordova complex, 0 to 5 percent slopes	NHEL	5	0.28	48	5.00	125	0.60
L1213B	Reedslake-Swanlake complex, 3 to 12 percent slopes	NHEL	5	0.28	48	5.00	125	0.60
1356	Water, miscellaneous							
W	Water							