

areasym	musym	muname	slope_r	slopelen_r_feet
MN061	1031	Histosols, ponded	0.2	82
MN061	1033	Aquents, sandy	0.2	82
MN061	1041	Pits, mine	20	82
MN061	1042	Dumps, mine	10	82
MN061	1043C	Udorthents, nearly level to rolling	8	82
MN061	1043F	Udorthents, very steep	50	82
MN061	1044	Slickens	1	82
MN061	147	Spooner silt loam	0.2	102
MN061	158B	Zimmerman loamy fine sand, 1 to 8 percent slopes	5	82
MN061	167B	Baudette silt loam, 0 to 5 percent slopes	3	102
MN061	1826B	Nashwauk-Menahga complex, 1 to 10 percent slopes	5	82
MN061	1826D	Nashwauk-Menahga complex, 10 to 25 percent slopes	16	82
MN061	1883D	Nashwauk-Rock outcrop complex, 6 to 25 percent slopes	16	82
MN061	202	Meehan loamy sand	1	82
MN061	240B	Warba fine sandy loam, 1 to 8 percent slopes	6	82
MN061	240D	Warba fine sandy loam, 10 to 25 percent slopes	16	82
MN061	243	Stuntz very fine sandy loam	1	82
MN061	268B	Cromwell fine sandy loam, 1 to 10 percent slopes	6	82
MN061	268D	Cromwell fine sandy loam, 10 to 25 percent slopes	16	82
MN061	32B	Nebish very fine sandy loam, 2 to 6 percent slopes	4	82
MN061	32D	Nebish fine sandy loam, 10 to 25 percent slopes	16	82
MN061	458E	Menahga loamy sand, 10 to 30 percent slopes	20	82
MN061	533	Loxley peat	0.2	82
MN061	541	Rifle mucky peat	0.2	82
MN061	544	Cathro muck	0.2	82
MN061	549	Greenwood peat	0.2	82
MN061	550	Dora mucky peat	0.2	82
MN061	614	Blackhoof muck	0.2	82
MN061	615	Cowhorn loamy very fine sand	0.2	82
MN061	616	Effie loam	0.2	82
MN061	617B	Goodland silt loam, 1 to 10 percent slopes	6	82
MN061	618B	Itasca silt loam, 1 to 10 percent slopes	6	82

MN061	619	Keewatin silt loam	1	82
MN061	620B	Cutaway loamy sand, 0 to 8 percent slopes	4	82
MN061	621	Morph very fine sandy loam	1	82
MN061	622B	Nashwauk fine sandy loam, 1 to 10 percent slopes	6	82
MN061	622E	Nashwauk fine sandy loam, 12 to 35 percent slopes	20	82
MN061	624B	Rosy very fine sandy loam, 0 to 6 percent slopes	3	82
MN061	625	Sandwick loamy fine sand	1	82
MN061	626B	Suomi silt loam, 1 to 8 percent slopes	5	82
MN061	626D	Suomi loam, 10 to 25 percent slopes	16	82
MN061	627	Tawas muck	0.2	82
MN061	628	Talmoon silt loam	0.2	82
MN061	629B	Wawina loamy very fine sand, 0 to 10 percent slopes	5	82
MN061	630	Wildwood muck	0.2	82
MN061	655	Bearville loamy sand	1	82
MN061	656B	Thistledew loamy fine sand, 0 to 6 percent slopes	3	82
MN061	72	Shooker very fine sandy loam	0.2	82
MN061	797	Mooselake and Lupton mucky peats	0.2	82
MN061	798	Sago and Roscommon soils	0.2	82
MN061	799	Seelyeville-Bowstring association	0.2	82
MN061	801B	Taylor and Dalbo silt loams, 0 to 6 percent slopes	3	102
MN061	803B	Warba-Menahga complex, 1 to 8 percent slopes	5	82
MN061	803D	Warba-Menahga complex, 10 to 25 percent slopes	16	82
MN061	844F	Mahtomedi and Emmert soils, 12 to 50 percent slopes	40	102
MN061	866B	Menahga-Itasca complex, 1 to 10 percent slopes	6	82
MN061	866E	Menahga-Itasca complex, 10 to 25 percent slopes	16	82
MN061	867B	Menahga and Graycalm soils, 0 to 8 percent slopes	4	82
MN061	868B	Mahtomedi and Graycalm soils, 1 to 10 percent slopes	6	82
MN061	869	Lobo and Waskish peats	0.2	82
MN061	870C	Itasca-Goodland silt loams, 2 to 12 percent slopes	7	82
MN061	870E	Itasca-Goodland silt loams, 12 to 25 percent slopes	16	82
MN061	871	Indus and Brickton soils	1	102
MN061	872	Pengilly-Winterfield association	1	82
MN061	995	Borosapristis, depressional	0.2	82
MN061	M-W	Water, miscellaneous		0

MN061	W	Water		0
-------	---	-------	--	---