

Forage Suitability Groups (MN)

Red Lake County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|--|------------------|--------------------|---------------------------------|
| B109A: | | | |
| Bowstring, mlra 88, frequently flooded | 45 | N | 16 |
| Fluvaquents, mlra 88, frequently flooded | 40 | N | 16 |
| B200A: | | | |
| Games | 70 | N | 02 |
| B201A: | | | |
| Chilgren | 75 | N | 01 |
| B202A: | | | |
| Cathro, depressional, mlra 88 | 80 | N | 14 |
| B203A: | | | |
| Northwood, depressional, mlra 88 | 75 | N | 13 |
| B204A: | | | |
| Roliss, mlra 88 | 75 | N | 09 |
| B205A: | | | |
| Berner, depressional, mlra 88 | 80 | N | 14 |
| B206A: | | | |
| Hamre, depressional, mlra 88 | 80 | N | 13 |
| I1A: | | | |
| Augsburg | 75 | --- | --- |
| I2A: | | | |
| Augsburg | 75 | --- | --- |
| I3A: | | | |
| Berner | 80 | --- | --- |
| I4A: | | | |
| Berner, seepy | 30 | --- | --- |
| Rosewood, seepy, depressional | 30 | --- | --- |

Forage Suitability Groups (MN)

Red Lake County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|--|---------------------|--------------------------|---------------------------------------|
| I4A: Strathcona, seepy, depressional | 30 | --- | --- |
| I5A: Borup | 75 | --- | --- |
| I6A: Borup | 75 | --- | --- |
| I7A: Bowstring, frequently flooded | 45 | --- | --- |
| Fluvaquents, frequently flooded | 45 | --- | --- |
| I8A: Cathro | 80 | --- | --- |
| I9A: Clearwater | 80 | --- | --- |
| I10A: Clearwater, depressional | 85 | --- | --- |
| I11A: Deerwood | 85 | --- | --- |
| I12A: Eckvoll | 70 | --- | --- |
| I13A: Espelie | 75 | --- | --- |
| I14B: Fairdale | 85 | --- | --- |
| I14D: Fairdale, occasionally flooded | 85 | --- | --- |
| I15A: Flaming | 70 | --- | --- |

Forage Suitability Groups (MN)

Red Lake County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|------------------------------------|---------------------|--------------------------|---------------------------------------|
| I16F: | | | |
| Fluvaquents, frequently flooded | 55 | --- | --- |
| Hapludolls, rarely flooded | 25 | --- | --- |
| I17A: | | | |
| Foldahl | 75 | --- | --- |
| I18A: | | | |
| Foldahl | 75 | --- | --- |
| I19A: | | | |
| Foxhome | 65 | --- | --- |
| I20A: | | | |
| Foxlake | 75 | --- | --- |
| I21A: | | | |
| Fram | 85 | --- | --- |
| I22A: | | | |
| Glyndon | 75 | --- | --- |
| I23A: | | | |
| Glyndon | 75 | --- | --- |
| I24A: | | | |
| Grimstad | 70 | --- | --- |
| I25A: | | | |
| Hamar | 75 | --- | --- |
| I26A: | | | |
| Hamerly | 75 | --- | --- |
| I27A: | | | |
| Hamre | 80 | --- | --- |
| I28A: | | | |
| Hangaard | 75 | --- | --- |
| I29A: | | | |
| Hattie | 75 | --- | --- |

Forage Suitability Groups (MN)

Red Lake County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-------------------------------|---------------------|--------------------------|---------------------------------------|
| I29D: Hattie | 85 | --- | --- |
| I30A: Hedman | 85 | --- | --- |
| I31A: Hedman | 50 | --- | --- |
| Fram | 40 | --- | --- |
| I32A: Hilaire | 75 | --- | --- |
| I33A: Hilaire | 75 | --- | --- |
| I34A: Huot | 75 | --- | --- |
| I35A: Karlsruhe | 70 | --- | --- |
| I36A: Kittson | 70 | --- | --- |
| I37A: Kratka, depressional | 45 | --- | --- |
| Strathcona, depressional | 45 | --- | --- |
| I38A: Kratka | 70 | --- | --- |
| I39A: Linveldt | 65 | --- | --- |
| I40B: Maddock | 75 | --- | --- |
| I40F: Maddock | 90 | --- | --- |
| I41A: Markey | 80 | --- | --- |

Forage Suitability Groups (MN)

Red Lake County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-------------------------------|---------------------|--------------------------|---------------------------------------|
| I42A: Markey, ponded | 85 | --- | --- |
| I43A: Mavie | 70 | --- | --- |
| I44A: Newfolden | 75 | --- | --- |
| I45A: Northwood | 75 | --- | --- |
| I46A: Pits | 85 | --- | --- |
| I47A: Poppleton | 75 | --- | --- |
| I48A: Radium | 75 | --- | --- |
| I49A: Rauville | 80 | --- | --- |
| I50A: Reiner | 70 | --- | --- |
| I51A: Reiner | 65 | --- | --- |
| I52A: Reis | 55 | --- | --- |
| Clearwater | 30 | --- | --- |
| I53A: Roliss | 75 | --- | --- |
| I54A: Roliss, depressional | 80 | --- | --- |
| I55A: Rosewood | 75 | --- | --- |

Forage Suitability Groups (MN)

Red Lake County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-------------------------------|---------------------|--------------------------|---------------------------------------|
| I56A: Rosewood | 50 | --- | --- |
| Venlo | 40 | --- | --- |
| I57B: Sandberg | 50 | --- | --- |
| Radium | 25 | --- | --- |
| I58A: Seelyeville | 90 | --- | --- |
| I59A: Smiley | 65 | --- | --- |
| I60A: Smiley, depressional | 80 | --- | --- |
| I61A: Strandquist | 70 | --- | --- |
| I62A: Syrene | 70 | --- | --- |
| I63A: Thiefriver | 70 | --- | --- |
| I64A: Ulen | 70 | --- | --- |
| I65A: Ulen | 70 | --- | --- |
| I66A: Vallers | 75 | --- | --- |
| I67A: Wheatville | 70 | --- | --- |
| I68A: Wheatville | 70 | --- | --- |
| I69A: Wyandotte | 65 | --- | --- |

Forage Suitability Groups (MN)

Red Lake County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|------------------------------|------------------|--------------------|---------------------------------|
| I70A: Strathcona | 70 | --- | --- |
| M-W: Water, miscellaneous | 100 | --- | --- |
| W: Water | 100 | --- | --- |