

Rice County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
1362B	Angus loam, 2 to 6 percent slopes	90
1408B	Angus-Kilkenny complex, 2 to 6 percent slopes	83
44	Ankeny sandy loam, 0 to 3 percent slopes	91
392	Biscay loam, 0 to 2 percent slopes	69
382B	Blooming silt loam, 2 to 6 percent slopes	91
382C2	Blooming silt loam, 6 to 12 percent slopes, eroded	75
81B	Boone loamy fine sand, 1 to 6 percent slopes	22
81E	Boone loamy fine sand, 18 to 25 percent slopes	9
81D	Boone loamy fine sand, 6 to 18 percent slopes	19
1116F	Brodale-Eyota complex, 12 to 35 percent slopes	9
102B	Clarion loam, 2 to 6 percent slopes	95
1387A	Collinwood silty clay loam, moderately wet, 0 to 3 percent slopes	86
1831	Colo silt loam, channeled, 0 to 2 percent slopes, frequently flooded	20
98	Colo silty clay loam, 0 to 2 percent slopes, occasionally flooded	81
100A	Copaston sandy clay loam, 0 to 2 percent slopes	31
109	Cordova clay loam, 0 to 2 percent slopes	87
1367	Derrynane clay loam, 1 to 3 percent slopes	85
74B	Dickinson fine sandy loam, 1 to 6 percent slopes	60
1363	Dundas silt loam, moderately coarse substratum, 0 to 2 percent slopes	91
761	Epsom silty clay loam, 0 to 2 percent slopes, frequently flooded	20
41A	Estherville sandy loam, 0 to 2 percent slopes	44
41B	Estherville sandy loam, 2 to 6 percent slopes	44
484D	Eyota fine sandy loam, 12 to 18 percent slopes	59
408	Faxon clay loam, 0 to 1 percent slopes	58
176	Garwin silt loam, 0 to 2 percent slopes	86
114	Glencoe clay loam, depressional, 0 to 1 percent slopes	86
414	Hamel loam, 1 to 3 percent slopes	94
611D	Hawick sandy loam, 12 to 25 percent slopes	31
875B	Hawick-Estherville complex, 2 to 6 percent slopes	42
875C	Hawick-Estherville complex, 6 to 12 percent slopes	39
104D2	Hayden loam, 12 to 18 percent slopes, eroded	62
104E	Hayden loam, 18 to 25 percent slopes	29
104B	Hayden loam, 2 to 6 percent slopes	85
104C2	Hayden loam, 6 to 12 percent slopes, eroded	71
1058	Houghton and Muskego soils, ponded, 0 to 1 percent slopes	5
523	Houghton muck, depressional, 0 to 1 percent slopes	74
24	Kasson silt loam, 1 to 3 percent slopes	95
208	Kato silty clay loam, 0 to 1 percent slopes	75
1409A	Kenyon silt loam, moderately wet, 0 to 3 percent slopes	99
1409B	Kenyon silt loam, moderately wet, 3 to 6 percent slopes	97
238D2	Kilkenny clay loam, 12 to 18 percent slopes, eroded	62
238E	Kilkenny clay loam, 18 to 25 percent slopes	32
238C2	Kilkenny clay loam, 6 to 12 percent slopes, eroded	74
238B	Kilkenny loam, 2 to 6 percent slopes	79
238F	Kilkenny loam, 25 to 35 percent slopes	15

213B	Klinger silty clay loam, 1 to 4 percent slopes	98
1501	Klossner muck, 0 to 1 percent slopes	77
764	Klossner muck, 0 to 1 percent slopes, flooded	5
528B	Klossner muck, seep land, 1 to 6 percent slopes	5
1080	Klossner, Okoboji, and Glencoe soils, ponded, 0 to 1 percent slopes	5
239	Le Sueur clay loam, 1 to 3 percent slopes	98
1361	Le Sueur loam, moderately coarse substratum, 1 to 3 percent slopes	98
138B	Lerdal clay loam, 2 to 6 percent slopes	80
138C	Lerdal clay loam, 6 to 12 percent slopes	77
106E	Lester loam 18 to 25 percent slopes	34
106D2	Lester loam, 12 to 18 percent slopes, eroded	67
106C2	Lester loam, 6 to 12 percent slopes, eroded	76
783D2	Lester-Kilkenny complex, 12 to 18 percent slopes, eroded	69
783E	Lester-Kilkenny complex, 18 to 25 percent slopes	41
783F	Lester-Kilkenny complex, 25 to 35 percent slopes	14
783C2	Lester-Kilkenny complex, 6 to 12 percent slopes, eroded	78
945D2	Lester-Storden complex, 12 to 18 percent slopes, eroded	68
945C2	Lester-Storden complex, 6 to 12 percent slopes, eroded	79
301B	Lindstrom silt loam, 2 to 6 percent slopes	99
301C	Lindstrom silt loam, 6 to 12 percent slopes	92
1413B	Littleton silt loam, till substratum, 1 to 4 percent slopes	100
572	Lowlein sandy loam, 1 to 5 percent slopes	89
253	Maxcreek silty clay loam, 0 to 1 percent slopes	88
378	Maxfield silty clay loam, 0 to 2 percent slopes	83
256	Mazaska clay loam, 0 to 2 percent slopes	81
1962	Mazaska-Rolfe complex, 0 to 2 percent slopes	78
548	Medo muck, depressional, 0 to 1 percent slopes	84
377	Merton silt loam, 1 to 3 percent slopes	99
463A	Minneiska fine sandy loam, 0 to 2 percent slopes, occasionally flooded	65
17	Minneopa sandy loam, 0 to 2 percent slopes, rarely flooded	51
376B	Moland silt loam, 1 to 4 percent slopes	98
525	Muskego soils, 0 to 1 percent slopes	81
757	Nerwoods loam, 2 to 6 percent slopes	99
130	Nicollet clay loam, 1 to 3 percent slopes	99
134	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	86
1030	Pits, gravel-Udipsamments complex	0
1013	Pits, quarry	0
285A	Port Byron silt loam, 0 to 2 percent slopes	99
285B	Port Byron silt loam, 2 to 6 percent slopes	98
1286	Prinsburg silty clay loam, 0 to 2 percent slopes	91
99D2	Racine loam, 12 to 18 percent slopes, eroded	67
1410B	Racine silt loam, moderately wet, 2 to 6 percent slopes	91
1410C	Racine silt loam, moderately wet, 6 to 12 percent slopes, eroded	76
4D	Renova loam, 12 to 18 percent slopes	62
4E	Renova loam, 18 to 30 percent slopes	13
1416C	Renova loam, moderately wet, 6 to 12 percent slopes	71
1437B	Renova silt loam, moderately wet, 2 to 6 percent slopes	85

529A	Ripon silt loam, 0 to 2 percent slopes	62
529B	Ripon silt loam, 2 to 6 percent slopes	60
219	Rolfe silt loam, depressional, 0 to 1 percent slopes	84
1360	Rushriver fine sandy loam, 0 to 1 percent slopes, frequently flooded	20
307	Sargeant silt loam, 0 to 2 percent slopes	86
323	Shields silty clay loam, 0 to 2 percent slopes	81
1366	Talcot silty clay loam, 0 to 1 percent slopes	72
1388B	Terril loam, moderately wet, 2 to 6 percent slopes	99
963D2	Timula-Bold complex, 12 to 18 percent slopes, eroded	63
963C2	Timula-Bold complex, 6 to 12 percent slopes, eroded	76
1016	Udorthents, loamy (cut and fill land)	0
849B	Urban land-Estherville complex, 1 to 6 percent slopes	0
860C	Urban land-Hayden complex, 6 to 15 percent slopes	0
1411B	Urban land-Hayden-Estherville complex, 1 to 6 percent slopes	0
39A	Wadena loam, 0 to 2 percent slopes	66
W	Water	0
1356	Water, miscellaneous	0
411A	Waukegan silt loam, 0 to 2 percent slopes	75
411B	Waukegan silt loam, 2 to 6 percent slopes	75
113	Webster clay loam, 0 to 2 percent slopes	93