

HIGHLY ERODIBLE MAP UNIT LIST FOR ROCK COUNTY, MN

C = .20, R = 130

This data is only to be used for HEL determinations. This is the "frozen data" based on 01/01/1990 information. The columns of data should only be used for PHEL.

areasym	musym	muname	T	K	I	Slope_ %	Slope_ l	LS	HEL
MN133	P3A	Biscay silty clay loam, 0 to 2 percent slopes, occasionally flooded	4	.28	38	1	250	0.17	NHEL
MN133	P4A	Calco silty clay loam, 0 to 2 percent slopes, frequently flooded	5	.28	86	1	250	0.17	NHEL
MN133	P5A	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	5	.28	86	1	250	0.17	NHEL
MN133	P6A	Colo silty clay loam, 0 to 2 percent slopes, occasionally flooded	5	.28	38	1	250	0.17	NHEL
MN133	P7A	Comfrey clay loam, 0 to 2 percent slopes, occasionally flooded	5	.28	48	1	250	0.17	NHEL
MN133	P8A	Cylinder loam, 0 to 2 percent slopes, occasionally flooded	4	.24	48	1	250	0.17	NHEL
MN133	P11A	Dempster silt loam, 0 to 2 percent slopes	4	0.32	48	1	250	0.17	NHEL
MN133	P11B	Dempster silt loam, 2 to 6 percent slopes	4	0.32	48	4	200	0.53	NHEL
MN133	P12B	Everly silty clay loam, 2 to 6 percent slopes	5	.24	48	4	200	0.53	NHEL
MN133	P12C2	Everly silty clay loam, 6 to 12 percent slopes, eroded	5	.24	48	9	150	1.4	PHEL
MN133	P13A	Fairhaven silt loam, 0 to 2 percent slopes	4	.32	48	1	250	0.17	NHEL
MN133	P13B	Fairhaven silt loam, 2 to 6 percent slopes	4	.32	48	4	200	0.53	NHEL
MN133	P14A	Flandreau silt loam, 0 to 2 percent slopes	5	.28	48	1	250	0.17	NHEL

HIGHLY ERODIBLE MAP UNIT LIST FOR ROCK COUNTY, MN

C = .20, R = 130

This data is only to be used for HEL determinations. This is the "frozen data" based on 01/01/1990 information. The columns of data should only be used for PHEL.

areasym	musym	muname	T	K	I	Slope_ %	Slope_I	LS	HELIC
MN133	P14B	Flandreau silt loam, 2 to 6 percent slopes	5	.28	48	4	200	0.53	NHEL
MN133	P15B	Galva silty clay loam, 2 to 5 percent slopes	5	0.32	38	3	200	0.35	NHEL
MN133	P15C2	Galva silty clay loam, 5 to 9 percent slopes, eroded	5	0.32	38	7	150	1	NHEL
MN133	P16A	Graceville silty clay loam, 0 to 2 percent slopes	5	0.32	48	1	250	0.17	NHEL
MN133	P16B	Graceville silty clay loam, 2 to 6 percent slopes	5	0.32	48	4	200	0.53	NHEL
MN133	P17A	Ihlen silty clay loam, 0 to 2 percent slopes	4	0.32	38	1	250	0.17	NHEL
MN133	P17B	Ihlen silty clay loam, 2 to 6 percent slopes	4	0.32	38	4	200	0.53	NHEL
MN133	P18B	Ihlen-Rock outcrop complex, 0 to 4 percent slopes	4	0.32	38	2	250	0.27	NHEL
MN133	P18C	Ihlen-Rock outcrop complex, 4 to 35 percent slopes	4	.32	38	20	100	4	PHEL
MN133	P19A	Judson silty clay loam, 1 to 3 percent slopes	5	.28	38	2	250	0.27	NHEL
MN133	P20B	Judson silt loam, 3 to 8 percent slopes	5	.28	48	6	200	0.95	NHEL
MN133	P21A	Marcus silty clay loam, 0 to 2 percent slopes	5	.28	86	1	250	0.17	NHEL
MN133	1015A	Havelock clay loam, 0 to 2 percent slopes, frequently flooded	5	.28	86	1	250	0.17	NHEL

HIGHLY ERODIBLE MAP UNIT LIST FOR ROCK COUNTY, MN

C = .20, R = 130

This data is only to be used for HEL determinations. This is the "frozen data" based on 01/01/1990 information. The columns of data should only be used for PHEL.

areasym	musym	muname	T	K	I	Slope_ %	Slope_I	LS	HEL
MN133	1024A	Havelock clay loam, 0 to 2 percent slopes, occasionally flooded	5	.28	86	1	250	0.17	NHEL
MN133	P24B	Moody silty clay loam, 2 to 5 percent slopes	5	0.32	38	3	200	0.35	NHEL
MN133	P24C2	Moody silty clay loam, 5 to 9 percent slopes, eroded	5	0.32	38	7	150	1	NHEL
MN133	P25C2	Nora silt loam, 4 to 10 percent slopes, eroded	5	.32	48	7	150	1	NHEL
MN133	P25D2	Nora silt loam, 10 to 18 percent slopes, eroded	5	0.32	48	14	100	2.2	HEL
MN133	P26C2	Nora-Crofton complex, 6 to 12 percent slopes, eroded	5	0.43	86	9	150	1.4	PHEL
MN133	P26D2	Nora-Crofton complex, 12 to 18 percent slopes, eroded	5	0.43	86	15	100	2.5	HEL
MN133	P27A	Primghar silty clay loam, 1 to 3 percent slopes	5	.28	38	1	250	0.17	NHEL
MN133	P28A	Ransom silty clay loam, 1 to 3 percent slopes	5	.32	38	1	250	0.17	NHEL
MN133	P29A	Rushmore silty clay loam, 0 to 2 percent slopes	5	.28	38	1	250	0.17	NHEL
MN133	P30B	Sac silty clay loam, 2 to 5 percent slopes	5	.32	86	3	200	0.35	NHEL
MN133	P30C2	Sac silty clay loam, 5 to 10 percent slopes, eroded	5	.32	86	8	150	1.2	NHEL
MN133	P31A	Spicer silty clay loam, 0 to 2 percent slopes	5	.28	86	1	250	0.17	NHEL

HIGHLY ERODIBLE MAP UNIT LIST FOR ROCK COUNTY, MN

C = .20, R = 130

This data is only to be used for HEL determinations. This is the "frozen data" based on 01/01/1990 information. The columns of data should only be used for PHEL.

areasym	musym	muname	T	K	I	Slope_ %	Slope_I	LS	HELIC
MN133	P32A	Spillco silt loam, 0 to 2 percent slopes, frequently flooded	5	.24	48	1	250	0.17	NHEL
MN133	P33A	Spillco silt loam, 0 to 2 percent slopes, occasionally flooded	5	.24	48	1	250	0.17	NHEL
MN133	P34B	Splitrock silty clay loam, 2 to 5 percent slopes	5	.32	86	3	200	0.35	NHEL
MN133	P34C2	Splitrock silty clay loam, 5 to 9 percent slopes, eroded	5	.32	86	8	150	1.2	NHEL
MN133	P36A	Talcot silty clay loam, 0 to 2 percent slopes, occasionally flooded	4	.28	86	1	250	0.17	NHEL
MN133	P37B	Talmo gravelly sandy loam, 2 to 6 percent slopes	3	.10	0	4	200	0.53	NHEL
MN133	P37D	Talmo gravelly sandy loam, 6 to 35 percent slopes	3	.10	0	21	100	4.4	PHEL
MN133	P38B	Thurman sandy loam, 2 to 6 percent slopes	3	.20	86	4	200	0.53	NHEL
MN133	P38C	Thurman sandy loam, 6 to 12 percent slopes	3	.20	86	9	150	1.4	PHEL
MN133	P40A	Bluemound silt loam, 0 to 3 percent slopes	2	0.28	48	2	250	0.27	NHEL
MN133	P41A	Rosedell silty clay loam, 0 to 2 percent slopes	5	.28	86	1	250	0.17	NHEL
MN133	P42A	Whitewood silty clay loam, 0 to 2 percent slopes	5	.28	38	1	250	0.17	NHEL
MN133	P43A	Wilmington silty clay loam, 1 to 3 percent slopes	5	.28	38	1	250	0.17	NHEL

HIGHLY ERODIBLE MAP UNIT LIST FOR ROCK COUNTY, MN

C = .20, R = 130

This data is only to be used for HEL determinations. This is the "frozen data" based on 01/01/1990 information. The columns of data should only be used for PHEL.

areasym	musym	muname	T	K	I	Slope_ %	Slope_I	LS	HEL
MN133	P44E	Shindler clay loam, 15 to 45 percent slopes	5	.32	86	30	100	8	HEL
MN133	P45E	Moneta clay loam, 15 to 45 percent slopes	5	.32	86	30	100	8	HEL
MN133	P46	Trent silty clay loam, 1 to 3 percent slopes	5	0.28	38	1	250	0.17	NHEL
MN133	P47A	Whitewood silty clay loam, overwash, 0 to 2 percent slopes	5	.28	38	1	250	0.17	NHEL
MN133	P48A	Allendorf silty clay loam, 0 to 2 percent slopes	4	0.32	48	1	250	0.17	NHEL
MN133	P48B	Allendorf silty clay loam, 2 to 6 percent slopes	4	0.32	48	4	200	0.53	NHEL
MN133	P55A	Kato silty clay loam, 0 to 2 percent slopes	4	.28	38	1	250	0.17	NHEL