

Steele County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
Af	Alluvial land, frequently flooded	20
Ad	Alluvial land, occasionally flooded	74
Bc	Biscay loam	69
Bd	Biscay loam, depressional	64
BIA	Bixby loam, 0 to 2 percent slopes	52
BID2	Bixby loam, 12 to 18 percent slopes, eroded	39
BIB	Bixby loam, 2 to 6 percent slopes	50
BIB2	Bixby loam, 2 to 6 percent slopes, eroded	50
BIC2	Bixby loam, 6 to 12 percent slopes, eroded	46
BoB2	Blooming silt loam, 2 to 6 percent slopes, eroded	91
BoC2	Blooming silt loam, 6 to 14 percent slopes, eroded	75
BuB	Burnsville sandy loam, 2 to 6 percent slopes	34
BuC	Burnsville sandy loam, 6 to 12 percent slopes	31
Ca	Calco silty clay loam, very wet	20
Ce	Canisteo clay loam	93
Cf	Canisteo clay loam, depressional	86
Cc	Canisteo silty clay loam	93
Cd	Canisteo silty clay loam, depressional	86
ChD	Chelsea loamy fine sand, 2 to 18 percent slopes	45
CIB	Clarion loam, 2 to 6 percent slopes	95
CIB2	Clarion loam, 2 to 6 percent slopes, eroded	95
CIC2	Clarion loam, 6 to 12 percent slopes, eroded	92
CkB2	Clarion sandy loam, 2 to 6 percent slopes, eroded	95
CsD2	Clarion-Storden complex, 12 to 18 percent slopes, eroded	69
CsC2	Clarion-Storden complex, 6 to 12 percent slopes, eroded	87
Cu	Colo silty clay loam, frequently flooded	20
Ct	Colo silty clay loam, occasionally flooded	81
DkA	Dakota loam, 0 to 2 percent slopes	69
DkB	Dakota loam, 2 to 6 percent slopes	69
DaA	Dakota sandy loam, 0 to 2 percent slopes	69
DaB	Dakota sandy loam, 2 to 6 percent slopes	69
DaC	Dakota sandy loam, 6 to 14 percent slopes	58
DtA	Dickinson sandy loam, terrace, 0 to 2 percent slopes	57
DtB	Dickinson sandy loam, terrace, 2 to 6 percent slopes	57
Du	Dundas silt loam	91
EaA	Estherville sandy loam, 0 to 2 percent slopes	44
EaD	Estherville sandy loam, 12 to 18 percent slopes	30
EaB	Estherville sandy loam, 2 to 6 percent slopes	44
EaC	Estherville sandy loam, 6 to 12 percent slopes	39
Gc	Glencoe clay loam	86
GP	Gravel pits	0
Hk	Hanska loam	61
Hm	Havana silt loam	94
HoD	Hayden loam, 12 to 18 percent slopes	62
HoD2	Hayden loam, 12 to 18 percent slopes, eroded	62

HoB	Hayden loam, 2 to 6 percent slopes	85
HoB2	Hayden loam, 2 to 6 percent slopes, eroded	85
HoC	Hayden loam, 6 to 12 percent slopes	71
HoC2	Hayden loam, 6 to 12 percent slopes, eroded	71
HnB2	Hayden sandy loam, 2 to 6 percent slopes, eroded	85
HnC2	Hayden sandy loam, 6 to 12 percent slopes, eroded	71
Hs	Hayfield silt loam	72
Kc	Kato silty clay loam	75
Ke	Kato silty clay loam, calcareous variant	75
Kf	Kato silty clay loam, calcareous variant, depressional	57
Kd	Kato silty clay loam, swales	70
KkB2	Kilkenny clay loam, 2 to 6 percent slopes, eroded	79
KkC2	Kilkenny clay loam, 6 to 12 percent slopes, eroded	74
My	Klossner muck, 0 to 1 percent slopes	77
La	Lake beaches	15
LcD	Lamont sandy loam, 12 to 18 percent slopes	55
LcB	Lamont sandy loam, 2 to 6 percent slopes	72
LcC	Lamont sandy loam, 6 to 12 percent slopes	65
LuA	Le Sueur clay loam, 0 to 2 percent slopes	98
LuB	Le Sueur clay loam, 2 to 4 percent slopes	98
Ld	Lemond loam	69
LeB	Lerdal silty clay loam, 2 to 6 percent slopes	80
LeB2	Lerdal silty clay loam, 2 to 6 percent slopes, eroded	80
LnE	Lester and Hayden loams, 18 to 25 percent slopes	32
LnF	Lester and Hayden loams, 25 to 35 percent slopes	12
LID2	Lester loam, 12 to 18 percent slopes, eroded	67
LIB	Lester loam, 2 to 6 percent slopes	91
LIB2	Lester loam, 2 to 6 percent slopes, eroded	91
LIC	Lester loam, 6 to 12 percent slopes	76
LIC2	Lester loam, 6 to 12 percent slopes, eroded	76
LmB2	Lester-Estherville-Storden complex, 2 to 6 percent slopes, eroded	70
LmD2	Lester-Estherville-Storden complex, 6 to 18 percent slopes, eroded	55
LoD2	Lester-Storden complex, 12 to 18 percent slopes, eroded	68
LoC2	Lester-Storden complex, 6 to 12 percent slopes, eroded	79
Ly	Lura silty clay loam	81
Ma	Madelia silty clay loam	94
Mc	Marna silty clay loam	87
Mh	Marsh	5
Mm	Maxcreek silty clay loam	88
Mn	Maxcreek silty clay loam, swales	74
Mo	Mayer loam	72
MrA	Merton silt loam, 0 to 2 percent slopes	99
MrB	Merton silt loam, 2 to 4 percent slopes	97
MsA	Moland silt loam, 0 to 2 percent slopes	100
MsB	Moland silt loam, 2 to 6 percent slopes	98
MsB2	Moland silt loam, 2 to 8 percent slopes, eroded	98
Mu	Muck	74

Mv	Muck, calcareous	74
Mw	Muck, sandy substratum	74
NbA	Newry silt loam, 0 to 3 percent slopes	95
NcA	Nicollet clay loam, 0 to 2 percent slopes	99
NcB	Nicollet clay loam, 2 to 4 percent slopes	95
Qu	Quarry	0
SaE	Salida gravelly loamy sand, 12 to 25 percent slopes	9
Sh	Shields silty clay loam	81
SkE	Sparta-Dickinson complex, 12 to 25 percent slopes	10
SkB	Sparta-Dickinson complex, 2 to 6 percent slopes	46
SkC	Sparta-Dickinson complex, 6 to 12 percent slopes	43
Tf	Spillville, frequently flooded	20
Te	Spillville, occasionally flooded	91
Ta	Talcot clay loam	72
Ud	Udolpho silt loam	70
WaA	Wadena loam, 0 to 2 percent slopes	66
WaB	Wadena loam, 2 to 6 percent slopes	65
WaC2	Wadena loam, 6 to 12 percent slopes, eroded	57
W	Water	0
M-W	Water, miscellaneous	0
WgA	Waukegan silt loam, 0 to 2 percent slopes	75
WgB	Waukegan silt loam, 2 to 6 percent slopes	75
Wt	Webster clay loam	93