

**Todd County Crop Productivity Index (CPI) by Map Unit Name**

Mapunit Symbol	Map Unit Name	CPI
292	Alstad sandy loam	97
1055	Aquolls and Histosols, ponded	5
341A	Arvilla sandy loam, 0 to 2 percent slopes	44
341B	Arvilla sandy loam, 2 to 6 percent slopes	38
341C	Arvilla sandy loam, 6 to 12 percent slopes	34
170	Blomford loamy sand	57
720B	Blowers sandy loam, 1 to 5 percent slopes	87
75	Bluffton loam	86
1926	Bowstring-Aquents complex	5
169B	Braham loamy sand, 1 to 6 percent slopes	60
163B	Brainerd sandy loam, 1 to 4 percent slopes	83
544	Cathro muck	15
1927	Clotho sandy loam	92
571	Coriff sandy loam	84
204E	Cushing sandy loam, 15 to 45 percent slopes	10
204B	Cushing sandy loam, 2 to 8 percent slopes	83
204C	Cushing sandy loam, 8 to 15 percent slopes	69
928E	Cushing-DeMontreville-Mahtomedi complex, 15 to 45 percent slopes	19
928B	Cushing-DeMontreville-Mahtomedi complex, 2 to 8 percent slopes	60
928C	Cushing-DeMontreville-Mahtomedi complex, 8 to 15 percent slopes	50
183	Dassel mucky sandy loam	72
453B	DeMontreville loamy sand, 2 to 8 percent slopes	56
453C	DeMontreville loamy sand, 8 to 15 percent slopes	48
406B	Dorset sandy loam, 2 to 6 percent slopes	46
406C	Dorset sandy loam, 6 to 12 percent slopes	44
824E	Dorset-Sioux complex, 15 to 30 percent slopes	7
824C	Dorset-Sioux sandy loams, 6 to 15 percent slopes	37
260	Duelm loamy sand	42
565	Eckvoll loamy sand	60
144B	Flak sandy loam, 2 to 6 percent slopes	81
144C	Flak sandy loam, 6 to 12 percent slopes	70
36	Flom loam	92
375	Forada sandy loam	65
180	Gonvick loam	98
825	Gonvick-Flom loams	96
111	Hangaard sandy loam	29
823	Hangaard-Sioux complex	28
200B	Holdingsford sandy loam, 2 to 6 percent slopes	87
200C	Holdingsford sandy loam, 6 to 12 percent slopes	70
7A	Hubbard loamy sand, 0 to 2 percent slopes	38
7B	Hubbard loamy sand, 2 to 6 percent slopes	36
139B	Huntersville loamy sand, 1 to 4 percent slopes	60
261	Isan loamy sand	36
53D	Kandota sandy loam, 12 to 25 percent slopes	46
53B	Kandota sandy loam, 2 to 6 percent slopes	88

53C	Kandota sandy loam, 6 to 12 percent slopes	79
800E	Kandota-Dorset sandy loams, 15 to 40 percent slopes	18
800B	Kandota-Dorset sandy loams, 2 to 6 percent slopes	69
800C	Kandota-Dorset sandy loams, 6 to 15 percent slopes	63
572	Lowlein sandy loam	89
454E	Mahtomedi loamy coarse sand, 15 to 45 percent slopes	6
454C	Mahtomedi loamy coarse sand, 8 to 15 percent slopes	27
454B	Mahtomedi loamy sand, 1 to 8 percent slopes	33
543	Markey muck	15
202	Meehan loamy sand	42
458E	Menahga loamy sand, 12 to 25 percent slopes	10
458B	Menahga loamy sand, 2 to 6 percent slopes	38
458C	Menahga loamy sand, 6 to 12 percent slopes	36
142	Nokay sandy loam	83
446	Normania loam	99
207B	Nymore loamy sand, 1 to 6 percent slopes	34
207C	Nymore loamy sand, 6 to 12 percent slopes	33
413	Osakis sandy loam	45
703	Paddock sandy loam	78
1029	Pits, gravel	0
1054	Prebish and Histosols, ponded	5
325	Prebish fine sandy loam	15
873	Prebish-Nokay sandy loams	42
1015	Psammets, nearly level to sloping	0
82B	Redeye loamy sand, 2 to 6 percent slopes	57
82C	Redeye loamy sand, 6 to 12 percent slopes	50
541	Rifle muck	15
374D	Rockwood sandy loam, 12 to 25 percent slopes	45
374B	Rockwood sandy loam, 2 to 6 percent slopes	85
374C	Rockwood sandy loam, 6 to 12 percent slopes	76
582	Roliss loam	92
545	Rondeau muck	15
1943	Roscommon loamy sand	32
1932	Runeberg sandy loam	68
701	Runeberg sandy loam, depressional	15
540	Seelyeville muck	15
402E	Sioux loamy sand, 12 to 25 percent slopes	4
402C	Sioux loamy sand, 2 to 12 percent slopes	28
1956	Staples loamy sand	61
127A	Sverdrup sandy loam, 0 to 2 percent slopes	52
127B	Sverdrup sandy loam, 2 to 6 percent slopes	49
514	Tacoosh mucky peat	15
421B	Ves loam, 2 to 6 percent slopes	90
421C	Ves loam, 6 to 12 percent slopes	82
W	Water	0
1356	Water, miscellaneous	0
38B	Waukon loam, 2 to 6 percent slopes	89

38C	Waukon loam, 6 to 12 percent slopes	74
967D	Waukon-Langhei loams, 12 to 25 percent slopes	57
967C	Waukon-Langhei loams, 4 to 12 percent slopes	73
121	Wykeham fine sandy loam	87
808	Wykeham-Runeberg sandy loams	79
158B	Zimmerman loamy fine sand, 1 to 6 percent slopes	39
158C	Zimmerman loamy fine sand, 6 to 15 percent slopes	37