

Wabasha County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
N644A	Abscota loamy sand, 0 to 3 percent slopes, occasionally flooded	44
Az	Arenzville silt loam	91
N578B	Barremills silt loam, drainageway, 1 to 5 percent slopes, occasionally flooded	94
N509F	Bellechester-Etter complex, 18 to 45 percent slopes	7
BbA	Bixby loam, 0 to 2 percent slopes	52
BbB	Bixby loam, 2 to 6 percent slopes	50
BhD	Boone and Chelsea loamy fine sands, 12 to 18 percent slopes	28
BhB	Boone and Chelsea loamy fine sands, 2 to 6 percent slopes	34
BhC	Boone and Chelsea loamy fine sands, 6 to 12 percent slopes	33
BfE	Boone loamy fine sand, 18 to 35 percent slopes	9
N641F	Brodale channery loam, 20 to 45 percent slopes, flaggy	5
N638G	Brodale, flaggy-Bellechester complex, 30 to 70 percent slopes	5
N580G	Brodale, very flaggy-Bellechester-Rock outcrop complex, 45 to 90 percent slopes	5
BkA	Burkhardt gravelly sandy loam, 0 to 2 percent slopes	40
BkB	Burkhardt gravelly sandy loam, 2 to 6 percent slopes	36
BrA	Burkhardt loam, 0 to 2 percent slopes	49
BrB	Burkhardt loam, 2 to 6 percent slopes	43
BtA	Burkhardt sandy loam, 0 to 2 percent slopes	40
BtB	Burkhardt sandy loam, 2 to 6 percent slopes	36
BtC2	Burkhardt sandy loam, 6 to 12 percent slopes, moderately eroded	33
N646A	Ceresco-Spillville complex, 0 to 3 percent slopes, frequently flooded	20
CaB	Chaseburg fine sandy loam, 2 to 6 percent slopes	50
ChB	Chaseburg silt loam, 2 to 6 percent slopes	92
ChA	Chaseburg silt loam, moderately well drained, 0 to 2 percent slopes	92
Co	Colo silty clay loam	20
N670A	Dockery silt loam, 0 to 2 percent slopes, occasionally flooded	92
DdD2	Dodgeville silt loam, 12 to 18 percent slopes, moderately eroded	42
DdC2	Dodgeville silt loam, 6 to 12 percent slopes, moderately eroded	49
DgD2	Dodgeville silt loam, shallow, 12 to 18 percent slopes, moderately eroded	23
DgE	Dodgeville silt loam, shallow, 18 to 35 percent slopes	5
DgC2	Dodgeville silt loam, shallow, 6 to 12 percent slopes, moderately eroded	27
DhA	Downs and Mt. Carroll silt loams, 0 to 2 percent slopes	98
DmA	Downs and Mt. Carroll silt loams, benches, 0 to 2 percent slopes	98
DmB	Downs and Mt. Carroll silt loams, benches, 2 to 6 percent slopes	90
N501D2	Downs silt loam, 12 to 18 percent slopes, moderately eroded	69
N501B	Downs silt loam, 2 to 6 percent slopes	90
N501C2	Downs silt loam, 6 to 12 percent slopes, moderately eroded	80
N584E	Downs silt loam, valleys, 18 to 25 percent slopes	34
N574D2	Downs-Hersey complex, 12 to 18 percent slopes, moderately eroded	69
N574B	Downs-Hersey complex, 2 to 6 percent slopes	91
N574C2	Downs-Hersey complex, 6 to 12 percent slopes, moderately eroded	81
N572D2	Downs-Hersey, bedrock substratum, complex, 12 to 18 percent slopes, moderately eroded	68
N572C2	Downs-Hersey, bedrock substratum, complex, 6 to 12 percent slopes, moderately eroded	80
N650F	Downs-Oak Center complex, 25 to 35 percent slopes	18
DnD2	Dubuque silt loam, 12 to 18 percent slopes, moderately eroded	39

DnE	Dubuque silt loam, 18 to 25 percent slopes	16
DnB	Dubuque silt loam, 2 to 6 percent slopes	50
DnF	Dubuque silt loam, 25 to 35 percent slopes	7
DnC2	Dubuque silt loam, 6 to 12 percent slopes, moderately eroded	46
DrD2	Dubuque silt loam, shallow, 12 to 18 percent slopes, moderately eroded	28
DrE	Dubuque silt loam, shallow, 18 to 25 percent slopes	7
DrB	Dubuque silt loam, shallow, 2 to 6 percent slopes	36
DrF	Dubuque silt loam, shallow, 25 to 35 percent slopes	5
DrC2	Dubuque silt loam, shallow, 6 to 12 percent slopes, moderately eroded	30
Du	Dune land	5
N647A	Dunnbot-Scotah complex, 0 to 3 percent slopes, frequently flooded	20
N675D	Elizabeth silt loam, 6 to 18 percent slopes	23
FbA	Fayette silt loam, benches, 0 to 2 percent slopes	90
FbB	Fayette silt loam, benches, 2 to 6 percent slopes	85
FbC2	Fayette silt loam, benches, 6 to 12 percent slopes, moderately eroded	72
FaA	Fayette silt loam, uplands, 0 to 2 percent slopes	90
FaE	Fayette silt loam, uplands, 18 to 25 percent slopes	18
FaF	Fayette silt loam, uplands, 25 to 35 percent slopes	13
N639F	Frontenac-Lacrescent complex, 20 to 45 percent slopes	10
N639G	Frontenac-Lacrescent complex, 30 to 70 percent slopes	4
GaD2	Gale silt loam, 12 to 18 percent slopes, moderately eroded	47
GaB	Gale silt loam, 2 to 6 percent slopes	59
GaC2	Gale silt loam, 6 to 12 percent slopes, moderately eroded	51
GhD2	Gale-Hixton complex, shallow, 12 to 18 percent slopes, moderately eroded	38
GhE	Gale-Hixton complex, shallow, 18 to 25 percent slopes	11
GhC2	Gale-Hixton complex, shallow, 6 to 12 percent slopes, moderately eroded	45
N526F	Gale-Oak Center complex, 18 to 45 percent slopes	14
Gm	Garwin silt loam	86
N648A	Glendora-Kalmarville complex, 0 to 2 percent slopes, frequently flooded	20
N520B	Hersey-Oak Center-Mt. Carroll complex, 2 to 6 percent slopes	89
N520C2	Hersey-Oak Center-Mt. Carroll complex, 6 to 12 percent slopes, moderately eroded	79
HfD2	Hixton fine sandy loam, 12 to 18 percent slopes, moderately eroded	32
HfE	Hixton fine sandy loam, 18 to 35 percent slopes	12
HfB	Hixton fine sandy loam, 2 to 6 percent slopes	42
HfC2	Hixton fine sandy loam, 6 to 12 percent slopes, moderately eroded	38
Hu	Huntsville silt loam	95
N514B	Joy-Ossian, occasionally flooded, complex, 1 to 5 percent slopes	89
N614A	Kalmarville-Radford complex, 0 to 3 percent slopes, frequently flooded	20
N619A	Kennebec-Lawson, channeled, complex, 0 to 3 percent slopes, flooded	54
N640G	Lacrescent, flaggy-Frontenac-Rock outcrop complex, 45 to 90 percent slopes	5
N518D2	Lindstrom silt loam, 12 to 18 percent slopes, moderately eroded	73
N518B	Lindstrom silt loam, 2 to 6 percent slopes	99
N518C2	Lindstrom silt loam, 6 to 12 percent slopes, moderately eroded	92
MbA	Medary silt loam, 0 to 2 percent slopes	89
MbB	Medary silt loam, 2 to 6 percent slopes	87
MdA	Meridian sandy loam, 0 to 2 percent slopes	75
MdB	Meridian sandy loam, 2 to 6 percent slopes	73

MdC2	Meridian sandy loam, 6 to 12 percent slopes, moderately eroded	71
N660A	Minneiska sandy loam, 0 to 2 percent slopes, occasionally flooded	73
Mn	Minneiska silt loam	73
N521D2	Mt. Carroll silt loam, 12 to 18 percent slopes, moderately eroded	67
N521B	Mt. Carroll silt loam, 2 to 6 percent slopes	90
N521C2	Mt. Carroll silt loam, 6 to 12 percent slopes, moderately eroded	80
N585D2	Mt. Carroll-Hersey complex, 12 to 18 percent slopes, moderately eroded	67
N585B	Mt. Carroll-Hersey complex, 2 to 6 percent slopes	90
N585C2	Mt. Carroll-Hersey complex, 6 to 12 percent slopes, moderately eroded	80
MuA	Muscatine silt loam, 0 to 2 percent slopes	98
MuB	Muscatine silt loam, 2 to 6 percent slopes	95
N645A	Nodaway-Minneiska complex, 0 to 3 percent slopes, frequently flooded	20
N517A	Oak Center-Mt. Carroll complex, 0 to 2 percent slopes	91
GP	Pits, gravel-Udipsamments complex	0
1010	Pits, quarry	0
PaA	Plainfield fine sand, 0 to 2 percent slopes	32
PaB	Plainfield fine sand, 2 to 6 percent slopes	32
PaC	Plainfield fine sand, 6 to 12 percent slopes	30
PbA	Port Byron silt loam, 0 to 2 percent slopes	99
PoA	Port Byron silt loam, benches, 0 to 2 percent slopes	99
PoB	Port Byron silt loam, benches, 2 to 6 percent slopes	98
RaA	Racine silt loam, 0 to 2 percent slopes	98
RaD2	Racine silt loam, 12 to 18 percent slopes, moderately eroded	67
RaB	Racine silt loam, 2 to 6 percent slopes	91
RaC2	Racine silt loam, 6 to 12 percent slopes, moderately eroded	76
N665A	Rawles silt loam, 0 to 2 percent slopes, occasionally flooded	90
ReD2	Renova silt loam, 12 to 18 percent slopes, moderately eroded	62
ReE	Renova silt loam, 18 to 25 percent slopes	17
ReB	Renova silt loam, 2 to 6 percent slopes	85
ReF	Renova silt loam, 25 to 35 percent slopes	13
ReC2	Renova silt loam, 6 to 12 percent slopes, moderately eroded	71
RkD2	Renova-Wyckoff complex, 12 to 18 percent slopes, moderately eroded	61
RkB	Renova-Wyckoff complex, 2 to 6 percent slopes	80
RkC2	Renova-Wyckoff complex, 6 to 12 percent slopes, moderately eroded	70
1041C	Riverwash sand, 2 to 12 percent slopes, frequently flooded	0
SbD2	Seaton-Bold soils, 12 to 18 percent slopes, moderately eroded	61
N649A	Shandep loam, channeled, 0 to 2 percent slopes, frequently flooded	20
SpA	Sparta loamy fine sand, 0 to 2 percent slopes	39
SpB	Sparta loamy fine sand, 2 to 6 percent slopes	39
St	Stony colluvial land	15
N606A	Tama silt loam, sandy substratum, 0 to 3 percent slopes	99
N590D2	Tama silt loam, valleys, 12 to 18 percent slopes, moderately eroded	71
N590B	Tama silt loam, valleys, 2 to 6 percent slopes	99
N590C2	Tama silt loam, valleys, 6 to 12 percent slopes, moderately eroded	90
N555B	Tama-Dinsmore complex, 2 to 6 percent slopes	99
N555C2	Tama-Dinsmore complex, 6 to 12 percent slopes, moderately eroded	89
ThA	Tell silt loam, 0 to 2 percent slopes	85

ThB	Tell silt loam, 2 to 6 percent slopes	80
Tm	Terrace escarpments, loamy	5
Ts	Terrace escarpments, sandy	5
1038	Udorthents, earthen dam	0
N519B	Vasa silt loam, 1 to 4 percent slopes	93
W	Water	0
M-W	Water, miscellaneous	0
WaA	Waukegan silt loam, 0 to 2 percent slopes	75
WaB	Waukegan silt loam, 2 to 6 percent slopes	75
WaC2	Waukegan silt loam, 6 to 12 percent slopes, moderately eroded	62
WhD2	Whalan silt loam, 12 to 18 percent slopes, moderately eroded	33
WsE	Whalan silt loam, 18 to 25 percent slopes	13
WhB	Whalan silt loam, 2 to 6 percent slopes	49
WsF	Whalan silt loam, 25 to 35 percent slopes	10
WhC2	Whalan silt loam, 6 to 12 percent slopes, moderately eroded	43
WsD2	Whalan silt loam, shallow, 12 to 18 percent slopes, moderately eroded	22
WsB	Whalan silt loam, shallow, 2 to 6 percent slopes	29
WsC2	Whalan silt loam, shallow, 6 to 12 percent slopes, moderately eroded	28
WvD2	Wykoff gravelly loam, 12 to 18 percent slopes, moderately eroded	59
WvE	Wykoff gravelly loam, 18 to 35 percent slopes	13
WvB	Wykoff gravelly loam, 2 to 6 percent slopes	72
WvC2	Wykoff gravelly loam, 6 to 12 percent slopes, moderately eroded	68
Zb	Zumbro loamy fine sand	58
ZgA	Zwingle silt loam, 0 to 2 percent slopes	68
ZgB	Zwingle silt loam, 2 to 6 percent slopes	68