

## Map Unit Description (MN)

Wadena County, Minnesota

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation]

### 82B--Redeye loamy sand, 1 to 6 percent slopes

#### Redeye

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 1 to 6 percent

*Parent material:* sandy outwash over dense basal till

*Restrictive feature(s):* densic material at 35 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .17

*Land capability, nonirrigated* 3s

*Hydric soil:* no

*Hydrologic group:* C

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 3 in	loamy sand	rapid	0.31 to 0.38 in	5.1 to 7.3
E -- 3 to 18 in	sand	rapid	1.05 to 1.50 in	5.1 to 6.5
Bw -- 18 to 26 in	loamy sand	rapid	0.55 to 0.79 in	5.6 to 6.5
2Bt -- 26 to 52 in	sandy loam	moderately slow	2.86 to 3.38 in	5.1 to 7.3
2Cd -- 52 to 60 in	sandy loam	slow	0.00 to 0.31 in	6.6 to 8.4

#### very poorly drained soils

*Extent:* 2 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 82B--Redeye loamy sand, 1 to 6 percent slopes

#### staples

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on interdrumlins, flats on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 82B--Redeye loamy sand, 1 to 6 percent slopes

#### paddock

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 82C--Redeye loamy sand, 6 to 12 percent slopes

#### Redeye

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 6 to 12 percent

*Parent material:* sandy outwash over dense basal till

*Restrictive feature(s):* densic material at 35 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .17

*Land capability, nonirrigated* 3e

*Hydric soil:* no

*Hydrologic group:* C

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 3 in	loamy sand	rapid	0.31 to 0.38 in	5.1 to 7.3
E -- 3 to 18 in	sand	rapid	1.05 to 1.50 in	5.1 to 6.5
Bw -- 18 to 26 in	loamy sand	rapid	0.55 to 0.79 in	5.6 to 6.5
2Bt -- 26 to 52 in	sandy loam	moderately slow	2.86 to 3.38 in	5.1 to 7.3
2Cd -- 52 to 60 in	sandy loam	slow	0.00 to 0.31 in	6.6 to 8.4

#### paddock

*Extent:* 4 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 82C--Redeye loamy sand, 6 to 12 percent slopes

#### poorly drained soils

*Extent:* 3 percent of the unit

*Landform(s):* drainageways on interdrumlins, flats on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### meehan

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 126--Graycalm loamy sand

#### Graycalm

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> flats on outwash plains, rises on outwash plains</p> <p><i>Slope gradient:</i> 0 to 3 percent</p> <p><i>Parent material:</i> sandy outwash deposits</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> somewhat excessively drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .24</p> <p><i>Land capability, nonirrigated</i> 4s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
--	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 9 in	loamy sand	rapid	0.54 to 1.09 in	4.5 to 6.5
Bt,BC -- 9 to 44 in	sand	rapid	1.40 to 3.15 in	4.5 to 7.3
C -- 44 to 60 in	sand	rapid	0.63 to 0.94 in	5.0 to 8.4

#### meehan

<p><i>Extent:</i> 4 percent of the unit</p> <p><i>Landform(s):</i></p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 126--Graycalm loamy sand

#### very poorly drained soils

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### poorly drained soils

*Extent:* 3 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 139B--Huntersville loamy fine sand, 1 to 6 percent slopes

#### Huntersville

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 1 to 6 percent

*Parent material:* sandy outwash over dense basal till

*Restrictive feature(s):* densic material at 53 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* moderately well drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .28

*Land capability, nonirrigated* 3s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap,E -- 0 to 12 in	loamy fine sand	rapid	1.18 to 1.42 in	6.1 to 7.3
Bw -- 12 to 24 in	cobbly loamy sand	rapid	0.49 to 1.22 in	6.1 to 7.3
2Bt -- 24 to 40 in	sandy loam	moderately slow	1.78 to 2.10 in	6.1 to 7.3
2Cd -- 40 to 60 in	sandy loam	slow	0.00 to 0.79 in	6.6 to 7.8

#### very poorly drained soils

*Extent:* 2 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 139B--Huntersville loamy fine sand, 1 to 6 percent slopes

#### staples

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on interdrumlins, flats on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 139B--Huntersville loamy fine sand, 1 to 6 percent slopes

#### nymore

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### menahga

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 187--Haug muck

#### Haug

<p><i>Extent:</i> 85 percent of the unit</p> <p><i>Landform(s):</i> depressions on interdrumlins</p> <p><i>Slope gradient:</i> 0 to 1 percent</p> <p><i>Parent material:</i> highly decomposed herbaceous organic material over mineral material</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> frequent</p> <p><i>Drainage class:</i> very poorly drained</p>	<p><i>Soil loss tolerance (T factor):</i> 1</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .02</p> <p><i>Land capability, nonirrigated</i> 6w</p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i> B/D</p> <p><i>Potential for frost action:</i> high</p>
--	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oa -- 0 to 12 in	muck	moderately rapid	4.13 to 5.67 in	
A -- 12 to 17 in	loam	moderately rapid	0.61 to 1.23 in	6.6 to 8.4
Cg -- 17 to 60 in	sandy loam	moderate	4.72 to 8.15 in	7.4 to 8.4

#### markey

<p><i>Extent:</i> 5 percent of the unit</p> <p><i>Landform(s):</i> depressions</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 187--Haug muck

#### rifle

*Extent:* 4 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### paddock

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

# Map Unit Description (MN)

Wadena County, Minnesota

## 187--Haug muck

### seeyleville

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 207A--Nymore loamy sand, 1 to 3 percent slopes

#### Nymore

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> flats on outwash plains, rises on outwash plains</p> <p><i>Slope gradient:</i> 1 to 3 percent</p> <p><i>Parent material:</i> sandy outwash deposits</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> excessively drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .15</p> <p><i>Land capability, nonirrigated</i> 4s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 8 in	loamy sand	rapid	0.79 to 0.94 in	5.1 to 6.5
BA,Bw -- 8 to 33 in	sand	rapid	0.50 to 2.02 in	5.1 to 7.3
C -- 33 to 60 in	sand	rapid	0.54 to 2.14 in	5.1 to 7.8

#### oylen

<p><i>Extent:</i> 5 percent of the unit</p> <p><i>Landform(s):</i></p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 207A--Nymore loamy sand, 1 to 3 percent slopes

#### duelm

*Extent:* 5 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 207B--Nymore loamy sand, 3 to 6 percent slopes

#### Nymore

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> hillslopes on outwash plains</p> <p><i>Slope gradient:</i> 3 to 6 percent</p> <p><i>Parent material:</i> sandy outwash deposits</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> excessively drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .15</p> <p><i>Land capability, nonirrigated</i> 4s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 8 in	loamy sand	rapid	0.79 to 0.94 in	5.1 to 6.5
BA,Bw -- 8 to 33 in	sand	rapid	0.50 to 2.02 in	5.1 to 7.3
C -- 33 to 60 in	sand	rapid	0.54 to 2.14 in	5.1 to 7.8

#### oylen

<p><i>Extent:</i> 3 percent of the unit</p> <p><i>Landform(s):</i></p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 207B--Nymore loamy sand, 3 to 6 percent slopes

#### duelm

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### isan

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 207B--Nymore loamy sand, 3 to 6 percent slopes

#### forada

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 207C--Nymore loamy sand, 6 to 12 percent slopes

#### Nymore

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 6 to 12 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* excessively drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .15

*Land capability, nonirrigated* 6s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 8 in	loamy sand	rapid	0.79 to 0.94 in	5.1 to 6.5
BA,Bw -- 8 to 33 in	sand	rapid	0.50 to 2.02 in	5.1 to 7.3
C -- 33 to 60 in	sand	rapid	0.54 to 2.14 in	5.1 to 7.8

#### oylen

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 207C--Nymore loamy sand, 6 to 12 percent slopes

#### duelm

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 207C--Nymore loamy sand, 6 to 12 percent slopes

#### isan

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 260--Duelm loamy sand

#### Duelm

*Extent:* 90 percent of the unit

*Landform(s):* flats on outwash plains, rises on outwash plains

*Slope gradient:* 0 to 2 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* moderately well drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .17

*Land capability, nonirrigated* 4s

*Hydric soil:* no

*Hydrologic group:* A/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap,A -- 0 to 12 in	loamy sand	rapid	0.94 to 1.42 in	5.6 to 7.3
Bw -- 12 to 36 in	sand	rapid	1.44 to 2.64 in	5.1 to 7.3
C -- 36 to 60 in	sand	rapid	0.48 to 1.68 in	5.6 to 7.8

#### isan

*Extent:* 4 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 260--Duelm loamy sand

#### leafriver

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 261--Isan loamy sand

#### Isan

*Extent:* 90 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:* 0 to 1 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .05

*Land capability, nonirrigated* 4w

*Hydric soil:* yes

*Hydrologic group:* A/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 13 in	loamy sand	rapid	1.04 to 1.56 in	5.6 to 7.3
Bg -- 13 to 30 in	sand	rapid	1.02 to 1.69 in	5.1 to 6.5
Cg -- 30 to 60 in	sand	rapid	1.20 to 1.80 in	5.6 to 7.3

#### dorset

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 261--Isan loamy sand

#### very poorly drained organic soils

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### oylen

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 261--Isan loamy sand

#### duelm

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### nymore

*Extent:* 1 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 261--Isan loamy sand

#### verndale

*Extent:* 1 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 374B--Rockwood sandy loam, 2 to 6 percent slopes

#### Rockwood

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 2 to 6 percent

*Parent material:* loamy dense basal till

*Restrictive feature(s):* densic material at 46 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 2e

*Hydric soil:* no

*Hydrologic group:* C

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AE -- 0 to 9 in	sandy loam	moderate	1.18 to 1.63 in	5.1 to 6.5
E -- 9 to 19 in	sandy loam	moderate	1.18 to 1.48 in	5.1 to 6.5
BE,Bt -- 19 to 37 in	sandy loam	moderate	2.17 to 2.72 in	5.6 to 7.3
BC -- 37 to 55 in	sandy loam	moderately slow	2.17 to 2.72 in	5.6 to 7.3
Cd -- 55 to 60 in	sandy loam	impermeable	0.00 to 0.19 in	6.1 to 8.4

#### menahga

*Extent:* 4 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 374B--Rockwood sandy loam, 2 to 6 percent slopes

#### runeberg

*Extent:* 3 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### paddock

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 374C--Rockwood sandy loam, 6 to 12 percent slopes

#### Rockwood

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 6 to 12 percent

*Parent material:* loamy dense basal till

*Restrictive feature(s):* densic material at 46 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 3e

*Hydric soil:* no

*Hydrologic group:* C

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AE -- 0 to 9 in	sandy loam	moderate	1.18 to 1.63 in	5.1 to 6.5
E -- 9 to 19 in	sandy loam	moderate	1.18 to 1.48 in	5.1 to 6.5
BE,Bt -- 19 to 37 in	sandy loam	moderate	2.17 to 2.72 in	5.6 to 7.3
BC -- 37 to 55 in	sandy loam	moderately slow	2.17 to 2.72 in	5.6 to 7.3
Cd -- 55 to 60 in	sandy loam	impermeable	0.00 to 0.19 in	6.1 to 8.4

#### runeberg

*Extent:* 5 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 374C--Rockwood sandy loam, 6 to 12 percent slopes

#### paddock

*Extent:* 5 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 374D--Rockwood sandy loam, 12 to 18 percent slopes

#### Rockwood

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 12 to 18 percent

*Parent material:* loamy dense basal till

*Restrictive feature(s):* densic material at 46 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 4e

*Hydric soil:* no

*Hydrologic group:* C

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AE -- 0 to 9 in	sandy loam	moderate	1.18 to 1.63 in	5.1 to 6.5
E -- 9 to 19 in	sandy loam	moderate	1.18 to 1.48 in	5.1 to 6.5
BE,Bt -- 19 to 37 in	sandy loam	moderate	2.17 to 2.72 in	5.6 to 7.3
BC -- 37 to 55 in	sandy loam	moderately slow	2.17 to 2.72 in	5.6 to 7.3
Cd -- 55 to 60 in	sandy loam	impermeable	0.00 to 0.19 in	6.1 to 8.4

#### paddock

*Extent:* 10 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 375--Forada loam

#### Forada

*Extent:* 90 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:* 0 to 1 percent

*Parent material:* loamy outwash sediments over sandy and gravelly outwash

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 3

*Wind erodibility group (WEG):* 4L

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .32

*Land capability, nonirrigated* 2w

*Hydric soil:* yes

*Hydrologic group:* B/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 11 in	loam	moderate	2.20 to 2.43 in	6.1 to 7.8
Bg,2BCg -- 11 to 25 in	loam	moderately rapid	1.70 to 2.69 in	6.1 to 7.8
2Cg -- 25 to 60 in	sand	rapid	0.69 to 3.46 in	6.6 to 8.4

#### very poorly drained soils with organic surface

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 375--Forada loam

#### paddock

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### oylen

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 375--Forada loam

#### verndale

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### nymore

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 406A--Dorset sandy loam, 1 to 3 percent slopes

#### Dorset

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> flats on outwash plains, rises on outwash plains</p> <p><i>Slope gradient:</i> 1 to 3 percent</p> <p><i>Parent material:</i> loamy mantle over sandy and gravelly outwash</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> somewhat excessively drained</p>	<p><i>Soil loss tolerance (T factor):</i> 2</p> <p><i>Wind erodibility group (WEG):</i> 3</p> <p><i>Wind erodibility index (WEI):</i> 86</p> <p><i>Kw factor (surface layer)</i> .20</p> <p><i>Land capability, nonirrigated</i> 3s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
--	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 9 in	sandy loam	moderately rapid	1.18 to 1.36 in	5.6 to 7.3
Bt1 -- 9 to 16 in	sandy loam	moderately rapid	0.85 to 1.35 in	5.6 to 7.3
2Bt2 -- 16 to 21 in	gravelly loamy sand	rapid	0.28 to 0.47 in	7.4 to 8.4
2BC,2C -- 21 to 60 in	gravelly coarse sand	rapid	0.78 to 1.56 in	7.4 to 8.4

#### isan

<p><i>Extent:</i> 4 percent of the unit</p> <p><i>Landform(s):</i> drainageways on outwash plains, flats on outwash plains</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 406A--Dorset sandy loam, 1 to 3 percent slopes

#### leafriver

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 406B--Dorset sandy loam, 2 to 6 percent slopes

#### Dorset

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 2 to 6 percent

*Parent material:* loamy mantle over sandy and gravelly outwash

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* somewhat excessively drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .20

*Land capability, nonirrigated* 3s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 9 in	sandy loam	moderately rapid	1.18 to 1.36 in	5.6 to 7.3
Bt1 -- 9 to 16 in	sandy loam	moderately rapid	0.85 to 1.35 in	5.6 to 7.3
2Bt2 -- 16 to 21 in	gravelly loamy sand	rapid	0.28 to 0.47 in	7.4 to 8.4
2BC,2C -- 21 to 60 in	gravelly coarse sand	rapid	0.78 to 1.56 in	7.4 to 8.4

#### isan

*Extent:* 4 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 406B--Dorset sandy loam, 2 to 6 percent slopes

#### leafriver

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 454B--Mahtomedi loamy sand, 1 to 8 percent slopes

#### Mahtomedi

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> hillslopes on outwash plains</p> <p><i>Slope gradient:</i> 1 to 8 percent</p> <p><i>Parent material:</i> sandy and gravelly outwash deposits</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> excessively drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .15</p> <p><i>Land capability, nonirrigated</i> 4s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
--	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 8 in	loamy sand	rapid	0.79 to 0.94 in	5.1 to 6.5
Bw1,Bw2 -- 8 to 31 in	sand	rapid	1.39 to 1.86 in	5.1 to 6.5
BC -- 31 to 35 in	gravelly sand	rapid	0.20 to 0.28 in	5.1 to 6.5
C -- 35 to 60 in	gravelly sand	rapid	0.99 to 2.23 in	5.1 to 7.8

#### blowers

<p><i>Extent:</i> 4 percent of the unit</p> <p><i>Landform(s):</i></p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 454B--Mahtomedi loamy sand, 1 to 8 percent slopes

#### roscommon

*Extent:* 3 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### meehan

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 458A--Menahga loamy sand, 0 to 2 percent slopes

#### Menahga

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> flats on outwash plains, rises on outwash plains</p> <p><i>Slope gradient:</i> 0 to 2 percent</p> <p><i>Parent material:</i> sandy outwash deposits</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> excessively drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .15</p> <p><i>Land capability, nonirrigated</i> 4s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AB -- 0 to 4 in	loamy sand	rapid	0.39 to 0.47 in	4.5 to 6.5
Bw,BC -- 4 to 24 in	coarse sand	rapid	1.00 to 1.41 in	4.5 to 6.5
C -- 24 to 60 in	coarse sand	rapid	1.79 to 2.51 in	5.6 to 7.8

#### markey

<p><i>Extent:</i> 2 percent of the unit</p> <p><i>Landform(s):</i> depressions on outwash plains</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 458A--Menahga loamy sand, 0 to 2 percent slopes

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 458A--Menahga loamy sand, 0 to 2 percent slopes

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### friendship

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 458B--Menahga loamy coarse sand, 2 to 6 percent slopes

#### Menahga

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 2 to 6 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* excessively drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .05

*Land capability, nonirrigated* 4s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AB -- 0 to 4 in	loamy coarse sand	rapid	0.39 to 0.47 in	4.5 to 6.5
Bw,BC -- 4 to 24 in	coarse sand	rapid	1.00 to 1.41 in	4.5 to 6.5
C -- 24 to 60 in	coarse sand	rapid	1.79 to 2.51 in	5.6 to 7.8

#### markey

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 458B--Menahga loamy coarse sand, 2 to 6 percent slopes

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 458B--Menahga loamy coarse sand, 2 to 6 percent slopes

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

#### friendship

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 458C--Menahga loamy sand, 6 to 15 percent slopes

#### Menahga

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 6 to 15 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* excessively drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .15

*Land capability, nonirrigated* 4s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AB -- 0 to 4 in	loamy sand	rapid	0.39 to 0.47 in	4.5 to 6.5
Bw,BC -- 4 to 24 in	coarse sand	rapid	1.00 to 1.41 in	4.5 to 6.5
C -- 24 to 60 in	coarse sand	rapid	1.79 to 2.51 in	5.6 to 7.8

#### redeye

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 458C--Menahga loamy sand, 6 to 15 percent slopes

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 458C--Menahga loamy sand, 6 to 15 percent slopes

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### friendship

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 458E--Menahga loamy sand, 15 to 45 percent slopes

#### Menahga

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 15 to 45 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* excessively drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .15

*Land capability, nonirrigated* 7s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AB -- 0 to 4 in	loamy sand	rapid	0.39 to 0.47 in	4.5 to 6.5
Bw,BC -- 4 to 24 in	coarse sand	rapid	1.00 to 1.41 in	4.5 to 6.5
C -- 24 to 60 in	coarse sand	rapid	1.79 to 2.51 in	5.6 to 7.8

#### markey

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 458E--Menahga loamy sand, 15 to 45 percent slopes

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

#### evart

*Extent:* 2 percent of the unit

*Landform(s):* depressions on flood plains, flats on flood plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 458E--Menahga loamy sand, 15 to 45 percent slopes

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### friendship

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 540--Seelyeville muck

#### Seelyeville

<p><i>Extent:</i> 85 percent of the unit</p> <p><i>Landform(s):</i> depressions on interdrumlins, depressions on outwash plains</p> <p><i>Slope gradient:</i> 0 to 1 percent</p> <p><i>Parent material:</i> highly decomposed herbaceous organic material</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> frequent</p> <p><i>Drainage class:</i> very poorly drained</p>	<p><i>Soil loss tolerance (T factor):</i> 2</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .02</p> <p><i>Land capability, nonirrigated</i> 6w</p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i> A/D</p> <p><i>Potential for frost action:</i> high</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oa1 --	0 to 22 in muck	moderately rapid	7.72 to 9.92 in	
Oa2,Oa3 --	22 to 60 in muck	rapid	13.23 to 17.01 in	

#### runeberg

<p><i>Extent:</i> 3 percent of the unit</p> <p><i>Landform(s):</i> depressions</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 540--Seelyeville muck

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### leafriver

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 540--Seelyeville muck

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### haug

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 540--Seelyeville muck

#### isan

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 541--Rifle mucky peat

#### Rifle

<p><i>Extent:</i> 85 percent of the unit</p> <p><i>Landform(s):</i> depressions on interdrumlins, depressions on outwash plains</p> <p><i>Slope gradient:</i> 0 to 1 percent</p> <p><i>Parent material:</i> highly decomposed herbaceous organic material</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> frequent</p> <p><i>Drainage class:</i> very poorly drained</p>	<p><i>Soil loss tolerance (T factor):</i> 2</p> <p><i>Wind erodibility group (WEG):</i> 5</p> <p><i>Wind erodibility index (WEI):</i> 56</p> <p><i>Kw factor (surface layer)</i> .02</p> <p><i>Land capability, nonirrigated</i> 6w</p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i> A/D</p> <p><i>Potential for frost action:</i> high</p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oe1 -- 0 to 16 in	mucky peat	rapid	7.75 to 9.36 in	
Oe2 -- 16 to 60 in	mucky peat	rapid	20.98 to 25.35 in	

#### runeberg

<p><i>Extent:</i> 3 percent of the unit</p> <p><i>Landform(s):</i> depressions</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 541--Rifle mucky peat

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### leafriver

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 541--Rifle mucky peat

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### haug

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 541--Rifle mucky peat

#### isan

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 543--Markey muck

#### Markey

<p><i>Extent:</i> 85 percent of the unit</p> <p><i>Landform(s):</i> depressions on outwash plains</p> <p><i>Slope gradient:</i> 0 to 1 percent</p> <p><i>Parent material:</i> highly decomposed herbaceous organic material over outwash</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> frequent</p> <p><i>Drainage class:</i> very poorly drained</p>	<p><i>Soil loss tolerance (T factor):</i> 1</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .02</p> <p><i>Land capability, nonirrigated</i> 6w</p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i> A/D</p> <p><i>Potential for frost action:</i> high</p>
--	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oa --	0 to 26 in muck	moderately rapid	9.09 to 11.69 in	
Cg1,Cg2 --	26 to 60 in sand	rapid	1.02 to 2.71 in	5.6 to 8.4

#### forada

<p><i>Extent:</i> 5 percent of the unit</p> <p><i>Landform(s):</i> depressions</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 543--Markey muck

#### runeberg

*Extent:* 4 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### isan

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 543--Markey muck

#### roscommon

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

# Map Unit Description (MN)

Wadena County, Minnesota

## 544--Cathro muck

### Cathro

<i>Extent:</i> 85 percent of the unit	<i>Soil loss tolerance (T factor):</i> 1
<i>Landform(s):</i> depressions on interdrumlins	<i>Wind erodibility group (WEG):</i> 2
<i>Slope gradient:</i> 0 to 1 percent	<i>Wind erodibility index (WEI):</i> 134
<i>Parent material:</i> highly decomposed herbaceous organic material over loamy glacial deposits	<i>Kw factor (surface layer)</i> .02
<i>Restrictive feature(s):</i> greater than 60 inches	<i>Land capability, nonirrigated</i> 6w
<i>Flooding:</i> none	<i>Hydric soil:</i> yes
<i>Ponding:</i> frequent	<i>Hydrologic group:</i> B/D
<i>Drainage class:</i> very poorly drained	<i>Potential for frost action:</i> high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oa -- 0 to 26 in	muck	moderately rapid	11.69 to 14.29 in	
Ab,Cg1,Cg2 -- 26 to 60 in	sandy loam	moderate	3.72 to 6.43 in	6.6 to 8.4

### paddock

<i>Extent:</i> 3 percent of the unit	<i>Soil loss tolerance (T factor):</i>
<i>Landform(s):</i>	<i>Wind erodibility group (WEG):</i>
<i>Slope gradient:</i>	<i>Wind erodibility index (WEI):</i>
<i>Parent material:</i>	<i>Kw factor (surface layer)</i>
<i>Restrictive feature(s):</i> greater than 60 inches	<i>Land capability, nonirrigated</i>
<i>Flooding:</i>	<i>Hydric soil:</i> no
<i>Ponding:</i>	<i>Hydrologic group:</i>
<i>Drainage class:</i>	<i>Potential for frost action:</i>

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 544--Cathro muck

#### roscommon

*Extent:* 3 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### isan

*Extent:* 3 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 544--Cathro muck

#### runeberg

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 545--Rondeau muck

#### Rondeau

*Extent:* 85 percent of the unit

*Landform(s):* bogs, depressions on interdrumlins

*Slope gradient:* 0 to 1 percent

*Parent material:* herbaceous organic material over coprogenous earth or marl

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* frequent

*Drainage class:* very poorly drained

*Soil loss tolerance (T factor):* 1

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .02

*Land capability, nonirrigated* 6w

*Hydric soil:* yes

*Hydrologic group:* B/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oa -- 0 to 38 in	muck	moderately rapid	13.23 to 18.14 in	
Cg -- 38 to 60 in	marl	moderate	3.09 to 4.85 in	

#### isan

*Extent:* 3 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 545--Rondeau muck

#### runeberg

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 3 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 545--Rondeau muck

#### paddock

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 545--Rondeau muck

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 567A--Verndale sandy loam, 0 to 2 percent slopes

#### Verndale

*Extent:* 90 percent of the unit

*Landform(s):* flats on outwash plains, rises on outwash plains

*Slope gradient:* 0 to 2 percent

*Parent material:* loamy mantle over sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* somewhat excessively drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 3s

*Hydric soil:* no

*Hydrologic group:* B

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 9 in	sandy loam	moderately rapid	1.18 to 1.54 in	5.6 to 7.3
Bt1,Bt2 -- 9 to 19 in	sandy loam	moderate	1.38 to 1.77 in	5.6 to 7.3
2Bw -- 19 to 49 in	coarse sand	rapid	1.80 to 2.39 in	5.6 to 7.3
2C -- 49 to 60 in	sand	rapid	0.22 to 0.66 in	6.1 to 8.4

#### markey

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 567A--Verndale sandy loam, 0 to 2 percent slopes

#### cathro

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 567A--Verndale sandy loam, 0 to 2 percent slopes

#### isan

*Extent:* 2 percent of the unit

*Landform(s):* drainageways on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### forada

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 567B--Verndale sandy loam, 2 to 6 percent slopes

#### Verndale

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 2 to 6 percent

*Parent material:* loamy mantle over sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* somewhat excessively drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 3s

*Hydric soil:* no

*Hydrologic group:* B

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 9 in	sandy loam	moderately rapid	1.18 to 1.54 in	5.6 to 7.3
Bt1,Bt2 -- 9 to 19 in	sandy loam	moderate	1.38 to 1.77 in	5.6 to 7.3
2Bw -- 19 to 49 in	coarse sand	rapid	1.80 to 2.39 in	5.6 to 7.3
2C -- 49 to 60 in	sand	rapid	0.22 to 0.66 in	6.1 to 8.4

#### forada

*Extent:* 5 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 567B--Verndale sandy loam, 2 to 6 percent slopes

isan

*Extent:* 5 percent of the unit

*Landform(s):* drainageways on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 701--Runeberg mucky loam

#### Runeberg

*Extent:* 85 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:* 0 to 2 percent

*Parent material:* loamy glacial till

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* frequent

*Drainage class:* very poorly drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 5

*Wind erodibility index (WEI):* 56

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 6w

*Hydric soil:* yes

*Hydrologic group:* C/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A1 -- 0 to 3 in	mucky loam	moderate	0.57 to 0.79 in	6.1 to 7.3
A2,A3,Bg -- 3 to 26 in	sandy loam	moderately slow	2.74 to 4.11 in	6.1 to 7.3
Cg -- 26 to 60 in	sandy loam	moderately slow	2.03 to 4.40 in	7.4 to 8.4

#### paddock

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 701--Runeberg mucky loam

#### seelyeville

*Extent:* 3 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### rifle

*Extent:* 3 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 701--Runeberg mucky loam

#### markey

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### cathro

*Extent:* 3 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 720B--Blowers sandy loam, 1 to 5 percent slopes

#### Blowers

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> hillslopes on drumlins</p> <p><i>Slope gradient:</i> 1 to 5 percent</p> <p><i>Parent material:</i> loamy dense basal till</p> <p><i>Restrictive feature(s):</i> densic material at 40 to 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> moderately well drained</p>	<p><i>Soil loss tolerance (T factor):</i> 4</p> <p><i>Wind erodibility group (WEG):</i> 3</p> <p><i>Wind erodibility index (WEI):</i> 86</p> <p><i>Kw factor (surface layer)</i> .24</p> <p><i>Land capability, nonirrigated</i> 2e</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> C/D</p> <p><i>Potential for frost action:</i> high</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 9 in	sandy loam	moderate	1.18 to 1.63 in	5.1 to 7.3
E,E/B -- 9 to 25 in	sandy loam	moderate	1.94 to 2.42 in	5.1 to 6.5
Bt1 -- 25 to 32 in	sandy loam	moderate	0.80 to 1.00 in	5.6 to 7.3
Bt2 -- 32 to 49 in	sandy loam	moderately slow	2.03 to 2.54 in	5.6 to 7.3
Cd -- 49 to 60 in	sandy loam	moderately slow	1.32 to 1.65 in	5.6 to 7.3

#### mahtomedi

<p><i>Extent:</i> 4 percent of the unit</p> <p><i>Landform(s):</i></p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 720B--Blowers sandy loam, 1 to 5 percent slopes

#### staples

*Extent:* 3 percent of the unit

*Landform(s):* drainageways on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### runeberg

*Extent:* 3 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

# Map Unit Description (MN)

Wadena County, Minnesota

## 793--Paddock complex

### Paddock, very stony

*Extent:* 55 percent of the unit

*Landform(s):* swales on drumlins

*Slope gradient:* 0 to 2 percent

*Parent material:* loamy dense basal till

*Restrictive feature(s):* densic material at 50 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 5

*Wind erodibility index (WEI):* 56

*Kw factor (surface layer)* .28

*Land capability, nonirrigated* 6s

*Hydric soil:* yes

*Hydrologic group:* C/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 7 in	loam	moderate	1.42 to 1.56 in	5.6 to 7.3
E,B/E -- 7 to 17 in	sandy loam	moderate	1.18 to 1.48 in	5.6 to 6.5
Bt,BC -- 17 to 40 in	sandy loam	moderately slow	2.79 to 3.48 in	5.6 to 7.3
Cd -- 40 to 60 in	sandy loam	impermeable	0.00 to 0.79 in	7.4 to 8.4

### Paddock

*Extent:* 35 percent of the unit

*Landform(s):* hillslopes on drumlins

*Slope gradient:* 0 to 2 percent

*Parent material:* loamy dense basal till

*Restrictive feature(s):* densic material at 54 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* somewhat poorly drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 5

*Wind erodibility index (WEI):* 56

*Kw factor (surface layer)* .28

*Land capability, nonirrigated* 2w

*Hydric soil:* no

*Hydrologic group:* C/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 5 in	loam	moderate	1.02 to 1.13 in	5.6 to 7.3
E,E/B -- 5 to 19 in	sandy loam	moderate	1.65 to 2.20 in	5.6 to 6.5
Bt,BC -- 19 to 50 in	sandy loam	moderately slow	3.73 to 4.98 in	6.6 to 7.3
Cd -- 50 to 60 in	sandy loam	impermeable	0.00 to 0.39 in	6.6 to 8.4

## Map Unit Description (MN)

Wadena County, Minnesota

### 793--Paddock complex

#### rockwood

*Extent:* 4 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### very poorly drained soils

*Extent:* 3 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 793--Paddock complex

#### redeye

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 834--Friendship-Meehan loamy sands

#### Friendship

*Extent:* 50 percent of the unit

*Landform(s):* flats on outwash plains, rises on outwash plains

*Slope gradient:* 0 to 3 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* moderately well drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 4s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 8 in	loamy sand	rapid	0.63 to 0.94 in	4.5 to 7.3
Bw1,Bw2 -- 8 to 46 in	sand	rapid	1.91 to 3.06 in	4.5 to 7.3
C1,C2 -- 46 to 60 in	sand	rapid	0.55 to 0.96 in	5.1 to 7.8

#### Meehan

*Extent:* 40 percent of the unit

*Landform(s):* flats on outwash plains, rises on outwash plains

*Slope gradient:* 0 to 3 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* somewhat poorly drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .10

*Land capability, nonirrigated* 4w

*Hydric soil:* no

*Hydrologic group:* A/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 8 in	loamy sand	moderately rapid	0.79 to 0.94 in	4.5 to 7.3
Bw -- 8 to 40 in	sand	rapid	1.94 to 3.55 in	4.5 to 6.5
C -- 40 to 60 in	sand	rapid	0.39 to 1.38 in	5.1 to 7.3

## Map Unit Description (MN)

Wadena County, Minnesota

### 834--Friendship-Meehan loamy sands

#### menahga

*Extent:* 4 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### leafriver

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 834--Friendship-Meehan loamy sands

#### roscommon

*Extent:* 3 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### 1010--Riverwash

#### Riverwash

*Extent:* 100 percent of the unit

*Landform(s):* flood plains

*Slope gradient:* 0 to 2 percent

*Parent material:* sandy alluvium

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

# Map Unit Description (MN)

Wadena County, Minnesota

---

## 1015--Psamments, nearly level

### Psamments, nearly level

*Extent:* 100 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:* 0 to 3 percent

*Parent material:* sandy deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* excessively drained

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:* none

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 1030--Udorthents-Pits, complex

#### Udorthents

*Extent:* 50 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 0 to 3 percent

*Parent material:* gravelly outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated* 4s

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

#### Pits

*Extent:* 50 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 0 to 25 percent

*Parent material:* gravelly outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:*

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

# Map Unit Description (MN)

Wadena County, Minnesota

## 1356--Water, miscellaneous

### Water, miscellaneous

*Extent:* 100 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:*

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 1941--Evert loam, frequently flooded

#### Evert, frequently flooded

*Extent:* 90 percent of the unit

*Landform(s):* depressions on flood plains, flats on flood plains

*Slope gradient:* 0 to 1 percent

*Parent material:* sandy alluvium

*Restrictive feature(s):* greater than 60 inches

*Flooding:* frequent

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 5

*Wind erodibility index (WEI):* 56

*Kw factor (surface layer)* .32

*Land capability, nonirrigated* 6w

*Hydric soil:* yes

*Hydrologic group:* B/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 10 in	loam	moderate	1.87 to 2.17 in	6.1 to 7.8
Cg -- 10 to 60 in	coarse sand	rapid	2.50 to 5.00 in	6.1 to 8.4

#### markey

*Extent:* 4 percent of the unit

*Landform(s):* depressions on flood plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1941--Evert loam, frequently flooded

#### friendship

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### seelyeville

*Extent:* 3 percent of the unit

*Landform(s):* depressions on flood plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1942--Forada mucky loam, depressional

#### Forada, depressional

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> depressions on outwash plains</p> <p><i>Slope gradient:</i> 0 to 1 percent</p> <p><i>Parent material:</i> loamy outwash sediments over sandy and gravelly outwash</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> frequent</p> <p><i>Drainage class:</i> very poorly drained</p>	<p><i>Soil loss tolerance (T factor):</i> 2</p> <p><i>Wind erodibility group (WEG):</i> 4L</p> <p><i>Wind erodibility index (WEI):</i> 86</p> <p><i>Kw factor (surface layer)</i> .32</p> <p><i>Land capability, nonirrigated</i> 6w</p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i> B/D</p> <p><i>Potential for frost action:</i> high</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 16 in	mucky loam	moderate	3.23 to 3.55 in	6.6 to 7.8
Bg -- 16 to 18 in	sandy loam	moderately rapid	0.24 to 0.37 in	6.6 to 7.8
2BCg,2Cg -- 18 to 60 in	gravelly coarse sand	rapid	0.83 to 1.67 in	7.4 to 8.4

#### duelm

<p><i>Extent:</i> 2 percent of the unit</p> <p><i>Landform(s):</i></p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 1942--Forada mucky loam, depressional

#### oylen

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### cathro

*Extent:* 2 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1942--Forada mucky loam, depressional seelyeville

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### markey

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1943--Roscommon loamy sand

#### Roscommon

*Extent:* 90 percent of the unit

*Landform(s):* drainageways on outwash plains, flats on outwash plains

*Slope gradient:* 0 to 2 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .05

*Land capability, nonirrigated* 4w

*Hydric soil:* yes

*Hydrologic group:* A/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>		<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A --	0 to 7 in	loamy sand	rapid	0.50 to 1.42 in	5.6 to 7.8
Cg --	7 to 60 in	sand	rapid	2.64 to 3.69 in	5.6 to 8.4

#### seelyeville

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>		<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	--	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1943--Roscommon loamy sand

#### markey

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### menahga

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 1943--Roscommon loamy sand

#### friendship

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1956--Staples loamy sand

#### Staples

*Extent:* 90 percent of the unit

*Landform(s):* drainageways on interdrumlins, flats on interdrumlins

*Slope gradient:* 0 to 2 percent

*Parent material:* sandy outwash over dense basal till

*Restrictive feature(s):* densic material at 44 to 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 4

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .10

*Land capability, nonirrigated* 3w

*Hydric soil:* yes

*Hydrologic group:* C/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 7 in	loamy sand	rapid	0.71 to 0.85 in	5.1 to 7.3
Eg -- 7 to 36 in	sand	rapid	2.01 to 2.87 in	5.1 to 7.3
2Btg -- 36 to 44 in	sandy loam	moderately slow	0.50 to 1.07 in	5.1 to 7.3
2Cd1,2Cd2 -- 44 to 60 in	sandy loam	slow	0.00 to 0.63 in	6.6 to 7.8

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1956--Staples loamy sand

#### leafriver

*Extent:* 2 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### markey

*Extent:* 2 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1956--Staples loamy sand

#### redeye

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### huntersville

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1957B--Friendship loamy sand, till substratum, 1 to 6 percent slopes

#### Friendship, till substratum

<p><i>Extent:</i> 90 percent of the unit</p> <p><i>Landform(s):</i> hillslopes on outwash plains</p> <p><i>Slope gradient:</i> 1 to 6 percent</p> <p><i>Parent material:</i> sandy outwash deposits over loamy glacial till</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> none</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> moderately well drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 2</p> <p><i>Wind erodibility index (WEI):</i> 134</p> <p><i>Kw factor (surface layer)</i> .15</p> <p><i>Land capability, nonirrigated</i> 3s</p> <p><i>Hydric soil:</i> no</p> <p><i>Hydrologic group:</i> A</p> <p><i>Potential for frost action:</i> low</p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 3 in	loamy sand	rapid	0.25 to 0.38 in	5.1 to 7.3
Bw -- 3 to 44 in	sand	rapid	2.05 to 4.50 in	5.1 to 6.5
2C -- 44 to 60 in	sandy loam	moderate	1.10 to 2.05 in	4.5 to 7.3

#### markey

<p><i>Extent:</i> 2 percent of the unit</p> <p><i>Landform(s):</i> depressions on outwash plains</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>

## Map Unit Description (MN)

Wadena County, Minnesota

### 1957B--Friendship loamy sand, till substratum, 1 to 6 percent slopes

#### staples

*Extent:* 2 percent of the unit

*Landform(s):* flats on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### roscommon

*Extent:* 2 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 1957B--Friendship loamy sand, till substratum, 1 to 6 percent slopes

#### menahga

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### meehan

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1968--Evert loam, occasionally flooded

#### Evert, occasionally flooded

*Extent:* 90 percent of the unit

*Landform(s):* depressions on flood plains, flats on flood plains

*Slope gradient:* 0 to 1 percent

*Parent material:* sandy alluvium

*Restrictive feature(s):* greater than 60 inches

*Flooding:* occasional

*Ponding:* none

*Drainage class:* very poorly drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 5

*Wind erodibility index (WEI):* 56

*Kw factor (surface layer)* .32

*Land capability, nonirrigated* 4w

*Hydric soil:* yes

*Hydrologic group:* B/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap,A -- 0 to 11 in	loam	moderate	2.09 to 2.43 in	6.1 to 7.8
Cg -- 11 to 60 in	coarse sand	rapid	2.44 to 4.88 in	6.1 to 8.4

#### markey

*Extent:* 4 percent of the unit

*Landform(s):* depressions on flood plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 1968--Evert loam, occasionally flooded

#### seelyeville

*Extent:* 3 percent of the unit

*Landform(s):* depressions on flood plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### friendship

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1969--Evert-Isan complex, channeled

#### Evert, channeled, frequently flooded

*Extent:* 60 percent of the unit

*Landform(s):* oxbows on flood plains

*Slope gradient:* 0 to 1 percent

*Parent material:* sandy alluvium

*Restrictive feature(s):* greater than 60 inches

*Flooding:* frequent

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 5

*Wind erodibility index (WEI):* 56

*Kw factor (surface layer)* .32

*Land capability, nonirrigated* 7w

*Hydric soil:* yes

*Hydrologic group:* B/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 13 in	loam	moderate	2.47 to 2.86 in	6.1 to 7.8
Cg -- 13 to 60 in	sand	rapid	2.34 to 4.69 in	6.1 to 8.4

#### Isan

*Extent:* 25 percent of the unit

*Landform(s):* terraces on flood plains

*Slope gradient:* 0 to 1 percent

*Parent material:* sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* poorly drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .10

*Land capability, nonirrigated* 4w

*Hydric soil:* yes

*Hydrologic group:* A/D

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A,AB -- 0 to 13 in	sandy loam	moderately rapid	1.30 to 1.95 in	5.6 to 7.3
Bg -- 13 to 27 in	sand	rapid	0.83 to 1.38 in	5.1 to 6.5
Cg -- 27 to 60 in	sand	rapid	1.32 to 1.98 in	5.6 to 7.3

## Map Unit Description (MN)

Wadena County, Minnesota

### 1969--Evert-Isan complex, channeled menahga

*Extent:* 5 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### oylen

*Extent:* 5 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

# Map Unit Description (MN)

Wadena County, Minnesota

---

## 1969--Evert-Isan complex, channeled friendship

*Extent:* 5 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 1970B--Menahga loamy sand, till substratum, 1 to 8 percent slo pes

#### Menahga, till substratum

*Extent:* 90 percent of the unit

*Landform(s):* hillslopes on outwash plains

*Slope gradient:* 1 to 8 percent

*Parent material:* sandy outwash deposits over loamy glacial till

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* well drained

*Soil loss tolerance (T factor):* 5

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .17

*Land capability, nonirrigated* 4s

*Hydric soil:* no

*Hydrologic group:* A

*Potential for frost action:* low

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 4 in	loamy sand	rapid	0.39 to 0.47 in	5.1 to 7.3
AB,Bw1 -- 4 to 8 in	sand	rapid	0.39 to 0.47 in	5.1 to 6.5
Bw2,BC -- 8 to 55 in	sand	rapid	3.31 to 4.72 in	5.1 to 6.5
2C -- 55 to 60 in	sandy loam	impermeable	0.00 to 0.19 in	5.1 to 7.8

#### rockwood

*Extent:* 4 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 1970B--Menahga loamy sand, till substratum, 1 to 8 percent slo pes

#### staples

*Extent:* 3 percent of the unit

*Landform(s):* flats on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### roscommon

*Extent:* 3 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1975--Oylen sandy loam

#### Oylen

*Extent:* 90 percent of the unit

*Landform(s):* flats on outwash plains, swales on outwash plains

*Slope gradient:* 0 to 3 percent

*Parent material:* loamy mantle over sandy outwash deposits

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* none

*Drainage class:* moderately well drained

*Soil loss tolerance (T factor):* 2

*Wind erodibility group (WEG):* 3

*Wind erodibility index (WEI):* 86

*Kw factor (surface layer)* .24

*Land capability, nonirrigated* 3s

*Hydric soil:* no

*Hydrologic group:* C

*Potential for frost action:* moderate

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Ap -- 0 to 10 in	sandy loam	moderately rapid	1.18 to 1.57 in	6.1 to 7.3
Bt -- 10 to 18 in	sandy loam	moderate	0.99 to 1.49 in	6.1 to 7.3
2Bw -- 18 to 38 in	coarse sand	rapid	0.59 to 1.57 in	6.1 to 7.3
2C -- 38 to 60 in	gravelly coarse sand	rapid	0.66 to 1.54 in	6.6 to 8.4

#### isan

*Extent:* 5 percent of the unit

*Landform(s):* flats on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

---

### 1975--Oylen sandy loam

#### forada

*Extent:* 5 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

## Map Unit Description (MN)

Wadena County, Minnesota

### 1984--Leafriver muck

#### Leafriver

*Extent:* 85 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:* 0 to 1 percent

*Parent material:* highly decomposed herbaceous organic material over outwash

*Restrictive feature(s):* greater than 60 inches

*Flooding:* none

*Ponding:* frequent

*Drainage class:* very poorly drained

*Soil loss tolerance (T factor):* 1

*Wind erodibility group (WEG):* 2

*Wind erodibility index (WEI):* 134

*Kw factor (surface layer)* .02

*Land capability, nonirrigated* 6w

*Hydric soil:* yes

*Hydrologic group:* A/D

*Potential for frost action:* high

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
Oa -- 0 to 9 in	muck	moderately rapid	3.17 to 4.53 in	4.5 to 7.3
A -- 9 to 14 in	sandy loam	rapid	0.41 to 0.72 in	4.5 to 7.3
Cg1,Cg2 -- 14 to 60 in	loamy sand	rapid	1.37 to 3.65 in	4.5 to 7.3

#### markey

*Extent:* 3 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

# Map Unit Description (MN)

Wadena County, Minnesota

## 1984--Leafriver muck

### friendship

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### oylen

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1984--Leafriver muck

#### duelm

*Extent:* 2 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

#### seelyeville

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

*Representative soil profile:*

*Texture*

*Permeability*

*Available water  
capacity*

*pH*

# Map Unit Description (MN)

Wadena County, Minnesota

## 1984--Leafriver muck

### rifle

*Extent:* 2 percent of the unit

*Landform(s):* depressions on outwash plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### cathro

*Extent:* 2 percent of the unit

*Landform(s):* depressions on interdrumlins

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1985--Fordum silt loam, occasionally flooded

#### Fordum, occasionally flooded

<p><i>Extent:</i> 85 percent of the unit</p> <p><i>Landform(s):</i> depressions on flood plains, flats on flood plains</p> <p><i>Slope gradient:</i> 0 to 1 percent</p> <p><i>Parent material:</i> alluvium</p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i> occasional</p> <p><i>Ponding:</i> none</p> <p><i>Drainage class:</i> poorly drained</p>	<p><i>Soil loss tolerance (T factor):</i> 5</p> <p><i>Wind erodibility group (WEG):</i> 5</p> <p><i>Wind erodibility index (WEI):</i> 56</p> <p><i>Kw factor (surface layer)</i> .28</p> <p><i>Land capability, nonirrigated</i> 4w</p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i> B/D</p> <p><i>Potential for frost action:</i> high</p>
--	---

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
A -- 0 to 8 in	silt loam	moderate	1.34 to 1.89 in	4.5 to 8.4
Cg1 -- 8 to 35 in	silt loam	moderate	2.72 to 5.98 in	4.5 to 8.4
2Cg2 -- 35 to 60 in	stratified sand to silt loam	rapid	0.99 to 3.97 in	5.6 to 8.4

#### cathro

<p><i>Extent:</i> 5 percent of the unit</p> <p><i>Landform(s):</i> depressions on flood plains</p> <p><i>Slope gradient:</i></p> <p><i>Parent material:</i></p> <p><i>Restrictive feature(s):</i> greater than 60 inches</p> <p><i>Flooding:</i></p> <p><i>Ponding:</i></p> <p><i>Drainage class:</i></p>	<p><i>Soil loss tolerance (T factor):</i></p> <p><i>Wind erodibility group (WEG):</i></p> <p><i>Wind erodibility index (WEI):</i></p> <p><i>Kw factor (surface layer)</i></p> <p><i>Land capability, nonirrigated</i></p> <p><i>Hydric soil:</i> yes</p> <p><i>Hydrologic group:</i></p> <p><i>Potential for frost action:</i></p>
---	--

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1985--Fordum silt loam, occasionally flooded

#### markey

*Extent:* 4 percent of the unit

*Landform(s):* depressions on flood plains

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* yes

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

#### meehan

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

## Map Unit Description (MN)

Wadena County, Minnesota

### 1985--Fordum silt loam, occasionally flooded

#### friendship

*Extent:* 3 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:* no

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

### W--Water

#### Water

*Extent:* 100 percent of the unit

*Landform(s):*

*Slope gradient:*

*Parent material:*

*Restrictive feature(s):* greater than 60 inches

*Flooding:*

*Ponding:*

*Drainage class:*

*Soil loss tolerance (T factor):*

*Wind erodibility group (WEG):*

*Wind erodibility index (WEI):*

*Kw factor (surface layer)*

*Land capability, nonirrigated*

*Hydric soil:*

*Hydrologic group:*

*Potential for frost action:*

<i>Representative soil profile:</i>	<i>Texture</i>	<i>Permeability</i>	<i>Available water capacity</i>	<i>pH</i>
-------------------------------------	----------------	---------------------	---------------------------------	-----------

This report provides a semitabular listing of some soil and site properties and interpretations that are valuable in communicating the concept of a map unit. The report also provides easy access to the commonly used conservation planning information in one place. The major soil components in each map unit are displayed. Minor components may be displayed if they are included in the database and are selected at the time the report is generated.