

Wildlife Habitat (MN)

Chippewa County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 31D: Storden | 85 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor |
| 35: Blue Earth | 85 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Poor | Good |
| 45B: Maddock | 90 | Fair | Good | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Very poor |
| 45C: Maddock | 90 | Poor | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 60: Glyndon | 85 | Good | Good | Good | Fair | Poor | Poor | Poor | Good | Fair | Poor |
| 85: Calco, occasionally flooded | 86 | Good | Fair | Good | Poor | Very poor | Good | Good | Fair | Poor | Fair |
| 89: McDonaldsville | 86 | Good | Good | Fair | Fair | Fair | Good | Very poor | Good | Fair | Poor |
| 94B: Terril | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 113: Webster | 85 | Good | Good | Good | Fair | Poor | Good | Good | Good | Fair | Good |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife |
| 127A: Sverdrup | 85 | Fair | Fair | Fair | Fair | Fair | Poor | Very poor | Fair | Fair | Poor |
| 127B: Sverdrup | 85 | Fair | Fair | Fair | Fair | Fair | Poor | Very poor | Fair | Fair | Poor |
| 127C: Sverdrup | 85 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 141A: Egeland | 85 | Fair | Fair | Good | Fair | Very poor | Very poor | Very poor | Fair | Fair | Very poor |
| 141B: Egeland | 85 | Fair | Fair | Good | Fair | Very poor | Very poor | Very poor | Fair | Fair | Very poor |
| 234: Tonka | 85 | Poor | Fair | Fair | Fair | Fair | Good | Good | Poor | Fair | Good |
| 246: Marysland | 85 | Good | Good | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 290B: Rothsay | 85 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Poor |
| 324B: Torning | 86 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 338: Waubay | 85 | Good | Good | Good | Good | Very poor | Very poor | Very poor | Good | Very poor | Very poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 339A: Fordville | 85 | Good | Good | Good | Poor | Very poor | Very poor | Very poor | Good | Very poor | Very poor |
| 339B: Fordville | 85 | Good | Good | Good | Poor | Very poor | Very poor | Very poor | Good | Very poor | Very poor |
| 341B: Arvilla | 90 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 341C: Arvilla | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 344: Quam | 85 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| 371: Clontarf | 85 | Fair | Fair | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| 421B: Ves | 85 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 423: Seaforth | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 434: Perella | 85 | Poor | Fair | Good | Fair | Fair | Good | Good | Fair | Fair | Good |
| 444: Canisteo | 85 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 574: Du Page, occasionally flooded | 85 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor |
| 591B: Doland | 85 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 595E: Swanlake | 85 | Poor | Poor | Good | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 595F: Swanlake | 85 | Poor | Poor | Good | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 597: Tara | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 610: Calco, frequently flooded | 86 | Good | Fair | Good | Poor | Very poor | Good | Good | Fair | Poor | Fair |
| 847: Colvin | 60 | Poor | Fair | Fair | Fair | Fair | Good | Good | Poor | Fair | Good |
| Spicer | 25 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Poor | Good |
| 881: Glyndon | 60 | Good | Good | Good | Fair | Poor | Poor | Poor | Good | Fair | Poor |
| Quam | 35 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|--------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 891B2: | | | | | | | | | | | | |
| Doland, eroded | 65 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| Swanlake, eroded | 30 | Good | Good | Good | Fair | Fair | Poor | Very poor | Good | Fair | Very poor | |
| 891C2: | | | | | | | | | | | | |
| Doland, eroded | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Swanlake, eroded | 35 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 957B2: | | | | | | | | | | | | |
| Rothsay, eroded | 70 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Poor | |
| Zell, eroded | 25 | Fair | Fair | Fair | Poor | Very poor | Very poor | Very poor | Fair | Very poor | Very poor | |
| 957C2: | | | | | | | | | | | | |
| Rothsay, eroded | 60 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Poor | |
| Zell, eroded | 35 | Poor | Fair | Fair | Poor | Very poor | Very poor | Very poor | Poor | Very poor | Very poor | |
| 992E: | | | | | | | | | | | | |
| Rock outcrop | 55 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Copaston | 35 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor | |
| 1003B: | | | | | | | | | | | | |
| Udorhents, (cut and fill land) | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|-------------------------------|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|-----|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife | |
| 1016: Udorhents, loamy | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1029: Pits, gravel | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1053: Aquents, ponded | 45 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Aquolls, ponded | 45 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1356: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1802: Spicer | 60 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Poor | Good | |
| Quam | 35 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good | |
| 1849D: Storden | 85 | Poor | Fair | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| 1864B: Ves | 85 | Very poor | Fair | Good | Good | Good | Very poor | Very poor | Poor | Fair | Very poor | |
| 1866: Perella | 60 | Poor | Fair | Good | Fair | Fair | Good | Good | Fair | Fair | Good | |
| Colvin | 35 | Poor | Fair | Fair | Fair | Fair | Good | Good | Poor | Fair | Good | |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|----------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|-----------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life | |
| 1868: | | | | | | | | | | | | |
| Canisteo | 86 | Poor | Fair | Fair | Fair | Fair | Good | Fair | Fair | Fair | Fair | Fair |
| GP: | | | | | | | | | | | | |
| Pits, gravel | 80 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Udipsammets | 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| J1A: | | | | | | | | | | | | |
| Parnell, depressional | 90 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good | Good |
| J2A: | | | | | | | | | | | | |
| La Prairie, occasionally flooded | 90 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Fair | Fair |
| J6A: | | | | | | | | | | | | |
| McDonaldsville | 90 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good | Good |
| J7A: | | | | | | | | | | | | |
| Sverdrup | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | Very poor |
| J7B: | | | | | | | | | | | | |
| Sverdrup | 85 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | Very poor |
| J8A: | | | | | | | | | | | | |
| Egeland | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | Very poor |
| J8B: | | | | | | | | | | | | |
| Egeland | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | Very poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|----------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| J9A: Estelline | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J11A: Vallers | 85 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J12A: Marysland | 85 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J15B: Eckman | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J17A: Quam, depressional | 90 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J18A: Malachy | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Fair |
| J20A: Clontarf | 80 | Fair | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J23A: Lamoure, occasionally flooded | 85 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J24F: Buse | 85 | Very poor | Very poor | Good | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| J26B: Darnen | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J27A: Hantho | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J30A: Tara | 90 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J31B: Arvilla | 45 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| Sandberg | 40 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| J32A: Bigstone, depressional | 80 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J34B: Byrne | 45 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Buse | 35 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J35B: Hokans | 55 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Buse | 15 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J36C2: Buse, moderately eroded | 45 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| J36C2: Barnes, moderately eroded | 20 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J37D2: Langhei, moderately eroded | 60 | Very poor | Fair | Good | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| Barnes, moderately eroded | 15 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| J38B: Zell | 41 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Eckman | 39 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J38C2: Zell, moderately eroded | 46 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| Eckman, moderately eroded | 20 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J41A: Urness, depressional | 80 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J42C: Sandberg | 60 | Very poor | Fair | Good | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| Arvilla | 30 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| J46B: Byrne | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J48A: Bigstone, ponded | 40 | Very poor | Very poor | Good | Poor | Poor | Good | Good | Very poor | Poor | Good |
| Parnell, ponded | 40 | Very poor | Very poor | Good | Poor | Poor | Good | Good | Very poor | Poor | Good |
| J50A: Balaton | 45 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| Tara | 35 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J51A: Bearden | 60 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| Quam, depressional | 30 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J52A: Rondell | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J53A: Ortonville | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J56A: Winger | 40 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| Balaton | 30 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| J56A: Parnell, depressional | 20 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J57A: Balaton | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J58B: Torning | 45 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Egeland | 40 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J64A: Quam | 90 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J75A: Fordville | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J75B: Fordville | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J77A: Lamoure, frequently flooded | 85 | Very poor | Fair | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| J101B: Hokans | 70 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Svea | 20 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |

Wildlife Habitat (MN)

Chippewa County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| J256A: Waubay | 75 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| J259C: Buse, moderately eroded | 40 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Doland, moderately eroded | 30 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| J260A: Colvin, depressional | 60 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| Quam, depressional | 30 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| J261A: Perella | 50 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| Colvin | 40 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| M-W: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W: Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |