

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

[Absence of an entry indicates that data were not estimated]

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
1:												
7-1	75	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Fair	Good	
4:												
7-4	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
5-7:												
5-7-2	40	Fair	Good	Good	Good	Good	Fair	Fair	Fair	Good	Fair	
5-7-1	30	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor	
5-8:												
5-8-1	40	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good	
5-8-2	30	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good	
5-10A:												
5-10A	50	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-67-1	25	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5-10B:												
5-10B	40	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-67-1	35	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5-10C:												
5-10B	40	Very poor	Poor	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife	
5-10C:												
5-67-1	35	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5-10D:												
5-10B	40	Very poor	Very poor	Poor	Fair	Fair	Very poor	Very poor	Very poor	Fair	Very poor	
5-67-1	35	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
5-17C:												
5-17	75	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
5-28-1	25	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
5-28D:												
5-28-1	50	Very poor	Very poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-28-2	35	Very poor	Very poor	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-47:												
5-47	60	Very poor	Poor	Fair	Fair	Fair	Fair	Fair	Poor	Fair	Fair	
5-7	25	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor	
5-56C:												
5-56B	60	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
5-57A:												
5-57	50	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
5-57A:												
5-67-1	35	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5-57B:												
5-57	45	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Poor	
5-67-1	40	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5-57C:												
5-57	45	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
5-67-1	40	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5-57D:												
5-57	45	Very poor	Very poor	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor	
5-67-1	40	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
5-67D:												
5-67-1	70	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
5A:												
7-5	55	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
7-21	25	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
5B:												
7-5	55	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
5B:											
7-21	25	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---
5C:											
7-5	55	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
Rock outcrop	25	---	---	---	---	---	---	---	---	---	---
5D:											
7-5	55	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
Rock outcrop	25	---	---	---	---	---	---	---	---	---	---
7:											
7-7	60	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
7-47	20	Very poor	Poor	Fair	Fair	Fair	Fair	Fair	Poor	Fair	Fair
7-8:											
7-8-2	45	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good
7-8-1	30	Poor	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
7-21D:											
7-21	55	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
7-5	20	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
7-21D: Rock outcrop	15	---	---	---	---	---	---	---	---	---	---	---
7-52: 7-52	70	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
7-53A: 7-53	75	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
7-53B: 7-53	80	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
7-57A: 7-57	65	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
7-57B: 7-57	65	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Poor	
7-57C: 7-57	65	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
7-59B: 7-59B	75	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
7-64A: 7-64A	70	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
7-64B: 7-64B	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
10A:												
7-10A	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
7-18A	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
10B:												
7-10B	55	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
7-18B	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
10C:												
7-10B	50	Very poor	Poor	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
7-18B	35	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
13C:												
20-14	70	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
20-67-2	20	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
14A:												
5-14	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
14B:												
5-14	40	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-67-2	35	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
14C:											
5-14	45	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
5-67-2	35	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
14D:											
5-14	40	Very poor	Very poor	Fair	Fair	Fair	Very poor	Very poor	Very poor	Fair	Very poor
5-67-2	35	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
16A:											
5-16	65	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Poor
5-28-1	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
17A:											
5-17	70	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
5-28-1	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
17B:											
5-17B	70	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
5-28-1	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
18A:											
7-18A	50	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
7-10A	30	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
18B:												
7-18B	55	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
7-10B	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
18C:												
7-18B	60	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
7-10B	25	Very poor	Poor	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
19-8:												
19-8-2	50	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good	
19-8-1	30	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good	
19-10A:												
19-10A	60	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
19-18A	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
19-10B:												
19-10B	55	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
19-18B	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
19-14B:												
19-14	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
19-14C: 5-14	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
19-16A: 19-16	50	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Poor
19-29	30	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
19-24: 19-24	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
19-28A: 19-28-1	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
19-28B: 19-28-1	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
19-32: 19-32	75	Very poor	Very poor	Very poor	Poor	Poor	Good	Good	Very poor	Poor	Good
19-34: 19-34	75	Poor	Fair	Good	Good	Good	Fair	Poor	Fair	Good	Fair
19-52: 19-52	75	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
19-67B: 19-67-1	60	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife	
19-73:												
19-73	55	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
19-8-S	25	Poor	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good	
20-4:												
20-4	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
20-10A:												
20-10A	45	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
20-56A	25	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
20-10B:												
20-10B	50	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
20-56B	20	Fair	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
20-13D:												
20-14	70	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
20-67-2	20	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
20-18A:												
20-18A	65	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
20-18B:												
20-18B	60	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
20-24:												
20-24	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
20-32:												
20-32	75	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
20-56A:												
20-56A	50	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
20-58	35	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
20-56B:												
20-56A	60	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
20-56B	20	Fair	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
20-56C:												
20-56B	75	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
20-56D:												
20-56B	75	Very poor	Poor	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor	
20-58:												
20-58	65	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
20-72	25	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
20-64C:												
20-64B	70	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife	
20-67B:												
20-67-1	60	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
21A:												
7-21	55	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
7-18A	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
21B:												
7-21	55	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
7-18B	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
21C:												
7-21	60	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
7-5	20	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	
22:												
19-22	55	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good	
19-24	35	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good	
23A:												
5-23B	80	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
23B:												
5-23B	85	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
24:												
7-24	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
26A:												
Rubble land	100	---	---	---	---	---	---	---	---	---	---	
28A:												
5-28-1	60	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-28-2	30	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
28B:												
5-28-1	50	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-28-2	35	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
28C:												
5-28-1	50	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
5-28-2	35	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
29A:												
19-29	50	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor	
19-16	20	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Poor	
19-29-SP	20	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
29B:												
19-29	60	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor	
19-28-1	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
30A:												
5-30A	70	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
30B:												
5-30B	70	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
30C:												
5-30B	80	Very poor	Very poor	Fair	Fair	Fair	Very poor	Very poor	Very poor	Fair	Very poor	
32:												
7-32	75	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
34:												
5-34	60	Poor	Fair	Good	Good	Good	Fair	Poor	Fair	Good	Fair	
5-73	25	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
35A:												
20-35	70	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
20-42	20	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
35B:												
20-35	80	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
43:												
20-43	60	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
20-42	30	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
47:												
7-47	60	Very poor	Poor	Fair	Fair	Fair	Fair	Fair	Poor	Fair	Fair	
52:												
19-52	65	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
53A:												
19-53	60	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
19-8-2	30	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good	
53B:												
19-53	75	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
56A:												
5-56A	50	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
5-58	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
56B:												
20-56B	60	Fair	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
58:												
20-58	60	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
58:												
20-72	20	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
59A:												
7-59A	65	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
64A:												
20-64A	55	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
20-28-1	20	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
20-56A	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
64B:												
20-64B	65	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
67A:												
5-67-1	70	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
67B:												
5-67-1	70	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
67C:												
5-67-1	70	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
72:												
20-72	75	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
73:												
5-73	80	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
1003B:												
Udorhents, loamy, (cut and fill land)	100	---	---	---	---	---	---	---	---	---	---	
1007:												
Udorhents, shallow (sanitary landfill)	100	---	---	---	---	---	---	---	---	---	---	
1012A:												
Lobo	60	Poor	Poor	Poor	Poor	Fair	Fair	Fair	Poor	Fair	Fair	
Waskish	35	Poor	Poor	Poor	Poor	Fair	Fair	Fair	Poor	Fair	Fair	
1014A:												
Uskabwanka	75	Very poor	Very poor	Fair	Poor	Fair	Good	Good	Poor	Good	Good	
1020A:												
Bowstring, frequently flooded	45	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good	
Fluvaquents, frequently flooded	45	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good	
1021A:												
Rifle	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
Rifle, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
1022A:												
Greenwood	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
Greenwood, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
1048:												
Dumps, iron mine	100	---	---	---	---	---	---	---	---	---	---	
1049:												
Pits, iron mine	100	---	---	---	---	---	---	---	---	---	---	
1050:												
Tailings basin	100	---	---	---	---	---	---	---	---	---	---	
A1B:												
Graycalm	45	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Grayling	40	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
A2D:												
Graycalm	35	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Grayling	30	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
Leander, depressional	15	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
A2E:												
Graycalm	35	Very poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
A2E:											
Grayingling	30	Very poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Leander, depressional	15	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A3B:											
Friendship	40	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
Wurtsmith	40	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Poor
A4A:											
Meehan	75	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
A5A:											
Roscommon, depressional	75	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A6A:											
Keewatin, stony	80	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
A7B:											
Keewatin, stony	45	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Nashwauk, stony	35	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A8D:											
Greatscott, stony	55	Fair	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Nashwauk, stony	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
A8D:											
Balkan, depressional, stony	15	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A9D:											
Greatscott, stony	85	Fair	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
A10E:											
Greatscott, stony	55	Poor	Poor	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Greatscott, sandy substratum, stony	25	Poor	Poor	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
A11A:											
Keewatin, stony	45	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Balkan, stony	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
A12B:											
Daybrook	85	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
A13A:											
Shenango	80	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
A14A:											
Balkan, depressional, stony	60	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Balkan, stony	30	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
A21B:											
Graycalm	50	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Keenan	30	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A23D:											
Nashwauk, stony	45	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Keewatin, stony	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---
A24A:											
Merwin	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A26A:											
Tacoosh	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A27A:											
Cathro, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A28A:											
Rifle	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A29A:											
Greenwood	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
A29A:											
Greenwood, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B1C:											
Taylor	80	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B1D:											
Taylor	85	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
B2A:											
Indus	65	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
Woodslake, depressional	25	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B3B:											
Alango	70	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good
Indus	20	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
B4A:											
Indus	65	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
Dora, depressional	30	Very poor	Very poor	Very poor	Poor	Poor	Good	Good	Very poor	Poor	Good
B5B:											
Alango	50	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good
Taylor	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
B5B:											
Woodslake, depressional	20	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B6B:											
Morcom	50	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
Thistledeew	30	Fair	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
B7D:											
Udorhents, slumped	50	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Thistledeew	30	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Taylor	15	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
B8A:											
Bearville	75	Poor	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
B9A:											
Dora, frequently flooded	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
Greaney, frequently flooded	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B10B:											
Rollins	80	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
B10D:											
Rollins	85	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
B11B:											
Taylor	45	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Taylor, sandy substratum	40	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B11C:											
Taylor	45	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Taylor, sandy substratum	40	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B12D:											
Taylor	45	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Greaney, frequently flooded	40	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B14A:											
Greenwood	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Greenwood, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B15A:											
Morph	80	Poor	Fair	Fair	Fair	Fair	Good	Good	Poor	Fair	Good
B16B:											
Westoo	30	Fair	Fair	Good	Fair	Fair	Poor	Poor	Fair	Fair	Poor
Barber	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
B16B:											
Vasso	20	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B17B:											
Graycalm	55	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Biwabik	35	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
B17D:											
Graycalm	50	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Biwabik	30	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
B18A:											
Foglake	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Hassman, depressional	30	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B19B:											
Longsiding	45	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Good
Foglake	25	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Grasston	15	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
B23A:											
Effie	55	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Ashlake	40	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
B24B:											
Ashlake	40	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Suomi	35	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Effie	20	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B25C:											
Suomi	75	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Ashlake	20	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B26A:											
Daisybay	65	Very poor	Very poor	Very poor	Poor	Poor	Good	Good	Very poor	Poor	Good
Greenwood	35	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B27A:											
Mcquade	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Buhl	35	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B28B:											
Buhl	80	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B29B:											
Hibbing	45	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Buhl	35	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
B29D:												
Hibbing	55	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Buhl	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
B30A:												
Sago, depressional	75	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
B31D:												
Hibbing	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
B31E:												
Hibbing	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
B32A:												
Mcquade	45	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
Dora, depressional	30	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
Fayal, depressional	25	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
B33A:												
Mcquade	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
Fayal, depressional	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
B34B:												
Majestic	55	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
B34B:												
Hibbing	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
B35E:												
Hibbing	50	Very poor	Fair	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Udorthents	30	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
B36B:												
Lavell	45	Fair	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor	
Shawano	45	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
B37B:												
Westoo	40	Fair	Fair	Good	Fair	Fair	Poor	Poor	Fair	Fair	Poor	
Lavell	35	Fair	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor	
B39A:												
Meehan	80	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair	
B40D:												
Shawano	85	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
B41B:												
Friendship	75	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor	
B45A:												
Dora, depressional	80	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
B46A:												
Dora	80	Very poor	Very poor	Very poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
B47A:												
Daisybay	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
B48A:												
Mooseline	45	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
Turpela	35	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
B52A:												
Dora, depressional	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
B53A:												
Dora	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
B54A:												
Spooner	65	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
Littleswan	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair	
B56A:												
Spooner	55	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
Sax, depressional	40	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
B57B:												
Littleswan	70	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
B57B:											
Baudette	25	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B58B:											
Wurtsmith	45	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Poor
Meehan	40	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B61A:											
Cathro, depressional	65	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Barber	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B62A:											
Wabuse	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Vasso	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B63B:											
Urban land	50	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
Buhl	20	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Mcquade	20	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B64B:											
Vasso	40	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Keenan	35	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
B65A:											
Merwin	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B66C:											
Udifluvents, occasionally flooded	30	Fair	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
Udifluvents, frequently flooded	20	Poor	Fair	Fair	Fair	Fair	Fair	Fair	Fair	Fair	Fair
Udipsamments, rarely flooded	20	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Fluvaquents, frequently flooded	15	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good
B67A:											
Rifle	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B68A:											
Roscommon, depressional	50	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Roscommon, depressional, silty substratum	30	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B72A:											
Barber	55	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
B72A:											
Wabuse	35	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B73A:											
Spooner	30	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Buhl	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Littleswan	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B74A:											
Kapla, depressional	50	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Wabuse	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B80A:											
Rifle	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B82A:											
Greenwood	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Greenwood, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B83A:											
Rifle, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Tacoosh, depressional	35	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
B84B:											
Eutrudepts, occasionally flooded	50	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Greaney, frequently flooded	30	Poor	Very poor	Fair	Fair	Fair	Good	Good	Poor	Fair	Good
B99A:											
Cathro, depressional	50	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Sago, depressional	40	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B100A:											
Greenwood, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Merwin, depressional	35	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B108A:											
Cathro, depressional	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B119A:											
Tacoosh	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B147A:											
Rifle	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife	
B152A:												
Greenwood	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
Greenwood, depressional	45	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
F1C:												
Eaglesnest, very bouldery	80	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
F2B:												
Eaglesnest, bouldery	45	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Wahlsten, bouldery	30	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
F3D:												
Eveleth, bouldery	40	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Eaglesnest, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Conic, bouldery	20	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
F4E:												
Eveleth, bouldery	55	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Conic, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---	
F5B:												
Babbitt, bouldery	40	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
F5B:											
Wahlsten, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Aquepts, rubbly, depressional	15	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
F6B:											
Soudan, bouldery	45	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Babbitt, bouldery	25	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
Eaglesnest, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
F7B:											
Biwabik	55	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Graycalm	35	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F8D:											
Biwabik	40	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Graycalm	40	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Friendship, depressional	15	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
F9A:											
Cloquet	80	Fair	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
F9B:												
Cloquet	80	Fair	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
F10D:												
Cloquet	75	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
Pequaywan	15	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
F10E:												
Cloquet	75	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Pequaywan	15	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
F11B:												
Eaglesnest, bouldery	75	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
F12B:												
Eaglesnest, bouldery	45	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Babbitt, bouldery	40	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor	
F13A:												
Babbitt, bouldery	45	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor	
Aquepts, rubbly, depressional	40	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
F14D:												
Eveleth, bouldery	85	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
F15E: Rollins, stony	90	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F16B: Shawano	85	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
F17A: Aquepts, rubbly, depressional	75	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
F18A: Babbitt, bouldery	80	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
F19A: Pequaywan	85	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
F21D: Quetico, stony	45	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
Rock outcrop	30	---	---	---	---	---	---	---	---	---	---
F21F: Quetico, stony	45	Very poor	Very poor	Poor	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
Rock outcrop	35	---	---	---	---	---	---	---	---	---	---
F22F: Eveleth, very bouldery	60	Very poor	Very poor	Very poor	Fair	Fair	Very poor	Very poor	Very poor	Fair	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life
F22F:											
Conic, very bouldery	20	Very poor	Very poor	Very poor	Fair	Fair	Very poor	Very poor	Very poor	Fair	Very poor
F23B:											
Rollins	35	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Biwabik	30	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
F23D:											
Rollins	40	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Biwabik	35	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
F24A:											
Gnesen	85	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
F25D:											
Rollins	55	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Cloquet	30	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
F26C:											
Shagawa, extremely bouldery	45	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Beargrease, extremely bouldery	35	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
F26E:											
Shagawa, extremely bouldery	45	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Beargrease, extremely bouldery	35	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F28B:											
Oysterlake, extremely stony	55	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Fair	Very poor
Oysterlake, wet, extremely stony	30	Very poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Fair	Poor
F29E:											
Shagawa, extremely bouldery	40	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Beargrease, extremely bouldery	25	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F29G:											
Shagawa, extremely bouldery	40	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Beargrease, extremely bouldery	30	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F30G:											
Conic, very bouldery	40	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Fair	Very poor

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
F30G:												
Insula, very bouldery	25	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---	---
F31B:												
Oysterlake, extremely stony	60	Very poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor
F34A:												
Cathro, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Poor	Good
F35D:												
Eveleth, bouldery	35	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Fair	Very poor
Conic, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Fair	Very poor
Aquepts, rubbly, depressional	20	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Fair	Fair	Good
F36D:												
Conic, bouldery	40	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Fair	Very poor
Insula, bouldery	30	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Poor	Very poor
Rock outcrop	20	---	---	---	---	---	---	---	---	---	---	---
F37B:												
Foglake	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Fair	Good

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--			
		Grain and seed crops	Grasses and legumes	Wild herba-ceous plants	Hard-wood trees	Conif-erous trees	Wetland plants	Shallow water areas	Open-land wild-life	Wood-land wild-life	Wetland wild-life	
F37B:												
Babbitt, bouldery	30	Very poor	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor	
F38B:												
Longsiding	50	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Good	
Eaglesnest, bouldery	35	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
F39A:												
Foglake, bouldery	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
Aquepts, rubbly, depressional	30	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Fair	Good	
Hassman, depressional	20	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
F40B:												
Rollins	80	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
F40D:												
Rollins	80	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
F41B:												
Friendship	40	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor	
Wurtsmith	40	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Poor	
F42A:												
Meehan	75	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair	

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
F43A: Roscommon, depressional	75	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
F116A: Mooselake	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
F129A: Tacoosh	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
F164B: Beargrease, very stony	45	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Biwabik, very stony	20	Very poor	Poor	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Rollins, very stony	20	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F164E: Beargrease, very stony	45	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Biwabik, very stony	20	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Rollins, very stony	20	Very poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
F176A: Sago, depressional	80	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
GP: Pits, gravel	80	---	---	---	---	---	---	---	---	---	---

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life

GP:

Udipsamments	20	---	---	---	---	---	---	---	---	---	---	---
--------------	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

I-W:

Water, intermittent	100	---	---	---	---	---	---	---	---	---	---	---
---------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

M-W:

Water, miscellaneous	100	---	---	---	---	---	---	---	---	---	---	---
----------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

W:

Water	100	---	---	---	---	---	---	---	---	---	---	---
-------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----