

Winona County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
1822B	Abscota variant sand, 1 to 6 percent slopes	44
598B	Beavercreek silt loam, 1 to 8 percent slopes, stony	20
1893B	Beavercreek variant loam, 1 to 6 percent slopes	68
25	Becker fine sandy loam	71
898F	Bellechester-Brodale complex, rocky, 15 to 60 percent slopes	3
79B	Billett fine sandy loam, 1 to 6 percent slopes	60
580D	Blackhammer-Southridge silt loams, 12 to 20 percent slopes	55
580B	Blackhammer-Southridge silt loams, 2 to 6 percent slopes	87
580C	Blackhammer-Southridge silt loams, 6 to 12 percent slopes	70
81B	Boone loamy fine sand, 2 to 6 percent slopes	22
81C	Boone loamy fine sand, 6 to 15 percent slopes	21
522	Boots muck	15
488G	Brodale cobbly loam, rocky, 45 to 70 percent slopes	2
1861	Chaseburg silt loam, channeled	20
19	Chaseburg silt loam, moderately well drained, 0 to 2 percent slopes	92
1860	Comfrey silt loam, channeled	20
95C	Dunbarton silt loam, rocky, 4 to 12 percent slopes	23
1830	Eitzen silt loam	91
1857	Eitzen silt loam, channeled	20
815F	Elbaville-Seaton silt loams, 30 to 45 percent slopes	5
830D	Eleva-Seaton complex, 12 to 30 percent slopes	30
484D	Eyota fine sandy loam, 12 to 20 percent slopes	59
455A	Festina silt loam, 0 to 2 percent slopes	98
455B	Festina silt loam, 2 to 6 percent slopes	90
1951A	Flagler sandy loam, bedrock substratum, 0 to 2 percent slopes	65
1951B	Flagler sandy loam, bedrock substratum. 2 to 6 percent slopes	53
1002	Fluvaquents, channeled	5
476D	Frankville silt loam, 12 to 18 percent slopes	43
476B	Frankville silt loam, 2 to 6 percent slopes	58
476C	Frankville silt loam, 6 to 12 percent slopes	55
173F	Frontenac loam, 30 to 40 percent slopes	11
174D	Gale silt loam, 12 to 20 percent slopes	47
826B	Gale-Blackhammer silt loams, 2 to 6 percent slopes	68
826C	Gale-Blackhammer silt loams, 6 to 12 percent slopes	58
176	Garwin silt loam	86
474B	Haverhill mucky silty clay loam, 1 to 8 percent slopes	5
1960B	Haverhill variant, clay loam, 1 to 8 percent slopes	38
1936	Hoopeston sandy loam, bedrock substratum	52
194	Huntsville silt loam	95
604	Huntsville-Beavercreek complex, channeled	20
24	Kasson silt loam	95
1952B	Keltner silt loam, 3 to 6 percent slopes	85
1952C	Keltner silt loam, 6 to 12 percent slopes	70
457E	Lacrescent channery silt loam, 20 to 45 percent slopes	3
457G	Lacrescent silt loam, rocky, 45 to 70 percent slopes	1

832F	Lacrescent-Rock outcrop complex, 30 to 45 percent slopes	3
832G	Lacrescent-Rock outcrop complex, 45 to 70 percent slopes	1
584F	Lamoille-Dorerton silt loams, 30 to 45 percent slopes	4
592E	Lamoille-Elbaville silt loams, 20 to 30 percent slopes	13
1937	Lawler loam, bedrock substratum	77
301A	Lindstrom silt loam, 1 to 3 percent slopes	99
301D	Lindstrom silt loam, 12 to 20 percent slopes	73
301C	Lindstrom silt loam, 6 to 12 percent slopes	92
477	Littleton silt loam	100
1953	Marshan silt loam, loamy substratum	62
262B	Medary silt loam, 1 to 6 percent slopes	87
271	Minneiska fine sandy loam, channeled	20
401D	Mt. Carroll silt loam, 12 to 20 percent slopes	67
401B	Mt. Carroll silt loam, 3 to 6 percent slopes	90
401C	Mt. Carroll silt loam, 6 to 12 percent slopes	80
492B	Nasset silt loam, 3 to 6 percent slopes	86
492C	Nasset silt loam, 6 to 12 percent slopes	77
576	Newalbin silt loam	79
577	Newalbin silt loam, channeled	20
578	Newalbin silt loam, very wet	5
501D	NewGlarus silt loam, 12 to 20 percent slopes	45
501B	NewGlarus silt loam, 3 to 6 percent slopes	61
501C	NewGlarus silt loam, 6 to 12 percent slopes	54
501E	NewGlarus silt loam, rocky, 12 to 30 percent slopes	6
586D	Nodine-Rollingstone silt loams, 12 to 20 percent slopes	52
586C	Nodine-Rollingstone silt loams, 4 to 12 percent slopes	67
599E	Norden silt loam, 15 to 30 percent slopes	13
599F	Norden silt loam, 30 to 45 percent slopes	4
493B	Oronoco fine sandy loam, 3 to 8 percent slopes	88
1990	Otter mucky silt loam, very wet	5
468	Otter silt loam	79
587D	Palsgrove silt loam, 12 to 20 percent slopes	62
587B	Palsgrove silt loam, 2 to 6 percent slopes	85
587C	Palsgrove silt loam, 6 to 12 percent slopes	71
1029	Pits, gravel	0
1013	Pits, quarries	0
283B	Plainfield sand, 1 to 6 percent slopes	32
283D	Plainfield sand, 12 to 25 percent slopes	27
283F	Plainfield sand, 25 to 50 percent slopes	2
283C	Plainfield sand, 6 to 12 percent slopes	30
285A	Port Byron silt loam, 1 to 3 percent slopes	99
285B	Port Byron silt loam, 3 to 6 percent slopes	98
285C	Port Byron silt loam, 6 to 12 percent slopes	91
1015	Psammets, fill	0
99B	Racine silt loam, 2 to 6 percent slopes	91
99C	Racine silt loam, 6 to 12 percent slopes	76
1010	Riverwash	0

299B	Rockton silt loam, 1 to 6 percent slopes	53
198D	Rollingstone silt loam, 12 to 20 percent slopes	54
198C	Rollingstone silt loam, 3 to 12 percent slopes	67
103A	Seaton silt loam, 1 to 3 percent slopes	90
103D	Seaton silt loam, 12 to 20 percent slopes	62
103B	Seaton silt loam, 3 to 6 percent slopes	85
103C	Seaton silt loam, 6 to 12 percent slopes	71
388D	Seaton silt loam, valleys, 12 to 20 percent slopes	62
388E	Seaton silt loam, valleys, 20 to 30 percent slopes	30
388C	Seaton silt loam, valleys, 6 to 12 percent slopes	71
829C	Seaton-Gale silt loams, 6 to 12 percent slopes	65
606	Shiloh silt loam, ponded	5
11B	Sogn silt loam, 1 to 6 percent slopes	21
11D	Sogn silt loam, rocky, 6 to 30 percent slopes	6
215D	Southridge silt loam, 12 to 20 percent slopes	58
215C	Southridge silt loam, 6 to 12 percent slopes	78
215B	Southridge silt loams, 2 to 6 percent slopes	88
1954B	Spinks loamy fine sand, bedrock substratum, 1 to 6 percent slopes	45
1954C	Spinks loamy fine sand, bedrock substratum, 6 to 15 percent slopes	39
831F	Spinks-Boone-Sogn complex, rocky, 15 to 60 percent slopes	1
322D2	Timula silt loam, 12 to 20 percent slopes, eroded	64
322E2	Timula silt loam, 20 to 40 percent slopes, eroded	14
322F	Timula silt loam, 40 to 60 percent slopes	5
322C2	Timula silt loam, 6 to 12 percent slopes, eroded	78
331	Tripoli silty clay loam	87
1016	Udorthents, loamy	0
840	Urban land-Finchford complex	0
839	Urban land-Minneopa complex	0
W	Water	0
M-W	Water, miscellaneous	0
369B	Waubeek silt loam, 2 to 6 percent slopes	91
369C	Waubeek silt loam, 6 to 12 percent slopes	80
483	Waukee loam	69
1955A	Waukee loam, bedrock substratum, 0 to 2 percent slopes	69
1955B	Waukee loam, bedrock substratum, 2 to 6 percent slopes	66