

Wildlife Habitat (MN)

Wright County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 7A: Hubbard | 95 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 7B: Hubbard | 90 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 7C: Hubbard | 80 | Poor | Good | Fair | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 8B: Sparta | 95 | Fair | Fair | Fair | Fair | Good | Very poor | Very poor | Good | Fair | Very poor |
| 35: Blue Earth, depressional | 80 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Poor | Good |
| 74B: Dickinson | 95 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 86: Canisteo | 80 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 106C2: Lester, eroded | 70 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 106D2: Lester, eroded | 80 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 106E: Lester | 80 | Poor | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 109: Cordova | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| 114: Glencoe, depressional | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 138: Lerdal | 80 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 158A: Zimmerman | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 158B: Zimmerman | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 158C: Zimmerman | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 158E: Zimmerman | 85 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 169C: Braham | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 181: Litchfield | 95 | Fair | Good | Good | Good | Good | Fair | Poor | Good | Good | Poor |
| 229: Waldorf | 90 | Good | Good | Good | Good | Good | Good | Good | Good | Fair | Good |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 231C: Lester | 80 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 231D: Lester | 80 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 235: Nessel | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 239: Le Sueur | 80 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 247: Linder | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 255: Mayer | 85 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 256: Mazaska | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| 258B: Sandberg | 95 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 258C: Sandberg | 90 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 258E: Sandberg | 85 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|----------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 260: Duelm | 90 | Fair | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 261: Isan, depressional | 90 | Very poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| 286B: Shorewood | 95 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| 294A: Rasset | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 323: Shields | 95 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| 327A: Dickman | 85 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 327B: Dickman | 85 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 375: Forada | 85 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 392: Biscay | 90 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 406: Dorset | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|----------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|-----------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life | |
| 414: Hamel | 90 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 441: Almora | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 461B: Koronis | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 461C2: Koronis, eroded | 80 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 461E: Koronis | 80 | Poor | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 511: Marcellon, MAP<30 | 85 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair | Fair |
| 523: Houghton, drained | 80 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor | Poor |
| 525: Muskego, surface drained | 75 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good | Good |
| 539: Klossner, drained | 80 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor | Poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 540: Seelyeville, surface drained | 80 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| 543: Markey, surface drained | 80 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| 548: Medo, drained | 80 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor |
| 603: Hanlon, occasionally flooded | 80 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 611D: Hawick | 85 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 708: Rushlake | 85 | Poor | Good | Good | Good | Good | Fair | Poor | Good | Good | Fair |
| 740: Hamel | 70 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| Glencoe, depressional | 20 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 768: Mosford | 85 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------------|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife |
| 771: Elkriver, rarely flooded | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 783C2: Lester, eroded | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Kilkenny, eroded | 30 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 792: Fordum, frequently flooded | 90 | Very poor | Very poor | Good | Fair | Fair | Good | Good | Very poor | Fair | Good |
| 799: Bowstring, frequently flooded | 45 | Very poor | Fair | Good | Poor | Poor | Good | Good | Fair | Poor | Good |
| Seelyeville, frequently flooded | 45 | Very poor | Fair | Good | Poor | Poor | Good | Good | Fair | Poor | Good |
| 804B: Koronis | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sunburg | 20 | Good | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor |
| Hawick | 15 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 804C2: Koronis, eroded | 45 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|--------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life | |
| 804C2: | | | | | | | | | | | | |
| Sunburg | 25 | Good | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Hawick | 15 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 804D2: | | | | | | | | | | | | |
| Koronis, eroded | 40 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Sunburg | 30 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Hawick | 15 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 804E: | | | | | | | | | | | | |
| Koronis | 50 | Poor | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Sunburg | 20 | Poor | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Hawick | 15 | Very poor | Fair | Fair | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor | |
| 807D2: | | | | | | | | | | | | |
| Koronis, eroded | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Sunburg | 20 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 875B: | | | | | | | | | | | | |
| Estherville | 60 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Hawick | 30 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|--------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life | |
| 875C: | | | | | | | | | | | | |
| Hawick | 60 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Estherville | 25 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 896B: | | | | | | | | | | | | |
| Kingsley | 70 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Gotham | 25 | Poor | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 896C: | | | | | | | | | | | | |
| Kingsley | 70 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Gotham | 25 | Poor | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 945C2: | | | | | | | | | | | | |
| Lester, eroded | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Storden, eroded | 30 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 945D2: | | | | | | | | | | | | |
| Lester, eroded | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Storden, eroded | 20 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 956: | | | | | | | | | | | | |
| Canisteo | 65 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| Glencoe, depressional | 25 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 978: | | | | | | | | | | | |
| Cordova | 60 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| Rolfe, depressional | 30 | Fair | Fair | Good | Fair | Poor | Good | Good | Fair | Fair | Good |
| 1000: | | | | | | | | | | | |
| Arvilla, MAP>25 | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1015: | | | | | | | | | | | |
| Udipsammets, (cut and fill land) | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1016: | | | | | | | | | | | |
| Udorthents, loamy (cut and fill land) | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1023C: | | | | | | | | | | | |
| Lester, eroded | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Malardi | 35 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1023D: | | | | | | | | | | | |
| Lester, eroded | 45 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Malardi | 40 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1026B: | | | | | | | | | | | |
| Lizzie, moderately wet | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|--|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|-----------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife | |
| 1027: Udorhents, wet substratum (fill land) | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1030: Pits, gravel | 80 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Udipsamments | 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1035B: Crowfork | 90 | Fair | Fair | Fair | Fair | Good | Very poor | Very poor | Good | Fair | Very poor | Very poor |
| 1035C: Crowfork | 90 | Fair | Fair | Fair | Fair | Good | Very poor | Very poor | Good | Fair | Very poor | Very poor |
| 1035D: Crowfork | 85 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | Very poor |
| 1036B: Angus | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 1037: Eckvoll, MAP>25 | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 1038A: Verndale, acid substratum | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 1038B: Verndale, acid substratum | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|---|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life | |
| 1066B: | | | | | | | | | | | | |
| Malardi | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Hawick | 25 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 1066C: | | | | | | | | | | | | |
| Malardi | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Hawick | 25 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 1066E: | | | | | | | | | | | | |
| Malardi | 55 | Poor | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Hawick | 30 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 1072: | | | | | | | | | | | | |
| Udorthents, shallow (sanitary landfill) | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| 1075: | | | | | | | | | | | | |
| Klossner, ponded | 40 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | |
| Muskego, ponded | 40 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | |
| 1080: | | | | | | | | | | | | |
| Glencoe, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | |
| Klossner, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1080: Okoboji, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| 1087B: Angus | 55 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Malardi | 30 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1094B: Angus | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Cordova | 30 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 1099: Granby, very wet | 85 | Poor | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| 1110: Isan | 90 | Poor | Fair | Good | Poor | Poor | Good | Good | Fair | Poor | Good |
| 1156: Cordova | 85 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 1163: Suckercreek, frequently flooded | 85 | Poor | Fair | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| 1165: Lundlake, depressional | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife |
| 1173: | | | | | | | | | | | |
| Klossner, frequently flooded | 45 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| Muskego, frequently flooded | 45 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| 1186: | | | | | | | | | | | |
| Forestcity | 75 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| Lundlake, depressional | 20 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| 1196B: | | | | | | | | | | | |
| Lida | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 30 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1196C: | | | | | | | | | | | |
| Lida | 55 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 30 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1196E: | | | | | | | | | | | |
| Lida | 50 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 40 | Very poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|--|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|-----------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 1197: Suckercreek, occasionally flooded | 80 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 1199: Klossner, ponded | 45 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | Good |
| Lundlake, ponded | 45 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | Good |
| 1203: Blue Earth, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | Good |
| Houghton, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | Good |
| Muskego, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good | Good |
| 1204B: Reedslake | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| 1207B: Reedslake | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| Le Sueur | 25 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor | Poor |
| 1213C: Cokato, eroded | 65 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | Very poor |
| Storden | 20 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|---------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 1213D: | | | | | | | | | | | | |
| Cokato, eroded | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Storden | 25 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 1220C: | | | | | | | | | | | | |
| Cokato, eroded | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Storden | 20 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| Hawick | 15 | Poor | Fair | Good | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 1223: | | | | | | | | | | | | |
| Sandberg, MAP>25 | 60 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Arvilla, MAP>25 | 30 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| 1224: | | | | | | | | | | | | |
| Hubbard | 60 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Verndale, acid substratum | 30 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| 1231: | | | | | | | | | | | | |
| Hubbard | 60 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor | |
| Mosford | 30 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1255: Elkriver, occasionally flooded | 80 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1256: Cantlin | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1257: Elkriver, rarely flooded | 55 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Mosford, rarely flooded | 35 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1260B: Stonelake | 55 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Nebish, moderately wet | 30 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1260C: Stonelake | 55 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Nebish | 30 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1260E: Stonelake | 60 | Very poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Nebish | 25 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1288: Markey, ponded | 45 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1288: Seelyeville, ponded | 45 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| 1356: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1362B: Angus | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1368: Southhaven | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1377B: Dorset | 70 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 20 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1377C: Dorset | 50 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 35 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1377D: Dorset | 45 | Poor | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 40 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1377E: Dorset | 45 | Very poor | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1377E: Two Inlets | 45 | Very poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1378: Fordum, occasionally flooded | 85 | Poor | Fair | Good | Fair | Fair | Good | Good | Fair | Fair | Good |
| 1379B: Dorset | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Almora | 25 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1380A: Bygland, MAP>25 | 85 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1380B: Bygland, MAP>25 | 70 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1380C: Bygland, MAP>25 | 70 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1381: Lindaas, morainic | 80 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| 1383A: Shorewood, moderately wet | 95 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|----------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 1388B: TerriI, moderately wet | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 1406: Biscay, ponded | 30 | Very poor | Poor | Good | Very poor | Very poor | Good | Good | Good | Very poor | Good |
| Dassel, ponded | 30 | Very poor | Poor | Good | Very poor | Very poor | Good | Good | Good | Very poor | Good |
| Medo, ponded | 30 | Very poor | Poor | Good | Very poor | Very poor | Good | Good | Good | Very poor | Good |
| 1408B: Angus | 45 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Kilkenny | 40 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1438B: Braham, moderately wet | 85 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1443: Belleville | 85 | Fair | Good | Good | Fair | Fair | Good | Good | Fair | Fair | Good |
| 1901B: Angus | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Le Sueur | 30 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 1931: Essexville | 75 | Fair | Fair | Good | Fair | Fair | Good | Good | Fair | Poor | Good |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1942: Forada, depressional | 85 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 1946: Fordum, frequently flooded | 70 | Very poor | Very poor | Good | Fair | Fair | Good | Good | Very poor | Fair | Good |
| Winterfield, frequently flooded | 20 | Poor | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| 1975: Oylen | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| L307B: Koronis | 80 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| L307C2: Koronis, moderately eroded | 75 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| L317A: Barry | 85 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| L318A: Lundlake | 85 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| L320A: Klossner, frequently flooded | 45 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| L320A: Muskego, frequently flooded | 45 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| L324A: Forestcity, overwash | 45 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| Forestcity | 40 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| L330A: Blue Earth, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Houghton, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Muskego, ponded | 30 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| L331A: Klossner, drained, lundlake catena | 80 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor |
| L334A: Houghton, surface drained | 40 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| Muskego, surface drained | 40 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| L335A: Klossner, surface drained, lundlake catena | 65 | Poor | Poor | Good | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife |
| L335A: Klossner, drained, lundlake catena | 20 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor |
| L347A: Klossner, lundlake catena, ponded | 50 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Lundlake, ponded | 45 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| L350A: Marcellon | 85 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| L351A: Houghton, drained | 80 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor |
| L355B: Koronis | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sunburg | 20 | Good | Good | Good | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| Hawick | 15 | Poor | Poor | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| L355C2: Koronis, moderately eroded | 45 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sunburg, moderately eroded | 25 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |

Wildlife Habitat (MN)

Wright County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------------|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife |
| L355C2: Hawick | 15 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| L355D2: Koronis, moderately eroded | 40 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sunburg, moderately eroded | 30 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Hawick | 15 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| L355E: Koronis | 50 | Poor | Fair | Fair | Good | Good | Very poor | Very poor | Fair | Fair | Very poor |
| Sunburg | 20 | Poor | Poor | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Hawick | 15 | Very poor | Very poor | Fair | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |
| L357D2: Koronis, moderately eroded | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sunburg, moderately eroded | 20 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| W: Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |