

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

[Absence of an entry indicates that a conservation tree/shrub suitability group is not assigned]

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
27A:		
Dickinson	90	5
Lemond	5	---
Hanska	5	---
27B:		
Dickinson	90	5
Lemond	5	---
Hanska	5	---
35:		
Blue Earth	95	2k
Canisteo	5	---
39A:		
Wadena	90	6g
Biscay	10	---
39B:		
Wadena	90	6g
Biscay	10	---
85:		
Calco, occasionally flooded	85	2k

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
85:		
Nishna	10	---
Havelock	5	---
86:		
Canisteo	85	2k
Glencoe	10	---
Okoboji	5	---
94C:		
Terril	85	3
Delft	15	---
102B:		
Clarion	85	3
Webster	10	---
Glencoe	5	---
112:		
Harps	85	2k
Okoboji	10	---
Seaforth	5	---
113:		
Webster	85	2

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
113:		
Normania	5	---
Nicollet	5	---
Glencoe	5	---
118:		
Crippin	85	1k
Canisteo	10	---
Glencoe	5	---
128C2:		
Grogan, eroded	85	3
Delft	10	---
Terril	5	---
130:		
Nicollet	85	1
Webster	10	---
Glencoe	5	---
134:		
Okoboji, depressional	85	2
Klossner	5	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
134:		
Harps	5	---
Canisteo	5	---
156:		
Fairhaven	85	6g
Biscay	10	---
Hanska	5	---
227:		
Lemond	85	2k
Mayer	5	---
Linder	5	---
Biscay	5	---
247:		
Linder	85	1
Biscay	10	---
Mayer	5	---
255:		
Mayer	85	2k
Biscay	10	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
255:		
Linder	5	---
282:		
Hanska	85	2
Mayer	5	---
Linder	5	---
Biscay	5	---
318:		
Mayer, depressional	85	2k
Linder	5	---
Estherville	5	---
Biscay	5	---
327A:		
Dickman	90	7
Hanska	5	---
Biscay	5	---
327B:		
Dickman	85	7
Linder	5	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
327B:		
Hanska	5	---
Biscay	5	---
327C:		
Dickman	85	7
Linder	5	---
Hanska	5	---
Biscay	5	---
336:		
Delft	85	2
Glencoe	10	---
Webster	5	---
386:		
Okoboji, depressional	85	2
Klossner	5	---
Harps	5	---
Blue Earth	5	---
392:		
Biscay	85	2

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
392:		
Mayer	5	---
Linder	5	---
Estherville	5	---
423:		
Seaforth	85	1k
Canisteo	10	---
Okoboji	5	---
446:		
Normania	85	1
Webster	10	---
Glencoe	5	---
463A:		
Minneiska, occasionally flooded	85	1k
Rushriver	10	---
Du Page	5	---
463B:		
Minneiska, rarely flooded	85	1k

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
463B:		
Terril	5	---
Havelock	5	---
Du Page	5	---
519:		
Klossner, depressional, calcareous	85	2h
Okoboji	5	---
Muskego	5	---
Harps	5	---
525:		
Muskego, depressional	90	2h
Okoboji	5	---
Blue Earth	5	---
574:		
Du Page, occasionally flooded	85	1
Rushriver	5	---
Nishna	5	---
Havelock	5	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
574:		
575:		
Nishna, occasionally flooded	85	2k
Rushriver	5	---
Havelock	5	---
Du Page	5	---
595F:		
Swanlake	85	8
Delft	10	---
Terril	5	---
610:		
Calco, frequently flooded	90	2k
Rushriver	10	---
770C2:		
Ves, eroded	60	3
Terril	30	3
Delft	10	---
810:		
Coriff	50	2k

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
810:		
Fieldon	45	2k
Hanska	5	---
817:		
Canisteo	60	2k
Seaforth	30	1k
Okoboji	10	---
875C:		
Hawick	60	7
Estherville	25	7
Wadena	5	---
Linder	5	---
Biscay	5	---
887B:		
Clarion	70	3
Swanlake	20	8
Webster	10	---
899:		
Harps	60	2k

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
899:		
Okoboji, depressional	30	10
Seaforth	5	---
Canisteo	5	---
920B:		
Clarion	50	3
Storden	20	8
Hawick	15	7
Webster	10	---
Glencoe	5	---
927:		
Harps	40	2k
Seaforth	30	1k
Okoboji, depressional	25	10
Canisteo	5	---
954C2:		
Ves, eroded	65	3
Storden, eroded	25	8

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
954C2:		
Delft	10	---
956:		
Canisteo	65	2k
Glencoe, depressional	25	2
Harps	5	---
Crippin	5	---
960D2:		
Storden, eroded	65	8
Omsrud, eroded	20	3
Delft	10	---
Terril	5	---
960F:		
Storden	70	8
Omsrud	15	3
Delft	10	---
Terril	5	---
978:		
Cordova	60	2

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
978:		
Rolfe, depressional	30	2
Nicollet	10	---
999C2:		
Ves, eroded	35	3
Storden, eroded	35	8
Hawick	15	7
Delft	15	---
1030:		
Udipsamments	45	10
Pits, gravel	45	10
Biscay	10	---
1080:		
Okoboji, ponded	30	10
Klossner, ponded	30	10
Glencoe, ponded	30	10
Harps	10	---
1100:		
Nicollet	85	1

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1100:		
Webster	10	---
Okoboji	5	---
1101:		
Webster	90	2
Okoboji	5	---
Nicollet	5	---
1205:		
Leen	60	2k
Okoboji, depressional	30	2
Louris	10	---
1242F:		
Swanlake	50	8
Terril	40	3
Delft	10	---
1261B:		
Bechyn	85	10
Cedarrock	15	---

1262:

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1262:		
Seaforth	85	1k
Okoboji	5	---
Chetomba	5	---
Canisteo	5	---
1267:		
Cedarrock, frequently flooded	85	2k
Havelock	10	---
Nishna	5	---
1268:		
Hanlon, rarely flooded	85	1
Coland	10	---
Havelock	5	---
1269:		
Lowlein	85	1
Biscay	10	---
Hanska	5	---
1270D:		
Bechyn	65	10

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1270D:		
Rock outcrop	25	---
Delft	5	---
Cedarrock	5	---
1285:		
Chetomba	85	2
Prinsburg	5	---
Okoboji	5	---
Crooksford	5	---
1286:		
Prinsburg	85	2k
1287:		
Calco, ponded, frequently flooded	85	2k
Nishna	10	---
Prinsburg	5	---
1355B:		
Amiret	70	3
Swanlake	20	8

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1355B:		
Webster	5	---
Okoboji	5	---
1369A:		
Crooksford	90	1
Okoboji	5	---
Chetomba	5	---
1369B:		
Crooksford	85	1
Chetomba	10	---
Okoboji	5	---
1370B:		
Amiret	85	3
Chetomba	10	---
Okoboji	5	---
1371B:		
Crooksford	60	1
Swanlake	30	8
Webster	5	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1371B:		
Chetomba	5	---
1373C:		
Omsrud, eroded	45	3
Storden, eroded	30	8
Hawick, eroded	15	7
Delft	10	---
1374:		
Havelock, occasionally flooded	85	2k
Calco	10	---
Rushriver	5	---
1375D:		
Storden, eroded	60	8
Ves, eroded	30	3
Terril	5	---
Delft	5	---
1376C:		
Omsrud, eroded	50	3
Storden, eroded	40	8

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1376C:		
Delft	10	---
1382:		
Louris	85	1k
Leen	10	---
Okoboji	5	---
1386B:		
Amiret	40	3
Swanlake	30	8
Hawick	15	7
Webster	10	---
Glencoe	5	---
1388B:		
Terril, moderately wet	90	3
Delft	10	---
1389:		
Havelock, frequently flooded	85	2k
Rushriver	10	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1389: Nishna	5	---
1390: Leen	85	2k
Okoboji	10	---
Louris	5	---
1392B: Grogan, moderately wet	90	3
Chetomba	5	---
Bechyn	5	---
1802: Calcousta	50	2k
Okoboji, depressional	40	2
Harps	5	---
Canisteo	5	---
1833: Coland, occasionally flooded	85	2
Havelock	10	---
Biscay	5	---

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1833:		
1834:		
Coland, frequently flooded	85	2
Havelock	10	---
Biscay	5	---
1845A:		
Estherville	90	7
Linder	5	---
Biscay	5	---
1845B:		
Estherville	90	7
Linder	5	---
Biscay	5	---
1900:		
Okoboji, depressional	70	2
Canisteo, depressional	15	2k
Harps	10	---
Seaforth	5	---
1917:		

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1917:		
Nishna, frequently flooded	85	10
Rushriver	10	---
Havelock	5	---
1958:		
Danube	85	2k
Wadena	5	---
Mayer	5	---
Linder	5	---
1999:		
Minneiska, frequently flooded	55	1k
Rushriver, frequently flooded	35	2k
Havelock	10	---
L13A:		
Klossner, drained	80	2h
L33A:		
Kandiyohi	80	4c
L33B:		
Kandiyohi	80	4c

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
L34A: Cosmos	85	2
L83A: Webster	65	2
L85A: Nicollet	85	1
L107A: Canisteo	50	2k
Glencoe, depressional	35	2
L163A: Okoboji, depressional	92	2k
L164A: Lura, firm substratum, depressional	90	2
L166C2: Strout, moderately eroded	45	4
Newlondon, moderately eroded	45	1k
L179A: Corvuso	60	2k
Lura, firm substratum, depressional	30	2
L184A: Corvuso	85	2k

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
L184A:		
L185B:		
Strout	70	4
Arkton	20	1k
L187A:		
Lura, firm substratum, ponded	45	10
Klossner, firm substratum, ponded	45	10
L192A:		
Okoboji, depressional, firm substratum	80	2
L200A:		
Klossner, drained, firm substratum	80	2h
L201A:		
Normania	85	3
L204C2:		
Newlondon	55	1k
Strout	20	4
Hawick	18	7
L206B:		
Strout	60	4

## Conservation Tree/Shrub Suitability Groups (MN)

Renville County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
L206B:		
Arkton	20	1k
Estherville	15	7
M-W:		
Water, miscellaneous	100	10
W:		
Water	100	---