

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

[Absence of an entry indicates that a conservation tree/shrub suitability group is not assigned]

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|---|---------------------|--|
| AaA: | | |
| Aastad Ad: | 90 | 1 |
| Alluvial land, frequently flooded Ao: | 90 | 10 |
| Arveson AsA: | 90 | 2K |
| Arvilla AsB: | 90 | 6G |
| Arvilla AsC: | 90 | 6G |
| Arvilla AtA: | 90 | 6G |
| Arvilla, thick solum BaB2: | 90 | 6G |
| Barnes, eroded BaC2: | 90 | 3 |
| Barnes, eroded BIB2: | 90 | 3 |
| Barnes, eroded | 55 | 3 |
| Langhei, eroded BIC2: | 30 | 8 |

This report shows only the major soils in each map unit

Tabular Data Version: 0
Tabular Data Version Date: 01/12/2007

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|---|---------------------|--|
| BIC2: | | |
| Barnes, eroded | 50 | 3 |
| Langhei, eroded BmA: | 35 | 8 |
| Beltrami Bp: | 90 | 1 |
| Brophy Ca: | 90 | 10 |
| Carlos Cc: | 90 | 10 |
| Cathro Ch: | 90 | 10 |
| Cathro, sandy subsoil variant CIB2: | 90 | 10 |
| Clarion, eroded CIC2: | 90 | 3 |
| Clarion, eroded CmA: | 90 | 3 |
| Clontarf Co: | 90 | 6G |
| Colvin Cp: | 90 | 2K |

This report shows only the major soils in each map unit

Tabular Data Version: 0
Tabular Data Version Date: 01/12/2007

Page 2

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| Cp: | | |
| Colvin, depressiona DaA: | 90 | 2K |
| Darnen Dd: | 90 | 3 |
| Dassel De: | 90 | 2 |
| Dassel, depressiona DoA: | 90 | 2 |
| Dorset DoB: | 90 | 6G |
| Dorset DoC: | 90 | 6G |
| Dorset DpA: | 90 | 6G |
| Dorset, thick solum DpB: | 90 | 6G |
| Dorset, thick solum DpC: | 90 | 6G |
| Dorset, thick solum Dv: | 90 | 6G |
| Dovray Fa: | 90 | 2 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------|---------------------|--|
| Fa: | | |
| Flom Fd: | 90 | 2 |
| Forada Fe: | 90 | 2K |
| Forada, depressional Ff: | 90 | 2K |
| Forada, sandy subsoil FmC2: | 90 | 2K |
| Forman, eroded FoB: | 90 | 3 |
| Forman | 55 | 3 |
| Aastad Fu: | 35 | 1 |
| Fulda GoA: | 90 | 2 |
| Gonvick GP: | 90 | 1 |
| Pits, gravel | 80 | 10 |
| Udipsammments Ha: | 20 | 10 |
| Hangaard | 90 | 2K |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|------------------------------|---------------------|--|
| HhA: | | |
| Hantho La: | 90 | 3 |
| Beaches, lake, sandy Lb: | 90 | 10 |
| Beaches, lake, loamy LeF: | 90 | 10 |
| Langhei LgD2: | 90 | 8 |
| Langhei, eroded | 55 | 8 |
| Barnes, eroded LkD2: | 30 | 3 |
| Langhei, eroded | 55 | 8 |
| Waukon, eroded LkE: | 30 | 3 |
| Langhei | 60 | 8 |
| Waukon LwD: | 25 | 3 |
| Langhei | 40 | 8 |
| Waukon | 25 | 3 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------|---------------------|--|
| LwD: Sioux M-W: | 20 | 7 |
| Water, miscellaneous MaA: | 100 | --- |
| Maddock MaB: | 90 | 7 |
| Maddock MaC: | 90 | 7 |
| Maddock Mh: | 90 | 7 |
| Marsh Mm: | 90 | 10 |
| Marysland Mo: | 90 | 2K |
| Marysland, depressional Mp: | 90 | 2K |
| Millerville NbB: | 90 | 10 |
| Nebish NbC: | 90 | 3 |
| Nebish NbD: | 90 | 3 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| NbD: Nebish NeB: | 90 | 3 |
| Nebish NeB2: | 90 | 3 |
| Nebish, eroded NeC: | 90 | 3 |
| Nebish NeC2: | 90 | 3 |
| Nebish, eroded NeD: | 90 | 3 |
| Nebish NeE: | 90 | 3 |
| Nebish NhB: | 90 | 3 |
| Nebish | 60 | 3 |
| Dorset NhC: | 30 | 6G |
| Nebish | 60 | 3 |
| Dorset NIA: | 30 | 6G |
| Nicollet NyB: | 90 | 1 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| NyB: | | |
| Nymore NyC: | 90 | 7 |
| Nymore OsA: | 90 | 7 |
| Osakis Qu: | 90 | 6G |
| Quam Rm: | 90 | 2 |
| Rifle RoB: | 90 | 10 |
| Rothsay Se: | 90 | 3 |
| Seelyeville Sh: | 90 | 10 |
| Shooker SIA: | 90 | 2 |
| Sinai SIB: | 90 | 4 |
| Sinai SmB: | 90 | 4 |
| Sioux SmC: | 90 | 7 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|---|---------------------|--|
| SmC: | | |
| Sioux SoC: | 90 | 7 |
| Sioux SoE: | 90 | 7 |
| Sioux SpA: | 90 | 7 |
| Sverdrup SpB: | 90 | 6G |
| Sverdrup SpC: | 90 | 6G |
| Sverdrup SvA: | 90 | 6G |
| Sverdrup, thick solum To: | 90 | 6G |
| Tonka Ud: | 90 | 2 |
| Udipsamments, (cut and fill land) Up: | 90 | --- |
| Urness Us: | 90 | 2K |
| Urness, peaty subsoil variant | 90 | 10 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| VaA: | | |
| Vallers W: | 90 | 2K |
| Water WaB: | 100 | --- |
| Waukon WaB2: | 90 | 3 |
| Waukon, eroded WaC: | 90 | 3 |
| Waukon WaC2: | 90 | 3 |
| Waukon, eroded WaD: | 90 | 3 |
| Waukon WaD2: | 90 | 3 |
| Waukon, eroded WaE: | 90 | 3 |
| Waukon WcB: | 90 | 3 |
| Waukon WcC2: | 90 | 3 |
| Waukon, eroded WiB2: | 90 | 3 |

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Douglas County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| WIB2: | | |
| Waukon, eroded | 65 | 3 |
| Langhei, eroded | 25 | 8 |
| WIC2: | | |
| Waukon, eroded | 60 | 3 |
| Langhei, eroded | 30 | 8 |
| WsB2: | | |
| Waukon, eroded | 40 | 3 |
| Langhei, eroded | 25 | 8 |
| Sioux WsC2: | | |
| Waukon, eroded | 35 | 3 |
| Langhei, eroded | 30 | 8 |
| Sioux ZoC2: | | |
| Zell, eroded | 55 | 8 |
| Rothsay, eroded | 35 | 3 |

This report shows only the major soils in each map unit