

# Pipestone County MN, RUSLE2 Slope and Slope length

musym	muname	slope_r	slopelen_r_feet
1003B	Udorthents (cut and fill land), 0 to 6 percent slopes	3	0
GP	Pits, gravel-Udipsamments complex	25	0
J100D2	Buse, eroded-Wilno complex, 12 to 18 percent slopes	16	98
J101B	Hokans-Svea complex, 1 to 4 percent slopes	3	125
J104A	Svea loam, 1 to 3 percent slopes	2	125
J105A	Arvilla sandy loam, 0 to 2 percent slopes	1	148
J106B	Barnes-Buse-Svea complex, 1 to 6 percent slopes	4	125
J107A	Lakepark-Roliss-Parnell, depressional, complex, 0 to 3 percent slopes	2	125
J12A	Marysland loam, 0 to 2 percent slopes	1	125
J1A	Parnell silty clay loam, depressional, 0 to 1 percent slopes	0.5	125
J22A	Renshaw loam, 0 to 3 percent slopes	2	148
J23A	Lamoure silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
J25A	Rauville silty clay loam, 0 to 1 percent slopes, frequently flooded	0.5	98
J26B	Darnen loam, 2 to 6 percent slopes	4	125
J2A	La Prairie loam, 0 to 2 percent slopes, occasionally flooded	1	125
J31B	Arvilla-Sandberg complex, 2 to 6 percent slopes	4	125
J42C	Sandberg-Arvilla complex, 6 to 12 percent slopes	10	125
J45F	Sandberg sandy loam, 12 to 40 percent slopes	20	89
J47A	Swenoda sandy loam, 1 to 3 percent slopes	2	148
J48A	Bigstone and Parnell soils, ponded, 0 to 1 percent slopes	0.5	125
J69A	Athelwold silty clay loam, 0 to 2 percent slopes	1	148
J70A	Brandt silty clay loam, 0 to 2 percent slopes	1	171
J71A	Brookings silty clay loam, 1 to 3 percent slopes	2	148
J72B	Renshaw-Sandberg complex, 2 to 6 percent slopes	4	148
J73D2	Buse clay loam, 12 to 18 percent slopes, moderately eroded	16	125
J73E	Buse clay loam, 18 to 25 percent slopes	21	112
J73F	Buse clay loam, 25 to 40 percent slopes	32	112
J74A	Estelline silty clay loam, 0 to 2 percent slopes	1	171
J74B	Estelline silty clay loam, 2 to 6 percent slopes	4	148
J75A	Fordville loam, 0 to 2 percent slopes	1	171
J75B	Fordville loam, 2 to 6 percent slopes	4	148
J76A	Parnell silty clay loam, depressional, verdi, 0 to 1 percent slopes	0.5	125
J77A	Lamoure silty clay loam, 0 to 2 percent slopes, frequently flooded	1	148

# Pipestone County MN, RUSLE2 Slope and Slope length

J78A	Lismore silty clay loam, 1 to 3 percent slopes	2	148
J79B	Vienna-Brookings complex, 1 to 4 percent slopes	3	148
J7A	Sverdrup sandy loam, 0 to 2 percent slopes	1	148
J7B	Sverdrup sandy loam, 2 to 6 percent slopes	4	125
J80A	Lamoure-La Prairie complex, channeled, 0 to 2 percent slopes, frequently flooded	1	148
J81C2	Renshaw-Barnes complex, 6 to 12 percent slopes, moderately eroded	9	148
J82C	Rock outcrop-Ihlen complex, 6 to 12 percent slopes	9	148
J83F	Sandberg-Buse-Everts complex, 12 to 40 percent slopes	26	112
J84A	Strayhoss loam, 0 to 2 percent slopes	1	171
J84B	Strayhoss loam, 2 to 6 percent slopes	4	148
J85A	Trosky silty clay loam, 0 to 2 percent slopes	1	148
J86B	Vienna silty clay loam, 3 to 6 percent slopes	5	148
J87A	Waubay silty clay loam, loess deposit, 1 to 3 percent slopes	2	148
J88B	Kranzburg silty clay loam, 3 to 6 percent slopes	5	148
J89B	Lanona-Swenoda complex, 2 to 6 percent slopes	4	148
J90B	Kranzburg-Brookings complex, 1 to 4 percent slopes	3	148
J91B	Darnen loam, stratified substratum, 2 to 6 percent slopes	4	125
J92C2	Buse-Vienna complex, 6 to 12 percent slopes, moderately eroded	10	148
J93A	Hidewood-Badger complex, 0 to 2 percent slopes	1	148
J94A	Parnell-McIntosh complex, 0 to 3 percent slopes	1	148
J95E	Buse, stony-Wilno complex, 18 to 25 percent slopes	22	82
J95F	Buse, stony-Wilno complex, 25 to 40 percent slopes	32	82
J96B	Barnes-Buse complex, 3 to 6 percent slopes	4	125
J96C2	Barnes-Buse complex, 6 to 12 percent slopes, moderately eroded	9	112
J99A	Lakepark clay loam, 0 to 3 percent slopes, overwash	2	125
M-W	Water, miscellaneous		0
P11A	Dempster silt loam, 0 to 2 percent slopes	1	171
P11B	Dempster silt loam, 2 to 6 percent slopes	4	148
P12B	Everly silty clay loam, 2 to 6 percent slopes	4	148
P12C2	Everly silty clay loam, 6 to 12 percent slopes, moderately eroded	9	148
P14A	Flandreau silt loam, 0 to 2 percent slopes	1	171
P14B	Flandreau silt loam, 2 to 6 percent slopes	4	148
P16A	Graceville silt loam, 0 to 2 percent slopes	1	171
P17A	Ihlen silty clay loam, 0 to 2 percent slopes	1	171

## Pipestone County MN, RUSLE2 Slope and Slope length

P17B	Ihlen silty clay loam, 2 to 6 percent slopes	4	148
P18B	Ihlen-Rock outcrop complex, 0 to 6 percent slopes	2	148
P18C	Ihlen-Rock outcrop complex, 4 to 35 percent slopes	14	148
P20B	Judson silt loam, 3 to 8 percent slopes	5	148
P24B	Moody silty clay loam, 2 to 5 percent slopes	3	148
P27A	Primghar silty clay loam, 1 to 3 percent slopes	2	148
P28A	Ransom silty clay loam, 1 to 3 percent slopes	2	148
P29A	Rushmore silty clay loam, 0 to 2 percent slopes	1	148
P30B	Sac silty clay loam, 2 to 5 percent slopes	3	148
P32A	Spillco silt loam, 0 to 2 percent slopes, frequently flooded	1	125
P33A	Spillco silt loam, 0 to 2 percent slopes, occasionally flooded	1	125
P34B	Splitrock silty clay loam, 2 to 5 percent slopes	3	148
P34C2	Splitrock silty clay loam, 5 to 9 percent slopes, moderately eroded	7	148
P36A	Talcot silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
P37B	Talmo gravelly sandy loam, 2 to 6 percent slopes	4	148
P37D	Talmo gravelly sandy loam, 6 to 35 percent slopes	21	125
P38B	Thurman sandy loam, 2 to 6 percent slopes	4	148
P42A	Whitewood silty clay loam, 0 to 2 percent slopes	1	148
P44E	Shindler clay loam, 15 to 45 percent slopes	30	112
P46	Trent silty clay loam, 1 to 3 percent slopes	2	200
P48A	Allendorf silty clay loam, 0 to 2 percent slopes	1	171
P48B	Allendorf silty clay loam, 2 to 6 percent slopes	4	148
P4A	Calco silty clay loam, 0 to 2 percent slopes, frequently flooded	1	148
P56B	Kanaranzi silt loam, 2 to 6 percent slopes	4	148
P5A	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
P8A	Cylinder loam, 0 to 2 percent slopes, occasionally flooded	1	148
W	Water		0