

# Watonwan County MN, RUSLE2 Slope and Slope length

musym	muname	slope_r	slopelen_r_feet
1016	Udorthents, loamy	2	102
101B	Truman silt loam, 1 to 4 percent slopes	2.5	203
102B	Clarion loam, 1 to 4 percent slopes	3	125
1030	Udorthents-Pits, complex	10	26
1055	Palms-Glencoe complex, ponded	0.5	102
112	Harps clay loam	1	102
113	Webster clay loam	1	102
114	Glencoe clay loam	0.5	102
118	Crippin loam	2	125
128A	Grogan silt loam, 0 to 2 percent slopes	1	125
128B	Grogan silt loam, 2 to 6 percent slopes	4	151
130	Nicollet loam	2	151
134	Okoboji silty clay loam	0.5	125
1356	Water, miscellaneous		0
136	Madelia silty clay loam	1	125
140	Spicer silty clay loam	1	125
160	Fieldon loam	1	125
178	Granby loamy sand	1	125
181	Litchfield loamy fine sand	2	151
183	Dassel fine sandy loam	0.5	125
1833	Coland clay loam, occasionally flooded	1	125
1834	Coland clay loam, frequently flooded	1	125
1907	Lakefield silty clay loam	1	151
1931	Essexville sandy loam	1	102
197	Kingston silty clay loam	1	125
1981	Hanlon-Kalmarville complex, 0 to 4 percent slopes	2	102
222B	Lasa loamy fine sand, 1 to 6 percent slopes	3	180
227	Lemond loam	1	151
229	Waldorf silty clay loam	1	151
247	Linder sandy loam	2	151
255	Mayer loam	1	151
269	Millington clay loam, occasionally flooded	1	203
27A	Dickinson fine sandy loam, 0 to 2 percent slopes	1	203

## Watonwan County MN, RUSLE2 Slope and Slope length

27B	Dickinson fine sandy loam, 2 to 6 percent slopes	4	151
281	Darfur fine sandy loam	1	102
282	Hanska loam	1	151
31F	Storden loam, 20 to 35 percent slopes	25	151
327A	Dickman sandy loam, 0 to 2 percent slopes	1	203
327B	Dickman sandy loam, 2 to 6 percent slopes	4	203
336	Delft loam	1	102
35	Blue Earth mucky silt loam	0.5	102
362	Millington clay loam, frequently flooded	1	102
392	Biscay loam	1	151
41B	Estherville sandy loam, 1 to 6 percent slopes	3.5	151
421B	Ves loam, 1 to 4 percent slopes	3	125
423	Seaforth loam	2	102
487	Hoopeston fine sandy loam	2	125
517	Shandep clay loam	0.5	125
539	Palms muck	0.5	102
562	Knoke silty clay loam	1	125
575	Nishna silty clay loam	1	125
639B	Ridgeport sandy loam, 1 to 6 percent slopes	4	151
654	Revere clay loam	1	151
668	Corwith silt loam	2	151
69B	Fedji loamy fine sand, 1 to 6 percent slopes	3.5	151
789B2	Grogan-Lasa variant complex, 2 to 6 percent slopes, eroded	4	151
789C2	Lasa variant-Grogan complex, 6 to 12 percent slopes, eroded	9	151
790B	Grogan-Dickinson complex, 1 to 4 percent slopes	2.5	151
84	Brownton silty clay loam	1	102
86	Canisteo clay loam	1	102
887B	Clarion-Swanlake loams, 1 to 4 percent slopes	3	125
8B	Sparta loamy sand, 1 to 6 percent slopes	3.5	151
909C2	Bold-Truman silt loams, 5 to 12 percent slopes, eroded	9	125
920B2	Clarion-Estherville complex, 2 to 6 percent slopes, eroded	4	125
920C2	Clarion-Estherville complex, 6 to 12 percent slopes, eroded	9	125
921B2	Clarion-Storden loams, 3 to 6 percent slopes, eroded	5	125
921C2	Clarion-Storden loams, 6 to 12 percent slopes, eroded	9	125

## Watonwan County MN, RUSLE2 Slope and Slope length

929	Fieldon-Canisteo complex	1	125
954B2	Ves-Storden loams, 3 to 6 percent slopes, eroded	5	125
954C2	Storden-Ves loams, 6 to 15 percent slopes, eroded	9	125
956	Canisteo-Glencoe clay loams	1	102
960D2	Storden-Clarion loams, 12 to 18 percent slopes, eroded	15	125
999B2	Ves-Estherville complex, 2 to 8 percent slopes, eroded	5	125
L107A	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	1	125
L13A	Klossner muck, depressional, 0 to 1 percent slopes	0.5	125
L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	0.5	125
L201A	Normania loam, 0 to 3 percent slopes	2	125
L83A	Webster clay loam, 0 to 2 percent slopes	1	125
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	0.5	125
L85A	Nicollet clay loam, 1 to 3 percent slopes	2	125
W	Water		0