

Wildlife Habitat (MN)

Rock County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| 1015A: Havelock, frequently flooded | 80 | Very poor | Fair | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| 1024A: Havelock, occasionally flooded | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| GP: Pits, gravel | 80 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Udipsammments | 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| M-W: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| P3A: Biscay, occasionally flooded | 85 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P4A: Calco, frequently flooded | 80 | Very poor | Fair | Good | Poor | Poor | Good | Good | Poor | Poor | Good |
| P5A: Calco, occasionally flooded | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P6A: Colo, occasionally flooded | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|------------------------|----------------|------------------|----------------|---------------------|----------------------------|-------------------|------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herbaceous plants | Hardwood trees | Coniferous trees | Wetland plants | Shallow water areas | Openland wildlife | Woodland wildlife | Wetland wildlife |
| P7A: Comfrey, occasionally flooded | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P8A: Cylinder, occasionally flooded | 80 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| P11A: Dempster | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P11B: Dempster | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P12B: Everly | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P12C2: Everly, moderately eroded | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P13A: Fairhaven | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P13B: Fairhaven | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P14A: Flandreau | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| P14B: Flandreau | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P15B: Galva | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P15C2: Galva, moderately eroded | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P16A: Graceville | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P16B: Graceville | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P17A: Ihlen | 93 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P17B: Ihlen | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P18B: Ihlen | 55 | Very poor | Fair | Good | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| Rock outcrop | 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| P18C: Ihlen | 45 | Very poor | Fair | Good | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | | |
|------------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|-----|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life | |
| P18C: Rock outcrop | 40 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| P19A: Judson | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | |
| P20B: Judson | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | |
| P21A: Marcus | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good | |
| P24B: Moody | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | |
| P24C2: Moody, moderately eroded | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | |
| P25C2: Nora, moderately eroded | 85 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | |
| P25D2: Nora, moderately eroded | 80 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor | |
| P26C2: Nora, moderately eroded | 50 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor | |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------------|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| P26C2: Crofton, moderately eroded | 30 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P26D2: Nora, moderately eroded | 45 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| Crofton, moderately eroded | 35 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| P27A: Primghar | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P28A: Ransom | 80 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| P29A: Rushmore | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P30B: Sac | 80 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P30C2: Sac, moderately eroded | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P31A: Spicer | 85 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|------------------|--------------------------------|---------------------|--------------------------|------------------|--------------------|----------------|---------------------|----------------------------|-----------------------|--------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| P32A: Spillco, frequently flooded | 85 | Very poor | Fair | Good | Poor | Poor | Fair | Very poor | Poor | Poor | Poor |
| P33A: Spillco, occasionally flooded | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| P34B: Splitrock | 82 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P34C2: Splitrock, moderately eroded | 80 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P36A: Talcot, occasionally flooded | 85 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P37B: Talmo | 90 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| P37D: Talmo | 90 | Very poor | Very poor | Good | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |
| P38B: Thurman | 90 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P38C: Thurman | 90 | Poor | Good | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |
| P40A: Bluemound | 85 | Very poor | Fair | Good | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| P41A: Rosdell | 95 | Fair | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P42A: Whitewood | 70 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P43A: Wilmington | 85 | Good | Good | Good | Poor | Poor | Fair | Very poor | Good | Poor | Poor |
| P44E: Shindler | 85 | Very poor | Very poor | Good | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |
| P45E: Moneta | 85 | Very poor | Very poor | Good | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |
| P46: Trent | 78 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P47A: Whitewood, overwash | 80 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| P48A: Allendorf | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| P48B: Allendorf | 85 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |

Wildlife Habitat (MN)

Rock County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------|------------------|--------------------------------|---------------------|-------------------------|-----------------|-------------------|----------------|---------------------|----------------------------|---------------------|-------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba-ceous plants | Hard-wood trees | Conif-erous trees | Wetland plants | Shallow water areas | Open-land wild-life | Wood-land wild-life | Wetland wild-life |

P55A:

| | | | | | | | | | | | |
|------|----|------|------|------|------|------|------|------|------|------|------|
| Kato | 90 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |
|------|----|------|------|------|------|------|------|------|------|------|------|

W:

| | | | | | | | | | | | |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|