

Conservation Tree/Shrub Suitability Groups

Wadena County, Minnesota

[Absence of an entry indicates that a conservation tree/shrub suitability group is not assigned]

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
82B:		
Redeye 82C:	90	5
Redeye 126:	90	5
Graycalm 139B:	90	7
Huntersville 187:	90	5
Haug 207A:	85	10
Nymore 207B:	90	7
Nymore 207C:	90	7
Nymore 260:	90	7
Duelm 261:	90	1S
Isan 374B:	90	2
Rockwood	90	5

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Wadena County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
374C:		
Rockwood 374D:	90	5
Rockwood 375:	90	5
Forada 406A:	90	2
Dorset 406B:	90	6G
Dorset 454B:	90	6G
Mahtomedi 458A:	90	7
Menahga 458B:	90	7
Menahga 458C:	90	7
Menahga 458E:	90	7
Menahga 540:	90	7
Seelyeville 541:	85	10

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Wadena County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
541:		
Rifle 543:	85	10
Markey 544:	85	10
Cathro 545:	85	10
Rondeau 567A:	85	10
Verndale 567B:	90	6G
Verndale 701:	90	6G
Runeberg 720B:	85	2
Blowers 793:	90	5
Paddock, very stony	55	1
Paddock 834:	35	1
Friendship	50	7
Meehan	40	1

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Wadena County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1010:		
Riverwash 1015:	100	10
Psamments, nearly level 1030:	100	10
Udorthents	50	10
Pits 1356:	50	10
Water, miscellaneous 1941:	100	---
Evert, frequently flooded 1942:	90	2
Forada, depressional 1943:	90	2
Roscommon 1956:	90	2
Staples 1957B:	90	2
Friendship, till substratum 1968:	90	6G
Evert, occasionally flooded 1969:	90	2

This report shows only the major soils in each map unit

Conservation Tree/Shrub Suitability Groups

Wadena County, Minnesota

Map symbol and soil name	Pct. of map unit	Conservation tree/shrub suitability group
1969:		
Ewart, channeled, frequently flooded	60	2
Isan	25	2
1970B:		
Menahga, till substratum	90	6G
1975:		
Oylen	90	6G
1984:		
Leafriver	85	10
1985:		
Fordum, occasionally flooded	85	2
W:		
Water	100	---

This report shows only the major soils in each map unit