

**Practice:** 606 - Subsurface Drain

**Scenario:** #1 - = 5in CPP

**Scenario Description:** Description: Below ground installation of perforated HDPE (Corrugated Plastic Pipe) pipeline, using a trencher. Scenario describes the construction 2,000 feet of 5-inch, Single-Wall, perforated HDPE Corrugated Plastic Pipe (CPP), installed below ground to a minimum depth of 5 feet. Subsurface drainage is installed as a supporting practice for a number of associated conservation practices. Resource Concerns: Excess Water (Seasonal High Water Table); Degraded Plant Condition; Water Quality Degradation (Nutrients). Associated Practices: 608 - Surface Drain, Main or Lateral; 587 - Structure for Water Control, 533 - Pumping Plant; and 554 - Drainage Water Management; 620 - Underground Outlet; 412 - Grassed Waterway; 638 - Water and Sediment Control Basin; 342 - Critical Area Planting; 484 - Mulching; 410 - Grade Stabilization Structure; 468 - Lined Waterway or Outlet; 313 Waste Storage Facility

**Before Situation:** Before installation soil conditions are excessively wet in the spring due to poor internal soil drainage. Excess soil water is causing crop stress and delay of field operations (seed bed preparation, planting, etc.). Conservation practice implementation including (but not limited to) grassed waterways have a high failure rate due to the prolonged wetness that prohibits plant germination and/or drowns new growth.

**After Situation:** The drainage modifications result in reduced water in the upper horizons of the soil profile, allowing for sufficient aeration to allow vegetation to establish. Gully erosion and sediment transport are minimized by established vegetation, a direct result of removing excess water from the soil profile. Plant stress due to excessive wetness caused by a seasonal high water table is minimized, and drainage water quality is improved due to increased erosion control.

**Scenario Feature Measure:** length of pipe

**Scenario Unit:** Foot

**Scenario Typical Size:** 2000

**Total Scenario Cost:** \$4,174.60

**Scenario Cost/Unit:** \$2.09

**Cost Details**

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

**Equipment Installation**

|                             |    |  |      |        |      |            |
|-----------------------------|----|--|------|--------|------|------------|
| Trenching, Earth, 12" x 48" | 53 | Trenching, earth, 12" wide x 48" depth, includes equipment and labor for trenching and backfilling | Foot | \$1.26 | 2000 | \$2,517.96 |
|-----------------------------|----|--|------|--------|------|------------|

**Mobilization**

|                                |      |   |      |          |   |          |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$260.93 | 1 | \$260.93 |
|--------------------------------|------|---|------|----------|---|----------|

**Materials**

|                                   |      |  |      |        |      |            |
|-----------------------------------|------|--|------|--------|------|------------|
| Pipe, HDPE, 5", PCPT, Single Wall | 1271 | Pipe, Corrugated Plastic Tubing, Single Wall, Perforated, 5" diameter - ASTM F405. Material cost only. | Foot | \$0.70 | 2000 | \$1,395.72 |
|-----------------------------------|------|--|------|--------|------|------------|

**Practice:** 606 - Subsurface Drain

**Scenario:** #2 - 6in CPP

**Scenario Description:** Description: Below ground installation of perforated HDPE (Corrugated Plastic Pipe) pipeline, using a trencher. Scenario describes construction of 2,000 feet of 6-inch, Single-Wall, perforated HDPE Corrugated Plastic Pipe (CPP), installed below ground to a minimum depth of 5 feet. Subsurface drainage is installed as a supporting practice for a number of associated conservation practices. Resource Concerns: Excess Water (Seasonal High Water Table); Degraded Plant Condition; Water Quality Degradation (Nutrients). Associated Practices: 608 - Surface Drain, Main or Lateral; 587 - Structure for Water Control, 533 - Pumping Plant; and 554 - Drainage Water Management; 620 - Underground Outlet; 412 - Grassed Waterway; 638 - Water and Sediment Control Basin; 342 - Critical Area Planting; 484 - Mulching; 410 - Grade Stabilization Structure; 468 - Lined Waterway or Outlet; 313 - Waste Storage Facility

**Before Situation:** Before installation soil conditions are excessively wet in the spring due to poor internal soil drainage. Excess soil water is causing crop stress and delay of field operations (seed bed preparation, planting, etc.). Conservation practice implementation including (but not limited to) grassed waterways have a high failure rate due to the prolonged wetness that prohibits plant germination and/or drowns new growth.

**After Situation:** The drainage modifications result in reduced water in the upper horizons of the soil profile, allowing for sufficient aeration to allow vegetation to establish. Gully erosion and sediment transport are minimized by established vegetation, a direct result of removing excess water from the soil profile. Plant stress due to excessive wetness caused by a seasonal high water table is minimized, and drainage water quality is improved due to increased erosion control.

**Scenario Feature Measure:** length of pipe

**Scenario Unit:** Foot

**Scenario Typical Size:** 2000

**Total Scenario Cost:** \$5,041.74

**Scenario Cost/Unit:** \$2.52

**Cost Details**

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

**Equipment Installation**

|                             |    |  |      |        |      |            |
|-----------------------------|----|--|------|--------|------|------------|
| Trenching, Earth, 12" x 48" | 53 | Trenching, earth, 12" wide x 48" depth, includes equipment and labor for trenching and backfilling | Foot | \$1.26 | 2000 | \$2,517.96 |
|-----------------------------|----|--|------|--------|------|------------|

**Mobilization**

|                                |      |   |      |          |   |          |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$260.93 | 1 | \$260.93 |
|--------------------------------|------|---|------|----------|---|----------|

**Materials**

|                                  |      |  |      |        |      |            |
|----------------------------------|------|--|------|--------|------|------------|
| Pipe, HDPE, 6", CPT, Single Wall | 1242 | Pipe, Corrugated Plastic Tubing, Single Wall, 6" diameter - ASTM F405. Material cost only. | Foot | \$1.13 | 2000 | \$2,262.86 |
|----------------------------------|------|--|------|--------|------|------------|

**Practice:** 606 - Subsurface Drain

**Scenario:** #3 - 8in CPP

**Scenario Description:** Description: Below ground installation of perforated HDPE (Corrugated Plastic Pipe) pipeline, using a trencher. Scenario describes the construction 2,000 feet of 8-inch, Single-Wall, perforated HDPE Corrugated Plastic Pipe (CPP), installed below ground to a minimum depth of 5 feet. Subsurface drainage is installed as a supporting practice for a number of associated conservation practices. Resource Concerns: Excess Water (Seasonal High Water Table); Degraded Plant Condition; Water Quality Degradation (Nutrients). Associated Practices: 608 - Surface Drain, Main or Lateral; 587 - Structure for Water Control, 533 - Pumping Plant; and 554 - Drainage Water Management; 620 - Underground Outlet; 412 - Grassed Waterway; 638 - Water and Sediment Control Basin; 342 - Critical Area Planting; 484 - Mulching; 410 - Grade Stabilization Structure; 468 - Lined Waterway or Outlet; 313 - Waste Storage Facility

**Before Situation:** Before installation soil conditions are excessively wet in the spring due to poor internal soil drainage. Excess soil water is causing crop stress and delay of field operations (seed bed preparation, planting, etc.). Conservation practice implementation including (but not limited to) grassed waterways have a high failure rate due to the prolonged wetness that prohibits plant germination and/or drowns new growth.

**After Situation:** The drainage modifications result in reduced water in the upper horizons of the soil profile, allowing for sufficient aeration to allow vegetation to establish. Gully erosion and sediment transport are minimized by established vegetation, a direct result of removing excess water from the soil profile. Plant stress due to excessive wetness caused by a seasonal high water table is minimized, and drainage water quality is improved due to increased erosion control.

**Scenario Feature Measure:** length of pipe

**Scenario Unit:** Foot

**Scenario Typical Size:** 2000

**Total Scenario Cost:** \$11,960.26

**Scenario Cost/Unit:** \$5.98

**Cost Details**

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

**Mobilization**

|                                |      |   |      |          |   |          |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$260.93 | 1 | \$260.93 |
|--------------------------------|------|---|------|----------|---|----------|

**Materials**

|                                   |      |  |      |        |      |            |
|-----------------------------------|------|--|------|--------|------|------------|
| Pipe, HDPE, 8", PCPT, Single Wall | 1272 | Pipe, Corrugated Plastic Tubing, Single Wall, Perforated, 8" diameter - ASTM F667. Material cost only. | Foot | \$1.97 | 2000 | \$3,938.41 |
|-----------------------------------|------|--|------|--------|------|------------|

**Equipment Installation**

|                             |      |   |      |        |      |            |
|-----------------------------|------|---|------|--------|------|------------|
| Trenching, Earth, 24" x 60" | 1460 | Trenching, earth, 24" wide x 60" depth, includes equipment and labor for trenching and backfilling. | Foot | \$3.88 | 2000 | \$7,760.92 |
|-----------------------------|------|---|------|--------|------|------------|

**Practice:** 606 - Subsurface Drain

**Scenario:** #4 - 10in CPP

**Scenario Description:** Description: Below ground installation of perforated HDPE (Corrugated Plastic Pipe) pipeline, using a trencher. Scenario describes the construction 2,000 feet of 10-inch, Single-Wall, perforated HDPE Corrugated Plastic Pipe (CPP), installed below ground to a minimum depth of 5 feet. Subsurface drainage is installed as a supporting practice for a number of associated conservation practices. Resource Concerns: Excess Water (Seasonal High Water Table); Degraded Plant Condition; Water Quality Degradation (Nutrients). Associated Practices: 608 - Surface Drain, Main or Lateral; 587 - Structure for Water Control, 533 - Pumping Plant; and 554 - Drainage Water Management; 620 - Underground Outlet; 412 - Grassed Waterway; 638 - Water and Sediment Control Basin; 342 - Critical Area Planting; 484 - Mulching; 410 - Grade Stabilization Structure; 468 - Lined Waterway or Outlet; 313 - Waste Storage Facility

**Before Situation:** Before installation soil conditions are excessively wet in the spring due to poor internal soil drainage. Excess soil water is causing crop stress and delay of field operations (seed bed preparation, planting, etc.). Conservation practice implementation including (but not limited to) grassed waterways have a high failure rate due to the prolonged wetness that prohibits plant germination and/or drowns new growth.

**After Situation:** The drainage modifications result in reduced water in the upper horizons of the soil profile, allowing for sufficient aeration to allow vegetation to establish. Gully erosion and sediment transport are minimized by established vegetation, a direct result of removing excess water from the soil profile. Plant stress due to excessive wetness caused by a seasonal high water table is minimized, and drainage water quality is improved due to increased erosion control.

**Scenario Feature Measure:** length of pipe

**Scenario Unit:** Foot

**Scenario Typical Size:** 2000

**Total Scenario Cost:** \$15,801.94

**Scenario Cost/Unit:** \$7.90

**Cost Details**

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

**Mobilization**

|                                |      |   |      |          |   |          |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$260.93 | 1 | \$260.93 |
|--------------------------------|------|---|------|----------|---|----------|

**Materials**

|                                    |      |   |      |        |      |            |
|------------------------------------|------|---|------|--------|------|------------|
| Pipe, HDPE, 10", PCPT, Single Wall | 1273 | Pipe, Corrugated Plastic Tubing, Single Wall, Perforated, 10" diameter - ASTM F667. Material cost only. | Foot | \$3.89 | 2000 | \$7,780.09 |
|------------------------------------|------|---|------|--------|------|------------|

**Equipment Installation**

|                             |      |   |      |        |      |            |
|-----------------------------|------|---|------|--------|------|------------|
| Trenching, Earth, 24" x 60" | 1460 | Trenching, earth, 24" wide x 60" depth, includes equipment and labor for trenching and backfilling. | Foot | \$3.88 | 2000 | \$7,760.92 |
|-----------------------------|------|---|------|--------|------|------------|

**Practice:** 606 - Subsurface Drain

**Scenario:** #5 - 12in CPP

**Scenario Description:** Description: Below ground installation of perforated HDPE (Corrugated Plastic Pipe) pipeline, using a trencher. Scenario describes the construction 2,000 feet of 12-inch, Single-Wall, perforated HDPE Corrugated Plastic Pipe (CPP), installed below ground to a minimum depth of 5 feet. Subsurface drainage is installed as a supporting practice for a number of associated conservation practices. Resource Concerns: Excess Water (Seasonal High Water Table); Degraded Plant Condition; Water Quality Degradation (Nutrients). Associated Practices: 608 - Surface Drain, Main or Lateral; 587 - Structure for Water Control, 533 - Pumping Plant; and 554 - Drainage Water Management; 620 - Underground Outlet; 412 - Grassed Waterway; 638 - Water and Sediment Control Basin; 342 - Critical Area Planting; 484 - Mulching; 410 - Grade Stabilization Structure; 468 - Lined Waterway or Outlet; 313 - Waste Storage Facility

**Before Situation:** Before installation soil conditions are excessively wet in the spring due to poor internal soil drainage. Excess soil water is causing crop stress and delay of field operations (seed bed preparation, planting, etc.). Conservation practice implementation including (but not limited to) grassed waterways have a high failure rate due to the prolonged wetness that prohibits plant germination and/or drowns new growth.

**After Situation:** The drainage modifications result in reduced water in the upper horizons of the soil profile, allowing for sufficient aeration to allow vegetation to establish. Gully erosion and sediment transport are minimized by established vegetation, a direct result of removing excess water from the soil profile. Plant stress due to excessive wetness caused by a seasonal high water table is minimized, and drainage water quality is improved due to increased erosion control.

**Scenario Feature Measure:** length of pipe

**Scenario Unit:** Foot

**Scenario Typical Size:** 2000

**Total Scenario Cost:** \$17,743.51

**Scenario Cost/Unit:** \$8.87

**Cost Details**

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

**Mobilization**

|                                |      |   |      |          |   |          |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$260.93 | 1 | \$260.93 |
|--------------------------------|------|---|------|----------|---|----------|

**Materials**

|                                    |      |   |      |        |      |            |
|------------------------------------|------|---|------|--------|------|------------|
| Pipe, HDPE, 12", PCPT, Single Wall | 1274 | Pipe, Corrugated Plastic Tubing, Single Wall, Perforated, 12" diameter - ASTM F667. Material cost only. | Foot | \$4.86 | 2000 | \$9,721.66 |
|------------------------------------|------|---|------|--------|------|------------|

**Equipment Installation**

|                             |      |   |      |        |      |            |
|-----------------------------|------|---|------|--------|------|------------|
| Trenching, Earth, 24" x 60" | 1460 | Trenching, earth, 24" wide x 60" depth, includes equipment and labor for trenching and backfilling. | Foot | \$3.88 | 2000 | \$7,760.92 |
|-----------------------------|------|---|------|--------|------|------------|

**Practice:** 606 - Subsurface Drain

**Scenario:** #6 - >= 15in CPP

**Scenario Description:** Description: Below ground installation of perforated HDPE (Corrugated Plastic Pipe) pipeline, using a trencher. Scenario describes the construction 2,000 feet of 15-inch, twin-Wall, perforated HDPE Corrugated Plastic Pipe (CPP), installed below ground to a minimum depth of 5 feet. Subsurface drainage is installed as a supporting practice for a number of associated conservation practices. Resource Concerns: Excess Water (Seasonal High Water Table); Degraded Plant Condition; Water Quality Degradation (Nutrients). Associated Practices: 608 - Surface Drain, Main or Lateral; 587 - Structure for Water Control, 533 - Pumping Plant; and 554 - Drainage Water Management; 620 - Underground Outlet; 412 - Grassed Waterway; 638 - Water and Sediment Control Basin; 342 - Critical Area Planting; 484 - Mulching; 410 - Grade Stabilization Structure; 468 - Lined Waterway or Outlet; 313 - Waste Storage Facility

**Before Situation:** Before installation soil conditions are excessively wet in the spring due to poor internal soil drainage. Excess soil water is causing crop stress and delay of field operations (seed bed preparation, planting, etc.). Conservation practice implementation including (but not limited to) grassed waterways have a high failure rate due to the prolonged wetness that prohibits plant germination and/or drowns new growth.

**After Situation:** The drainage modifications result in reduced water in the upper horizons of the soil profile, allowing for sufficient aeration to allow vegetation to establish. Gully erosion and sediment transport are minimized by established vegetation, a direct result of removing excess water from the soil profile. Plant stress due to excessive wetness caused by a seasonal high water table is minimized, and drainage water quality is improved due to increased erosion control.

**Scenario Feature Measure:** length of pipe

**Scenario Unit:** Foot

**Scenario Typical Size:** 2000

**Total Scenario Cost:** \$22,708.14

**Scenario Cost/Unit:** \$11.35

**Cost Details**

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

**Mobilization**

|                                |      |   |      |          |   |          |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$260.93 | 1 | \$260.93 |
|--------------------------------|------|---|------|----------|---|----------|

**Equipment Installation**

|                             |      |   |      |        |      |            |
|-----------------------------|------|---|------|--------|------|------------|
| Trenching, Earth, 24" x 60" | 1460 | Trenching, earth, 24" wide x 60" depth, includes equipment and labor for trenching and backfilling. | Foot | \$3.88 | 2000 | \$7,760.92 |
|-----------------------------|------|---|------|--------|------|------------|

**Materials**

|  |      |   |       |        |      |             |
|--|------|---|-------|--------|------|-------------|
| Pipe, HDPE, corrugated double wall, GTE115", soil tight, weight priced | 1588 | High Density Polyethylene (HDPE) compound manufactured into double wall corrugated pipe GTE-15" diameter. Materials only. | Pound | \$1.60 | 9200 | \$14,686.29 |
|--|------|---|-------|--------|------|-------------|