

**Practice: 386 - Field Border**

**Scenario: #1 - Introduced Grass**

**Scenario Description:**

A strip of permanent vegetation established at the edge or around the perimeter of a field. This practice may also apply to recreation land or other land uses where agronomic crops including forages are grown. Practice includes seedbed prep and planting of introduced species (scenario includes non-native grass/legume species) and the area of the field border is taken out of production.

**Before Situation:**

Before practice conditions may vary widely. Fields may have erosion issues from wind or water, a field border may be needed to manage pest populations, protect soil and water quality, provide wildlife food and cover, provide pollinator habitat, or a field border may be used to increase carbon storage and improve air quality. Water quality, soil erosion and/or wildlife food and cover may all be primary resource concerns.

**After Situation:**

This practice when applied around a field will support and connect other buffer practices within and between fields. Introduced grasses and legumes will be established around the field edges to the extent needed to meet the resource needs and producer objectives. Minimum field border widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Introduced species of grasses, legumes, forbs or shrubs shall be selected that are adapted to site, will not function as a host for diseases of a field crop and have physical characteristics necessary to control wind and water erosion to tolerable levels on the field border area.

**Scenario Feature Measure:** Number of acres

**Scenario Unit:** Acre

**Scenario Typical Size:** 1

**Scenario Cost:** \$533.71

**Scenario Cost/Unit:** \$533.71

**Cost Details (by category):**

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
<b>Equipment/Installation</b>						
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$21.22	1	\$21.22
Fertilizer, ground application, dry bulk	950	Dry bulk fertilizer application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$6.77	1	\$6.77
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$6.10	1	\$6.10
<b>Foregone Income</b>						
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$437.76	0.5	\$218.88
FI, Soybeans Dryland	1961	Dryland Soybeans is Primary Crop	Acre	\$430.43	0.5	\$215.22
FI, Hay, General Grass	2122	General Grass Hay is Primary Land Use	Ton	\$41.38	-2	(\$82.76)
<b>Materials</b>						
Four Species Mix, Cool Season, Introduced Perennial (2 grasses, 2 legumes)	2317	Cool season grass and legume mix. Includes material and shipping only.	Acre	\$49.65	1	\$49.65
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.63	1	\$15.63
Potassium, K2O	74	K2O supplied by Muriate Of Potash. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.50	40	\$20.00
Phosphorus, P2O5	73	Price per pound of P2O5 supplied by Superphosphate. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.64	50	\$32.00
Nitrogen (N), Urea	71	Price per pound of N supplied by Urea. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.62	50	\$31.00

**Practice: 386 - Field Border**

**Scenario: #2 - Native Grass**

**Scenario Description:**

A strip of permanent vegetation established at the edge or around the perimeter of a field. This practice may also apply to recreation land or other land uses where agronomic crops including forages are grown. Practice includes seedbed prep and planting of native species (scenario includes native grass/legume/forbs species) and the area of the field border is taken out of production.

**Before Situation:**

Before practice conditions may vary widely. Fields may have erosion issues from wind or water, a field border may be needed to manage pest populations, protect soil and water quality, provide wildlife food and cover, provide pollinator habitat, or a field border may be used to increase carbon storage and improve air quality. Water quality, soil erosion and/or wildlife food and cover may all be primary resource concerns.

**After Situation:**

This practice when applied around a field will support and connect other buffer practices within and between fields. Native grasses, legumes and forbs will be established around the field edges to the extent needed to meet the resource needs and producer objectives. Minimum field border widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Native species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control wind and water erosion to tolerable levels on the field border area.

**Scenario Feature Measure:** number of acres

**Scenario Unit:** Acre

**Scenario Typical Size:** 1

**Scenario Cost:** \$719.76

**Scenario Cost/Unit:** \$719.76

**Cost Details (by category):**

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
<b>Equipment/Installation</b>						
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$6.10	2	\$12.20
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$21.22	1	\$21.22
<b>Foregone Income</b>						
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$437.76	0.5	\$218.88
FI, Soybeans Dryland	1961	Dryland Soybeans is Primary Crop	Acre	\$430.43	0.5	\$215.22
<b>Materials</b>						
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.63	2	\$31.26
Three plus Species Mix, Warm Season, Native Perennial	2327	Native, warm season perennial grass. Includes material and shipping only.	Acre	\$220.98	1	\$220.98

**Practice: 386 - Field Border**

**Scenario: #3 - Organic Introduced Grass**

**Scenario Description:**

A strip of permanent vegetation established at the edge or around the perimeter of a field. This practice may also apply to recreation land or other land uses where agronomic crops including forages are grown. Practice includes seedbed prep and planting of introduced species (scenario includes non-native grass/legume species) and the area of the field border is taken out of production.

**Before Situation:**

Before practice conditions may vary widely. Fields may have erosion issues from wind or water, a field border may be needed to manage pest populations, protect soil and water quality, provide wildlife food and cover, provide pollinator habitat, or a field border may be used to increase carbon storage and improve air quality. Water quality, soil erosion and/or wildlife food and cover may all be primary resource concerns.

**After Situation:**

This practice when applied around a field will support and connect other buffer practices within and between fields. Introduced grasses and legumes will be established around the field edges to the extent needed to meet the resource needs and producer objectives. Minimum field border widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Introduced species of grasses, legumes, forbs or shrubs shall be selected that are adapted to site, will not function as a host for diseases of a field crop and have physical characteristics necessary to control wind and water erosion to tolerable levels on the field border area.

**Scenario Feature Measure:** Number of acres

**Scenario Unit:** Acre

**Scenario Typical Size:** 1

**Scenario Cost:** \$568.05

**Scenario Cost/Unit:** \$568.05

**Cost Details (by category):**

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
<b>Equipment/Installation</b>						
Fertilizer, ground application, dry bulk	950	Dry bulk fertilizer application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$6.77	1	\$6.77
Tillage, Light	945	Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$11.07	2	\$22.14
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$21.22	1	\$21.22
<b>Foregone Income</b>						
Fl, Hay, General Grass, Organic	2200	Organic general Grass Hay is Primary Land Use	Ton	\$47.59	-2	(\$95.18)
Fl, Organic, Corn Dryland	2232	Organic Dryland Corn is Primary Crop	Acre	\$504.44	0.5	\$252.22
Fl, Organic, Soybeans Dryland	2234	Organic Dryland Soybeans is Primary Crop	Acre	\$498.52	0.5	\$249.26
<b>Materials</b>						
Certified Organic, Three Species Mix, Cool Season, Perennial Grasses and Legumes	2340	Certified organic cool season perennial grass and legume mix. Includes material and shipping only.	Acre	\$69.62	1	\$69.62
Potassium, Organic	268	ORGANIC Potassium	Pound	\$0.30	40	\$12.00
Phosphorus, Organic	267	ORGANIC Phosphorus	Pound	\$0.30	50	\$15.00
Nitrogen, Organic	266	ORGANIC Nitrogen	Pound	\$0.30	50	\$15.00

**Practice: 386 - Field Border**

**Scenario: #4 - Organic Native Grass**

**Scenario Description:**

A strip of permanent vegetation established at the edge or around the perimeter of a field. This practice may also apply to recreation land or other land uses where agronomic crops including forages are grown. Practice includes seedbed prep and planting of native species (scenario includes native grass/legume/forbs species) and the area of the field border is taken out of production.

**Before Situation:**

Before practice conditions may vary widely. Fields may have erosion issues from wind or water, a field border may be needed to manage pest populations, protect soil and water quality, provide wildlife food and cover, provide pollinator habitat, or a field border may be used to increase carbon storage and improve air quality. Water quality, soil erosion and/or wildlife food and cover may all be primary resource concerns.

**After Situation:**

This practice when applied around a field will support and connect other buffer practices within and between fields. Native grasses, legumes and forbs will be established around the field edges to the extent needed to meet the resource needs and producer objectives. Minimum field border widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Native species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control wind and water erosion to tolerable levels on the field border area.

**Scenario Feature Measure:** number of acres

**Scenario Unit:** Acre

**Scenario Typical Size:** 1

**Scenario Cost:** \$765.82

**Scenario Cost/Unit:** \$765.82

**Cost Details (by category):**

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
<b>Equipment/Installation</b>						
Tillage, Light	945	Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$11.07	2	\$22.14
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$21.22	1	\$21.22
<b>Foregone Income</b>						
FI, Organic, Corn Dryland	2232	Organic Dryland Corn is Primary Crop	Acre	\$504.44	0.5	\$252.22
FI, Organic, Soybeans Dryland	2234	Organic Dryland Soybeans is Primary Crop	Acre	\$498.52	0.5	\$249.26
<b>Materials</b>						
Three plus Species Mix, Warm Season, Native Perennial	2327	Native, warm season perennial grass. Includes material and shipping only.	Acre	\$220.98	1	\$220.98

**Practice: 386 - Field Border**

**Scenario: #5 - Pollinator Habitat**

**Scenario Description:**

A strip of permanent vegetation established at the edge or around the perimeter of a field including mix of grasses, legumes and/or forbs that provides a mix of early, mid, and late season blooming forbs for pollinator habitat. This practice may also apply to recreation land or other land uses where agronomic crops including forages are grown. Practice includes seedbed prep and planting of pollinator friendly herbaceous species. The area of the field border is taken out of production.

**Before Situation:**

Before practice conditions may vary widely. Fields may have erosion issues from wind or water, a field border may be needed to manage pest populations, protect soil and water quality, provide wildlife food and cover, provide pollinator habitat, or a field border may be used to increase carbon storage and improve air quality. Water quality, soil erosion and/or wildlife food and cover may all be primary resource concerns.

**After Situation:**

This practice when applied around a field will support and connect other buffer practices within and between fields. Pollinator herbaceous plantings will provide species which flower throughout the growing season. This provides a source of nectar for adult pollinators and a diversity of herbaceous material for immature pollinator life stages and for nesting. Minimum field border widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species selected shall meet the pollinator habitat requirements of the state and be adapted to site; not function as a host for diseases of a field crop and; have physical characteristics necessary to control wind and water erosion to tolerable levels on the field border area.

**Scenario Feature Measure:** Number of acres

**Scenario Unit:** Acre

**Scenario Typical Size:** 1

**Scenario Cost:** \$760.07

**Scenario Cost/Unit:** \$760.07

**Cost Details (by category):**

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
<b>Equipment/Installation</b>						
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$6.10	2	\$12.20
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$21.22	1	\$21.22
<b>Foregone Income</b>						
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$437.76	0.5	\$218.88
FI, Soybeans Dryland	1961	Dryland Soybeans is Primary Crop	Acre	\$430.43	0.5	\$215.22
<b>Materials</b>						
Native Grass and Forb Mix, for Wildlife (including pollinators) or Ecosystem Restoration	2335	Native grass and forb/legume mix, including specialized species. Includes material and shipping only.	Acre	\$261.29	1	\$261.29
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.63	2	\$31.26

**Practice: 386 - Field Border**

**Scenario: #6 - Organic Pollinator Habitat**

**Scenario Description:**

A strip of permanent vegetation established at the edge or around the perimeter of a field including mix of grasses, legumes and/or forbs that provides a mix of early, mid, and late season blooming forbs for pollinator habitat. This practice may also apply to recreation land or other land uses where agronomic crops including forages are grown. Practice includes seedbed prep and planting of pollinator friendly herbaceous species. The area of the field border is taken out of production.

**Before Situation:**

Before practice conditions may vary widely. Fields may have erosion issues from wind or water, a field border may be needed to manage pest populations, protect soil and water quality, provide wildlife food and cover, provide pollinator habitat, or a field border may be used to increase carbon storage and improve air quality. Water quality, soil erosion and/or wildlife food and cover may all be primary resource concerns.

**After Situation:**

This practice when applied around a field will support and connect other buffer practices within and between fields. Pollinator herbaceous plantings will provide species which flower throughout the growing season. This provides a source of nectar for adult pollinators and a diversity of herbaceous material for immature pollinator life stages and for nesting. Minimum field border widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species selected shall meet the pollinator habitat requirements of the state and be adapted to site; not function as a host for diseases of a field crop and; have physical characteristics necessary to control wind and water erosion to tolerable levels on the field border area.

**Scenario Feature Measure:** Number of acres

**Scenario Unit:** Acre

**Scenario Typical Size:** 1

**Scenario Cost:** \$806.13

**Scenario Cost/Unit:** \$806.13

**Cost Details (by category):**

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
<b>Equipment/Installation</b>						
Tillage, Light	945	Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$11.07	2	\$22.14
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$21.22	1	\$21.22
<b>Foregone Income</b>						
FI, Organic, Soybeans Dryland	2234	Organic Dryland Soybeans is Primary Crop	Acre	\$498.52	0.5	\$249.26
FI, Organic, Corn Dryland	2232	Organic Dryland Corn is Primary Crop	Acre	\$504.44	0.5	\$252.22
<b>Materials</b>						
Native Grass and Forb Mix, for Wildlife (including pollinators) or Ecosystem Restoration	2335	Native grass and forb/legume mix, including specialized species. Includes material and shipping only.	Acre	\$261.29	1	\$261.29