

009

CALVERT COUNTY, MARYLAND

muwathel (column) is hel class where:

1 = HIGHLY ERODIBLE SOIL MAP UNITS

2 = POTENTIALLY HIGHLY SOIL MAP UNITS

3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

musym	muname	muwathel
-----	-----	-----
BLB2	BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
BLC3	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
BTA	BUTLERTOWN SILT LOAM, 0* TO 2 PERCENT SLOPES	2
BTB2	BUTLERTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
BTC3	BUTLERTOWN SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
CO	COASTAL BEACHES	3
EK	ELKTON SILT LOAM	2
ERE	ERODED LAND, STEEP	1
ES	ESCARPMENTS	1
EVB	EVESBORO LOAMY SAND, 0 TO 6 PERCENT SLOPES	2
EVC	EVESBORO LOAMY SAND, 6 TO 12 PERCENT SLOPES	2
EVE	EVESBORO LOAMY SAND, 12 TO 35 PERCENT SLOPES	1
FSA	FALLSINGTON SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
FSB	FALLSINGTON SANDY LOAM, 2 TO 5 PERCENT SLOPES	2
GP	GRAVEL AND BORROW PITS	3
HOB2	HOWELL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
HOC2	HOWELL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
HOD2	HOWELL FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	1

HWB2	HOWELL SILT LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
HYC3	HOWELL CLAY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
HYD3	HOWELL CLAY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
IMB	IUKA FINE SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	2
KPA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	2
KPB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MA	MADE LAND	3
MLA	MARR FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MLB2	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
MLC2	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
MLC3	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
MLD3	MARR FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
MMA	MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MMB2	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MNA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MNB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MNC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
MNC3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
MND3	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
MTA	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MTB2	MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MJA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MUB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MJD3	MATTAPEX SILT LOAM, 5 TO 15 PERCENT SLOPES, SEVERELY ERODED	2
MY	MIXED ALLUVIAL LAND	3
OCB	OCHLOCKONEE FINE SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	2
OTA	OTHELLO SILT LOAM, 0 TO 2 PERCENT SLOPES	3
OTB	OTHELLO SILT LOAM, 2 TO 5 PERCENT SLOPES	2

RDB	RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES	2
RDC2	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
RDD2	RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
REB	RUMFORD-EVESBORO GRAVELLY LOAMY SANDS, 2 TO 6 PERCENT SLOPES	2
REC	RUMFORD-EVESBORO GRAVELLY LOAMY SANDS, 6 TO 12 PERCENT SLOPES	2
RED	RUMFORD-EVESBORO GRAVELLY LOAMY SANDS, 12 TO 20 PERCENT SLOPES	1
SAA	SASSAFRAS LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	3
SAB2	SASSAFRAS LOAMY FINE SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SAC2	SASSAFRAS LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SHA	SASSAFRAS FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SHB2	SASSAFRAS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SHC2	SASSAFRAS FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SHC3	SASSAFRAS FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SHD2	SASSAFRAS FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES MODERATELY ERODED	1
SHD3	SASSAFRAS FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES SEVERELY ERODED	1
SLA	SASSAFRAS LOAM, 0 TO 2 PERCENT SLOPES	3
SLB2	SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SLC3	SASSAFRAS LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SPB2	SASSAFRAS-WESTPHALIA GRAVELLY FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES, MODERATT TN	2
SPB2	SASSAFRAS-WESTPHALIA GRAVELLY FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES, MODERATT TN	2
SPC3	SASSAFRAS-WESTPHALIA GRAVELLY FINE SANDY LOAMS, 6 TO 12 PERCENT SLOPES, SEVERTT TN	2
SPC3	SASSAFRAS-WESTPHALIA GRAVELLY FINE SANDY LOAMS, 6 TO 12 PERCENT SLOPES, SEVERTT TN	2
SRE	SASSAFRAS AND WESTPHALIA SOILS, STEEP	1
SRE	SASSAFRAS AND WESTPHALIA SOILS, STEEP	1
SX	SWAMP	3
TM	TIDAL MARSH	3
WAB2	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
WAC2	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES MODERATELY ERODED	1

WAC3	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPE SEVERELY ERODED	1
WAD2	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES MODERATELY ERODED	1
WAD3	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES SEVERELY ERODED	1
WDA	WOODSTOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WDB	WOODSTOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	2