

097

CAROLINE COUNTY, MARYLAND

\*\*\*\*\*

muwathel (column) is the class where:

-----

- 1 = HIGHLY ERODIBLE SOIL MAP UNITS
- 2 = POTENTIALLY HIGHLY SOIL MAP UNITS
- 3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

\*\*\*\*\*

musym	muname	muwathel
----	-----	-----
BA	BAYBORO SILT LOAM	3
BM	BIBB SILT LOAM	3
EK	ELKTON LOAM	3
EK	ELKTON LOAM	3
EM	ELKTON SILT LOAM	3
FA	FALLSINGTON LOAM	3
FS	FALLSINGTON SANDY LOAM	3
GAA	GALESTOWN LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
GAB	GALESTOWN LOAMY SAND, 2 TO 5 PERCENT SLOPES	3
GAC	GALESTOWN LOAMY SAND, 5 TO 10 PERCENT SLOPES	2
GAD	GALESTOWN LOAMY SAND, 10 TO 15 PERCENT SLOPES	2
GAE	GALESTOWN LOAMY SAND, 15 TO 30 PERCENT SLOPES	1
GAF	GALESTOWN LOAMY SAND, 30 TO 60 PERCENT SLOPES	1
GSA	GALESTOWN SAND, 0 TO 2 PERCENT SLOPES	3
GSB	GALESTOWN SAND, 2 TO 5 PERCENT SLOPES	3
GSC	GALESTOWN SAND, 5 TO 10 PERCENT SLOPES	2
GSD	GALESTOWN SAND, 10 TO 15 PERCENT SLOPES	2
GSE	GALESTOWN SAND, 15 TO 30 PERCENT SLOPES	1

JO	JOHNSTON LOAM	3
KSA	KLEJ LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
KSB	KLEJ LOAMY SAND, 2 TO 5 PERCENT SLOPES	3
LAA	LAKELAND LOAMY SAND, CLAYEY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	3
LAB	LAKELAND LOAMY SAND, CLAYEY SUBSTRATUM, 2 TO 5 PERCENT SLOPES	3
LAC	LAKELAND LOAMY SAND, CLAYEY SUBSTRATUM, 5 TO 10 PERCENT SLOPES	2
LCC	LAKELAND SAND, CLAYEY SUBSTRATUM, 2 TO 10 PERCENT SLOPES	2
MKA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MKB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MKE	MATAPEAKE SILT LOAM, 15 TO 30 PERCENT SLOPES	1
MSA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MSB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MSE	MATTAPEX SILT LOAM, 15 TO 30 PERCENT SLOPES	1
MT	MIXED ALLUVIAL LAND	3
MU	MUCK	3
OH	OTHELLO SILT LOAM	3
PM	PLUMMER LOAMY SAND	3
PO	POCOMOKE LOAM	3
PS	POCOMOKE SANDY LOAM	3
PT	PORTSMOUTH SILT LOAM	3
SAA	SASSAFRAS LOAM, 0 TO 2 PERCENT SLOPES	3
SAB2	SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
SHA	SASSAFRAS LOAMY, HEAVY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	3
SMA	SASSAFRAS LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
SMB	SASSAFRAS LOAMY SAND, 2 TO 5 PERCENT SLOPES	3
SMB2	SASSAFRAS LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
SMC	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES	2
SMC2	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2

SMC3	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SMD	SASSAFRAS LOAMY SAND, 10 TO 15 PERCENT SLOPES	1
SME	SASSAFRAS LOAMY SAND, 15 TO 30 PERCENT SLOPES	1
SNA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SNB	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES	3
SNB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
SNB3	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, SEVERELY ERODED	3
SNC	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES	2
SNC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SNC3	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SND	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES	1
SND2	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
SNE	SASSAFRAS SANDY LOAM, 15 TO 30 PERCENT SLOPES	1
SNF	SASSAFRAS SANDY LOAM, 30 TO 60 PERCENT SLOPES	1
SSA	SASSAFRAS SANDY LOAM, HEAVY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	3
SSB	SASSAFRAS SANDY LOAM, HEAVY SUBSTRATUM, 2 TO 5 PERCENT SLOPES	3
SW	SWAMP	3
TM	TIDAL MARSH	3
WDA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	3
WDB2	WOODSTOWN LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
WDA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WOB	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES	3
WOB2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
WOC	WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES	3