CRES Data for CECIL COUNTY, MARYLAND

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRR	CAPABILITY IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
AdA	ALDINO SILT LOAM, 0 TO 3 PERCENT SLOPES	ALDINO	MD0024	2W		.43	3		300	-2	.28
AdB2	ALDINO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	ALDINO	MD0024	2E		.43	3		180	-5	.72
AuB2	AURA GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	AURA	NJ0017	2S		.37	3		200	-3	.35
AuC2	AURA GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	AURA	NJ0017	3E		.37	3		180	-7	1.15
AvD2	AURA GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	AURA	NJ0017	4E		.37	3		150	-12	2.21
BaA	BAILE SILT LOAM, 0 TO 3 PERCENT SLOPES	BAILE	MD0023	5W		.43	3		100	-2	.20
BaB	BAILE SILT LOAM, 3 TO 8 PERCENT SLOPES	BAILE	MD0023	6W		.43	3		-		
BcA	BARCLAY SILT LOAM, 0 TO 2 PERCENT SLOPES	BARCLAY	NC0002	3W		.43	5		180	-1	.15
BcB	BARCLAY SILT LOAM, 2 TO 5 PERCENT SLOPES	BARCLAY	NC0002	3W		.43	5		200	-3	.35
BeA	BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	BELTSVILLE	MD0031	2W		.43	3		200	-1	.16
BeB2	BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	BELTSVILLE	MD0031	2E		.43	3		200	-3	.35
BeC2	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	BELTSVILLE	MD0031	3E		.43	3		180	-7	1.15
BeC3	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	BELTSVILLE	MD0031	~~3E~~ 4E		.43	2		180	-7	1.15
BuA	BUTLERTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	BUTLERTOWN	MD0038	2W		.43	3-2		180	-1	.15
BuB2	BUTLERTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	BUTLERTOWN	MD0038	2E		.43	3-2		200	-3	.35
BuC2	BUTLERTOWN SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	BUTLERTOWN	MD0038	3E		.43	3-2		180	-7	1.15
BuC3	BUTLERTOWN SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	BUTLERTOWN	MD0038	~~3E~~ 4E		.43	2-2		180	-7	1.15
BuD2	BUTLERTOWN SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	BUTLERTOWN	MD0038	4E		.43	3-2		150	-12	2.21
CeA	CHESTER SILT LOAM, 0 TO 3 PERCENT SLOPES	CHESTER	MD0001	1		.32	4		-		
CeB2	CHESTER SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	CHESTER	MD0001	2E		.32	4		180	-5	.72
ChB2	CHILLUM SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	CHILLUM	MD0046	2S		.32	3		200	-3	.35
ChC2	CHILLUM SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	CHILLUM	MD0046	3E		.32	3		180	-7	1.15
ChC3	CHILLUM SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	CHILLUM	MD0046	~~3E~~ 4E		.32	2		180	-7	1.15
ChD2	CHILLUM SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	CHILLUM	MD0046	4E		.32	3		150	-12	2.21
ChD3	CHILLUM SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	CHILLUM	MD0046	~~4E~~ 6E		.32	2		-		
ClB2	CHRISTIANA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	CHRISTIANA	MD0046	2S		.32	3		200	-3	.35
CmB2	CHROME SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	CHROME	PA0047	2E		.32	2		180	-5	.72
CmC2	CHROME SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	CHROME	PA0047	3E		.32	2		180	-8	1.33
CmD2	CHROME SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	CHROME	PA0047	4E		.32	2		170	-15	3.7

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRR	IRR	SURFACE EROSION FACTORS K	T	L	S	LS
CnD3	CHROME CLAY LOAM, 8 TO 25 PERCENT SLOPES, SEVERELY ERODED	CHROME	PA0047	~~6E~~ 6E		.32	2		-	
CnE3	CHROME CLAY LOAM, 25 TO 45 PERCENT SLOPES, SEVERELY ERODED	CHROME	PA0047	7E		.32	2		-	
Co	COASTAL BEACHES	COASTAL BEACHES	DC0002	8W		.05	5		1	
Cp	CLAY PITS	CLAY PITS	MD0040	~~7E~~ 7E		.28	2		-	
Cr	CODORUS SILT LOAM	CODORUS	PA0015	2W	-	.49	4	100	-2	.20
CsB2	COLLINGTON SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	COLLINGTON	NJ0023	2E		.28	4	200	~~13~~ 13	.85
CsC2	COLLINGTON SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	COLLINGTON	NJ0023	3E		.28	4	180	~~17~~ 17	1.15
CtB2	COLLINGTON LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	COLLINGTON	NJ0023	2E		.28	4	200	~~13~~ 13	.35
CtC2	COLLINGTON LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	COLLINGTON	NJ0023	3E		.28	4	180	~~17~~ 17	1.15
CtC3	COLLINGTON LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	COLLINGTON	NJ0023	4E		.28	4	180	~~17~~ 17	1.15
CtD2	COLLINGTON LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	COLLINGTON	NJ0023	4E		.28	4	150	~~112~~ 12	2.21
CtD3	COLLINGTON LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	COLLINGTON	NJ0023	6E		.28	4		3	
Cu	COMUS SILT LOAM	COMUS	MD0050	2W		.43	3	100	-2	.20
CwC	CONOWINGO SILT LOAM, 3 TO 15 PERCENT SLOPES	CONOWINGO	MD0051	3E		.43	3	180	-7	1.15
ElA	ELKTON LOAM, 0 TO 2 PERCENT SLOPES	ELKTON	MD0052	4W		.43	3	180	~~11~~ 1	.15
ElB	ELKTON LOAM, 2 TO 5 PERCENT SLOPES	ELKTON	MD0052	4W		.43	3	200	~~13~~ 3	.35
EmA	ELKTON SILT LOAM, 0 TO 2 PERCENT SLOPES	ELKTON	MD0052	4W		.43	3	180	~~11~~ 1	.15
EmB	ELKTON SILT LOAM, 2 TO 5 PERCENT SLOPES	ELKTON	MD0052	4W		.43	3	200	~~13~~ 3	.35
EoA	ELSINBORO SILT LOAM, 0 TO 2 PERCENT SLOPES	ELSINBORO	DE0002	1		.37	4		-	
EoB2	ELSINBORO SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	ELSINBORO	DE0002	2E		.37	4	200	-3	.35
EoC2	ELSINBORO SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	ELSINBORO	DE0002	2E		.37	4	180	-7	1.15
EvB	EVESBORO LOAMY SAND, 0 TO 5 PERCENT SLOPES	EVESBORO	NJ0016	7S		.17	5		2	
EvD	EVESBORO LOAMY SAND, 5 TO 15 PERCENT SLOPES	EVESBORO	NJ0016	7S		.17	5		2	
EvE	EVESBORO LOAMY SAND, 15 TO 40 PERCENT SLOPES	EVESBORO	NJ0016	7S		.17	5		2	
FaA	FALLSINGTON SANDY LOAM, 0 TO 2 PERCENT SLOPES	FALLSINGTON	MD0033	3W		.28	4	180	-1	0.15
FaB	FALLSINGTON SANDY LOAM, 2 TO 5 PERCENT SLOPES	FALLSINGTON	MD0033	3W		.28	4	200	-3	0.35
FaC	FALLSINGTON SANDY LOAM, 5 TO 10 PERCENT SLOPES	FALLSINGTON	MD0033	3W		.28	4	180	-7	1.15
FmA	FALLSINGTON LOAM, 0 TO 2 PERCENT SLOPES	FALLSINGTON	MD0033	3W		.28	4	180	-1	0.15
FmB	FALLSINGTON LOAM, 2 TO 5 PERCENT SLOPES	FALLSINGTON	MD0033	3W		.28	4	200	-3	0.35
GeA	GLENELG SILT LOAM, 0 TO 3 PERCENT SLOPES	GLENELG	MD0021	1		.32	3		-	
GeB2	GLENELG SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	GLENELG	MD0021	2E		.32	3	180	-5	.72
GeC2	GLENELG SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	GLENELG	MD0021	3E		.32	3	180	-8	1.33
GeC3	GLENELG SILT LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	GLENELG	MD0021	~~3E~~ 4E		.32	~~12~~ 12	160	-12	2.30
GeD2	GLENELG SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	GLENELG	MD0021	4E		.32	3	170	-15	3.35

CRES Data for CECIL COUNTY, MARYLAND

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRRI IRR	SURFACE EROSION FACTORS K	I	T	MAP L	S	LS
GeD3	GLENELG SILT LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	GLENELG	MD0021	~~6E~~	.32	3		-		
GeE	GLENELG SILT LOAM, 25 TO 45 PERCENT SLOPES	GLENELG	MD0021	7E	.32	3		-		
GnA	GLENVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES	GLENVILLE	PA0111	2W	.32	3	100	-	2	.20
GnB2	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	GLENVILLE	PA0111	2E	.32	3	180	-	5	.72
GnC2	GLENVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	GLENVILLE	PA0111	3E	.32	3	180	-	8	1.33
Gv	GRAVEL AND BORROW PITS	GRAVEL AND BORROW PITS	DC0026	8S	.02	-		8		
Ha	HATBORO SILT LOAM	HATBORO	PA0016	3W	.49	4	180	-	1	.15
KeA	KEYPORT LOAM, 0 TO 2 PERCENT SLOPES	KEYPORT	NJ0052	2W	.43	3-~~8~~	180	~~8~~	1	.15
KeB2	KEYPORT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	KEYPORT	NJ0052	2E	.43	3-~~8~~	200	~~8~~	3	.35
KeC2	KEYPORT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	KEYPORT	NJ0052	3E	.43	3-~~8~~	180	~~8~~	7	1.15
KpA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	KEYPORT	NJ0052	2W	.43	3-~~8~~	180	~~8~~	1	.15
KpB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	KEYPORT	NJ0052	2E	.43	3-~~8~~	200	~~8~~	3	.35
KpC2	KEYPORT SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	KEYPORT	NJ0052	3E	.43	3-~~8~~	180	~~8~~	7	1.15
KpD2	KEYPORT SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	KEYPORT	NJ0052	4E	.43	3-~~8~~	150	~~8~~	12	2.21
KsB3	KEYPORT SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, SEVERELY ERODED	KEYPORT	NJ0052	~~3E~~ 3E	.43	~~8~~-2	200	~~8~~	3	.35
KsC3	KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	KEYPORT	NJ0052	~~3E~~ 4E	.43	~~8~~-2	180	~~8~~	7	1.15
LeB2	LEGORE SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	LEGORE	MD0010	2E	.24	3	180	-	5	.72
LeC2	LEGORE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	LEGORE	MD0010	3E	.24	3	180	-	8	1.33
LeD2	LEGORE SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	LEGORE	MD0010	4E	.24	3	170	-	15	3.35
LgC3	LEGORE SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	LEGORE	MD0010	~~3E~~ 4E	.24	~~8~~2	180	-	8	1.33
LgE3	LEGORE SILTY CLAY LOAM, 15 TO 45 PERCENT SLOPES, SEVERELY ERODED	LEGORE	MD0010	6E	.24	3		-		
LoA	LEONARDTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	LEONARDTOWN	MD0043	4W	.43	2	50	-	2	.16
LoB	LEONARDTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES	LEONARDTOWN	MD0043	4W	.43	2	180	-	3	.95
LyC	LOAMY AND CLAYEY LAND, SLOPING	LOAMY AND CLAYEY LAND	MD0054	3E	.17	3	170	-	8	1.30
LyD	LOAMY AND CLAYEY LAND, MODERATELY STEEP	LOAMY AND CLAYEY LAND	MD0054	4E	.17	3	160	-	12	2.30
LyE	LOAMY AND CLAYEY LAND STEEP	LOAMY AND CLAYEY LAND STE	MD0054	7E	.17	3		-		
MaB	MADE LAND, GENTLY SLOPING	MADE LAND	DC0035	8S	-	-		-		
MaD	MADE LAND, MODERATELY STEEP	MADE LAND	PA8001	7E	.17	5-3		-		
MlB2	MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	2E	.37	3	180	-	5	.72
MlC2	MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	3E	.37	3	180	-	8	1.33
MlC3	MANOR LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	4E	.37	~~8~~2	160	-	12	2.30

CRES Data for CECIL COUNTY, MARYLAND

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRRI IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
MlD2	MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	4E	.37	3		170	-15	3.35
MlD3	MANOR LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	~~3E~~ 6E	.37	~~3~~ 2			-	
MlE	MANOR LOAM, 25 TO 45 PERCENT SLOPES	MANOR	MD0020	6E	.37	3			-	
MmD	MANOR VERY STONY LOAM, 3 TO 25 PERCENT SLOPES	MANOR	MD0081	6S	.32	3			-	
MnA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	MATAPEAKE	MD0037	1	.49	4			-	
MnB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	MATAPEAKE	MD0037	2E	.49	4		200	~~3~~ 3	.35
MnC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	MATAPEAKE	MD0037	3E	.49	4		180	~~3~~ 7	1.15
MnC3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	MATAPEAKE	MD0037	~~3E~~ 4E	.49	~~3~~ 3		180	~~3~~ 7	1.15
MnD2	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	MATAPEAKE	MD0037	4E	.49	4		150	~~3~~ 12	2.21
MnD3	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	MATAPEAKE	MD0037	~~4E~~ 6E	.49	~~3~~ 3			5	
MoA	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	MATAPEAKE	MD0037	1	.49	4			5	
MoB2	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	MATAPEAKE	MD0037	2E	.49	4		200	~~3~~ 3	1.35
MpA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	MATTAPEX	MD0035	2W	.49	4		180	~~3~~ 1	.15
MpB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	MATTAPEX	MD0035	2E	.49	4		200	~~3~~ 3	.35
MpC2	MATTAPEX SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	MATTAPEX	MD0035	3E	.49	4		180	~~3~~ 7	1.15
Mr	MIXED ALLUVIAL LAND	MIXED ALLUVIAL LAND	PA8005	7W	.43	5			-	
MtA	MONTALTO SILT LOAM, 0 TO 3 PERCENT SLOPES	MONTALTO	MD0014	1	.32	4			-	
MtB2	MONTALTO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	MONTALTO	MD0014	2E	.32	4		180	-5	.72
MtC2	MONTALTO SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MONTALTO	MD0014	3E	.32	4		180	-8	1.33
MvD	MONTALTO VERY STONY SILT LOAM, 3 TO 25 PERCENT SLOPES	MONTALTO	MD0059	6S	.28	4			-	
MyC3	MONTALTO SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	MONTALTO	MD0014	~~3E~~ 4E	.32	~~3~~ 3		150	-12	2.21
MyD3	MONTALTO SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	MONTALTO	MD0014	~~4E~~ 6E	.32	~~3~~ 3			-	
NeA	NESHAMINY SILT LOAM, 0 TO 3 PERCENT SLOPES	NESHAMINY	PA0062	1	.32	4			-	
NeB2	NESHAMINY SILT LOAM 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	2E	.32	4		180	-5	.72
NeC2	NESHAMINY SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	3E	.32	4		180	-8	1.33
NeD2	NESHAMINY SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	4E	.32	4		170	-15	3.35
OhA	OTHELLO SILT LOAM, 0 TO 2 PERCENT SLOPES	OTHELLO	MD0032	3W	.37	3		180	-1	.15
OhB	OTHELLO SILT LOAM, 2 TO 5 PERCENT SLOPES	OTHELLO	MD0032	3W	.37	3		200	-3	.35
RuB	RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES	RUMFORD	VA0035	2S	.17	4		200	~~3~~ 3	.35
RuC	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES	RUMFORD	VA0035	3E	.17	4		180	~~3~~ 7	1.15

CRES Data for CECIL COUNTY, MARYLAND

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRR	CAPABILITY IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
RuD	RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES	RUMFORD	VA0035	4E		.17	4		150	X 12	2.21
SaA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	SASSAFRAS	MD0039	1		.28	4			-	
SaB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	2E		.28	4		200	-3	.35
SaC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	3E		.28	4		180	-7	1.15
SaC3	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	SASSAFRAS	MD0039	~~3E~~ 4E		.28	X3		180	-7	1.15
SaD2	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	4E		.28	4		150	-12	2.15
SaD3	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	SASSAFRAS	MD0039	~~4E~~ 6E		.28	X3			-	
SfB2	SASSAFRAS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	2E		.28	4		200	-3	.35
SgB2	SASSAFRAS GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0047	2E		.24	4		200	-3	.35
SgC2	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0047	3E		.24	4		180	-7	1.15
SgC3	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	SASSAFRAS	MD0047	~~3E~~ 4E		.24	X3		180	-7	1.15
SgD3	SASSAFRAS GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	SASSAFRAS	MD0047	6E		.24	4		1'	-	
SrE	SASSAFRAS AND AURA SOILS, 15 TO 40 PERCENT SLOPES	SASSAFRAS	MD0039	7E		.28	4			-	
		AURA	NJ0017	7E		.43	3			2	
St	STONY LAND	STONY LAND	MD0081	7S		.32	3			-	
Tm	TIDAL MARSH	TIDAL MARSH	VA0158	8W		-	-			-	
Wa	WATCHUNG VERY STONY SILT LOAM	WATCHUNG	MD0028	7S		.43	3			-	
WoA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	WOODSTOWN	MD0036	2W		.28	4		180	-1	.15
WoB2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	WOODSTOWN	MD0036	2W		.28	4		200	-3	.35
WoC2	WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	WOODSTOWN	MD0036	3E		.28	4		180	-7	1.15
WoC3	WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	WOODSTOWN	MD0036	~~3E~~ 4E		.28	X3		180	-7	1.15
WoD	WOODSTOWN SANDY LOAM, 10 TO 15 PERCENT SLOPES	WOODSTOWN	MD0036	4E		.28	4		150	-12	2.21
WsA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	WOODSTOWN	MD0036	2W		.28	4		180	-1	.15
WsB2	WOODSTOWN LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	WOODSTOWN	MD0036	2W		.28	4		200	-3	.35