

DORCHESTER COUNTY, MARYLAND

019

muwathel (column) is hel class where:

1 = HIGHLY ERODIBLE SOIL MAP UNITS

2 = POTENTIALLY HIGHLY SOIL MAP UNITS

3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

musym	muname	muwathel

BA	BAYBORO SILT LOAM	3
BB	BAYBORO SILTY CLAY LOAM	3
BM	BIBB SILT LOAM	3
CO	COASTAL BEACHES	3
EK	ELKTON LOAM	3
EM	ELKTON SILT LOAM	3
EN	ELKTON SILT LOAM LOW	3
EO	ELKTON SILTY CLAY LOAM	3
ET	ELKTON SILTY CLAY LOAM LOW	3
FA	FALLSINGTON SANDY LOAM	3
GAA	GALESTOWN LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
GAB	GALESTOWN LOAMY SAND, 2 TO 5 PERCENT SLOPES	3
GAC	GALESTOWN LOAMY SAND, 5 TO 10 PERCENT SLOPES	2
GAD	GALESTOWN LOAMY SAND, 10 TO 15 PERCENT SLOPES	2
GEF	GALESTOWN SAND AND LOAMY SAND, 15 TO 40 PERCENT SLOPES	1
GEF	GALESTOWN SAND AND LOAMY SAND, 15 TO 40 PERCENT SLOPES	1
GSA	GALESTOWN SAND, 0 TO 2 PERCENT SLOPES	3
GSB	GALESTOWN SAND, 2 TO 5 PERCENT SLOPES	3

GSC	GALESTOWN SAND, 5 TO 10 PERCENT SLOPES	2
GSD	GALESTOWN SAND, 10 TO 15 PERCENT SLOPES	2
JO	JOHNSTON LOAM	3
KEA	KEYPORT LOAM, 0 TO 2 PERCENT SLOPES	2
KPA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	2
KPB	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES	2
KSA	KLEJ LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
KSB	KLEJ LOAMY SAND, 2 TO 5 PERCENT SLOPES	3
LAA	LAKELAND LOAMY SAND CLAYEY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	3
LAB	LAKELAND LOAMY SAND CLAYEY SUBSTRATUM, 2 TO 5 PERCENT SLOPES	3
LAD	LAKELAND LOAMY SAND CLAYEY SUBSTRATUM, 5 TO 15 PERCENT SLOPES	2
LCB	LAKELAND SAND CLAYEY SUBSTRATUM, 0 TO 5 PERCENT SLOPES	3
LCD	LAKELAND SAND CLAYEY SUBSTRATUM, 5 TO 15 PERCENT SLOPES	2
MA	MADE LAND	3
MFA	MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MFB2	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	2
MKA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MKB	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES	2
MKB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	2
MKC	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES	2
MKC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
MKD	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES	1
MPA	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MSA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MSB	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES	2
MSB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MX	MIXED ALLUVIAL LAND	3
OH	OTHELLO SILT LOAM	3

OT	OTHELLO SILT LOAM LOW	3
PM	PLUMMER LOAMY SAND	3
PO	POCOMOKE LOAM	3
PS	POCOMOKE SANDY LOAM	3
PT	PORTSMOUTH SILT LOAM	3
RU	RUTLEGE LOAMY SAND	3
SAA	SASSAFRAS LOAM, 0 TO 2 PERCENT SLOPES	3
SAB2	SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SHA	SASSAFRAS LOAM, HEAVY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	3
SMA	SASSAFRAS LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
SMB	SASSAFRAS LOAMY SAND, 2 TO 5 PERCENT SLOPES	2
SMB2	SASSAFRAS LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SMC	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES	2
SMC2	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SMC3	SASSAFRAS LOAMY SAND, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SMD	SASSAFRAS LOAMY SAND, 10 TO 15 PERCENT SLOPES	2
SMF	SASSAFRAS LOAMY SAND, 15 TO 40 PERCENT SLOPES	1
SNA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SNB	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES	2
SNB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SNC	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES	2
SNC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SND	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES	1
SNE	SASSAFRAS SANDY LOAM, 15 TO 30 PERCENT SLOPES	1
SSA	SASSAFRAS SANDY LOAM, HEAVY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	3
SSB2	SASSAFRAS SANDY LOAM, HEAVY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY EROTT	2
STA	SASSAFRAS SANDY LOAM, THICK SOLUM, 0 TO 2 PERCENT SLOPES	3
STB	SASSAFRAS SANDY LOAM, THICK SOLUM, 2 TO 5 PERCENT SLOPES	2

STB2	SASSAFRAS SANDY LOAM, THICK SOLUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SW	SWAMP	3
TM	TIDAL MARSH	3
WDA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	3
WDA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WDB2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2