MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRR	IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
Lr	LEONARDTOWN SILT LOAM	LEONARDTOWN	MD0043	4W		.43	2		50	-2	.16
LyB	LOAMY AND CLAYEY LAND, 0 TO 5 PERCENT SLOPES	LOAMY AND CLAYEY LAND	MD0054	2S		.17	3		200	-3	.35
LyD	LOAMY AND CLAYEY LAND, 5 TO 15 PERCENT SLOPES	LOAMY AND CLAYEY LAND	MD0054	4E		.17	3		170	-8	1.30
LyE	LOAMY AND CLAYEY LAND, 15 TO 30 PERCENT SLOPES	LOAMY AND CLAYEY LAND	MD0054	7E		.17	3			-	
MbB2	MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	2E		.37	3		180	-5	.72
MbC2	MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	3E		.37	3		180	-8	1.33
MbC3	MANOR LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	4E		.37	3	2	180	-12	2.30
MbD2	MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	4E		.37	3		170	-15	3.35
MbD3	MANOR LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	6E		.37	3	2		-	
McB2	MANOR CHANNERY LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	MANOR	MD0020	2E		.32	3		180	-5	.72
McC2	MANOR CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	3E		.32	3		180	-8	1.33
McC3	MANOR CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	4E		.32	3	2	160	-12	2.30
McD2	MANOR CHANNERY LOAM, 15 TO 25 PERCENT SLOPES MODERATELY ERODED	MANOR	MD0020	4E		.32	3		170	-15	3.35
McD3	MANOR CHANNERY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	6E		.32	3	2		-	
MdE	MANOR VERY STONY LOAM, 25 TO 45 PERCENT SLOPES	MANOR	MD0081	7S		.32	3			-	
MfE	MANOR SOILS, 25 TO 45 PERCENT SLOPES	MANOR	MD0020	6E		.37	3			-	
MoC	MANOR AND GLENELG VERY STONY LOAMS, 3 TO 15 PERCENT SLOPES	MANOR	MD0081	6S		.32	3			-	
		GLENELG	MD0081	6S		.32	3			-	
MoD	MANOR AND GLENELG VERY STONY LOAMS, 15 TO 25 PERCENT SLOPES	MANOR	MD0081	6S		.32	3			-	
		GLENELG									
MkA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	MATAPEAKE	MD0037	1		.37	4			5	
MkB	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES	MATAPEAKE	MD0037	2E		.37	4		200	3	.35
MlA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	MATTAPEX	MD0035	2W		.37	4		200	1	.16
MlB	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES	MATTAPEX	MD0035	2E		.37	4		200	3	.35
MsA	MONTALTO SILT LOAM, 0 TO 3 PERCENT SLOPES	MONTALTO	MD0014	1		.32	4			-	
MsB2	MONTALTO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	MONTALTO	MD0014	2E		.32	4		180	-5	.72
MsC2	MONTALTO SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MONTALTO	MD0014	3E		.32	4		180	-8	1.33
NeA	NESHAMINY SILT LOAM, 0 TO 3 PERCENT SLOPES	NESHAMINY	PA0062	1		.32	4			-	
NeB2	NESHAMINY SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	2E		.32	4		180	-5	.72
NeC2	NESHAMINY SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	3E		.32	4		180	-8	1.33
NsC	NESHAMINY AND MONTALTO VERY STONY SILT LOAMS 0 TO 15 PERCENT SLOPES	NESHAMINY	PA0063	6S		.24	4			-	
		MONTALTO	MD0059	6S		.28	4			-	
NsD	NESHAMINY AND MONTALTO VERY STONY SILT LOAMS, 15 TO 25 PERCENT SLOPES	NESHAMINY	PA0063	6S		.24	4			-	
		MONTALTO	MD0059	7S		.28	4			-	
NsE	NESHAMINY AND MONTALTO VERY STONY SILT LOAMS, 25 TO 45 PERCENT SLOPES	NESHAMINY	PA0063	7S		.24	4			-	
		MONTALTO	MD0059			.28	4			-	

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRRI IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
AdA	ALDINO SILT LOAM, 0 TO 3 PERCENT SLOPES	ALDINO	MD0024	2W	.43	3		300	-2	.28
AdB	ALDINO SILT LOAM, 3 TO 8 PERCENT SLOPES	ALDINO	MD0024	2E	.43	3		180	-5	.72
AdC	ALDINO SILT LOAM, 8 TO 15 PERCENT SLOPES	ALDINO	MD0024	3E	.43	3		100	-8	1.33
AsB	ALDINO VERY STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	ALDINO	MD0103	6S	.32	3			-	
Av	ALLUVIAL LAND	ALLUVIAL LAND	PA8005	7S	.43	5			-	
BaA	BAILE SILT LOAM, 0 TO 3 PERCENT SLOPES	BAILE	MD0023	5W	.43	3		100	-2	.20
BaB	BAILE SILT LOAM, 3 TO 8 PERCENT SLOPES	BAILE	MD0023	6W	.43	3			-	
BeA	BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	BELTSVILLE	MD0031	2W	.43	3		200	-1	.16
BeB	BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES	BELTSVILLE	MD0031	2E	.43	3		600	-3	.48
BeC	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES	BELTSVILLE	MD0031	3E	.43	3		140	-7	1.15
BrC2	BRANDYWINE GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	BRANDYWINE	MD0012	3E	.20	3		100	-8	1.33
BrD3	BRANDYWINE GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	BRANDYWINE	MD0012	6E	.20	2			-	
BrE3	BRANDYWINE GRAVELLY LOAM, 25 TO 45 PERCENT SLOPES, SEVERELY ERODED	BRANDYWINE	MD0012	7E	.20	2			-	
CcA	CHESTER SILT LOAM, 0 TO 3 PERCENT SLOPES	CHESTER	MD0001	1	.32	4			-	
CcB2	CHESTER SILT LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	CHESTER	MD0001	2E	.32	4		180	-5	.72
CcC2	CHESTER SILT LOAM, 8 TO 15 PERCENT SLOPES MODERATELY ERODED	CHESTER	MD0001	3E	.32	4		100	-8	1.33
CgB2	CHESTER GRAVELLY SILT LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	CHESTER	MD0001	2E	.32	4		180	-5	.72
CgC2	CHESTER GRAVELLY SILT LOAM, 8 TO 15 PERCENT SLOPES MODERATELY ERODED	CHESTER	MD0001	3E	.32	4		100	-8	1.33
CgD2	CHESTER GRAVELLY SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	CHESTER	MD0001	4E	.32	4		170	-15	3.35
ChB2	CHILLUM SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	CHILLUM	MD0046	2S	.32	3		200	-3	.48
CkC2	CHILLUM-NESHAMINY SILT LOAMS, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	CHILLUM	MD0046	3E	.32	3		140	-7	1.15
		NESHAMINY	PA0062	2E	.32	4			-	
CrE	CHROME CHANNERY SILTY CLAY LOAM, 15 TO 45 PERCENT SLOPES	CHROME	PA0047	6E	.32	2			-	
Cu	CODORUS SILT LOAM	CODORUS	PA0015	2W -	.49	4		100	-2	.20
Cv	COMUS SILT LOAM	COMUS	MD0050	2W	.43	3		100	-2	.20
Cx	CUT AND FILL LAND	CUT AND FILL LAND	DC0035	8S	-	-			-	
DcA	DELANCO SILT LOAM, 0 TO 3 PERCENT SLOPES	DELANCO	DE0001	2W	.37	4		100	-2	.20
DcB	DELANCO SILT LOAM, 3 TO 8 PERCENT SLOPES	DELANCO	DE0001	2E	.37	4		180	-5	.72
EhB2	ELIOAK SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	ELIOAK	MD0022	2E	.32	4		180	-5	.72
EhC2	ELIOAK SILT LOAM, 8 TO 15 PERCENT SLOPES MODERATELY ERODED	ELIOAK	MD0022	3E	.32	4		100	-8	1.33
En	ELKTON SILT LOAM	ELKTON	MD0052	4W	.43	3		125	1	.14
EsA	ELSINBORO LOAM, 0 TO 2 PERCENT SLOPES	ELSINBORO	DE0002	1	.37	4			-	
EsB2	ELSINBORO LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	ELSINBORO	DE0002	2E	.37	4		200	-3	.48
EsC2	ELSINBORO LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	ELSINBORO	DE0002	3E	.37	4		140	-7	1.15
EvC	EVESBORO LOAMY SAND, 5 TO 15 PERCENT SLOPES	EVESBORO	NJ0016	7S	.17	5			2	
Fs	FALLSINGTON LOAM	FALLSINGTON	MD0033	3W	.28	4		50	-2	.16

CRES Data for HARFORD COUNTY AREA, MARYLAND

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRRI IRR	SURFACE EROSION FACTORS K	T	L	S	LS
GcB2	GLENELG LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	GLENEIG	MD0021	2E	.32	3	180	-5	.72
GcC2	GLENELG LOAM, 8 TO 15 PERCENT SLOPES MODERATELY ERODED	GLENELG	MD0021	3E	.32	3	180	-8	1.33
GcC3	GLENELG LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	GLENELG	MD0021	4E	.32	3	160	-12	2.30
GcD2	GLENELG LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	GLENELG	MD0021	4E	.32	3	170	-15	3.85
GcD3	GLENELG LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	GLENELG	MD0021	6E	.32	2	-		
GgB2	GLENELG GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	GLENELG	MD0021	2E	.32	3	180	-5	.72
GgC2	GLENELG GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	GLENELG	MD0021	3E	.32	3	180	-8	1.33
GgC3	GLENELG GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES SEVEPELY ERODED	GLENELG	MD0021	4E	.32	2	160	-12	2.30
GgD2	GLENELG GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES MODERATELY ERODED	GLENELG	MD0021	4E	.32	3	170	-15	3.85
GgD3	GLENELG GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	GLENELG	MD0021	6E	.32	2	-		
GnA	GLENVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES	GLENVILLE	PA0111	2W	.32	3	100	-2	.20
GnB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	GLENVILLE	PA0111	2W	.32	3	180	-5	.72
Hb	HATBORO SILT LOAM	HATBORO	PA0016	3W	.49	4	100	-1	.15
JpB	JOPPA GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES	JOPPA	MD0013	2S	.28	3	200	-3	.85
JpC	JOPPA GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES	JOPPA	MD0013	3E	.28	3	190	-7	1.15
KeB	KELLY SILT LOAM, 3 TO 8 PERCENT SLOPES	KELLY	VA0085	4W	.37	3	140	-5	.63
KeC2	KELLY SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	KELLY	VA0085	4E	.37	3	180	-8	1.33
KfD	KELLY VERY STONY SILT LOAM, 3 TO 25 PERCENT SLOPES	KELLY	PA0055	6S	.24	3	-		
KpA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	KEYPORT	NJ0052	2W	.43	3-2	50	32	.16
KpB	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES	KEYPORT	NJ0052	2E	.43	3-2	200	32	.85
KrA	KINKORA SILT LOAM, 0 TO 3 PERCENT SLOPES	KINKORA	DE0003	3W	.43	4	50	-2	.16
KrB	KINKORA SILT LOAM, 3 TO 8 PERCENT SLOPES	KINKORA	DE0003	3W	.43	4	180	-5	.72
LeB2	LEGORE SILT LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	LEGORE	MD0010	2E	.24	3	180	-5	.72
LeC2	LEGORE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	LEGORE	MD0010	3E	.24	3	180	-8	1.33
LeD2	LEGORE SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	LEGORE	MD0010	4E	.24	3	170	-15	3.85
LeE	LEGORE SILT LOAM, 25 TO 45 PERCENT SLOPES	LEGORE	MD0010	7E	.24	3	-		
LfC	LEGORE VERY STONY SILT LOAM, 0 TO 15 PERCENT SLOPES	LEGORE	MD0030	6S	.20	3	-		
LfD	LEGORE VERY STONY SILT LOAM, 15 TO 25 PERCENT SLOPES	LEGORE	MD0030	6S	.20	3	-		
LfE	LEGORE VERY STONY SILT LOAM, 25 TO 45 PERCENT SLOPES	LEGORE	MD0030	7S	.20	3	-		
LgC3	LEGORE SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELLY ERODED	LEGORE	MD0010	4E	.24	2	160	-12	2.30
LgD3	LEGORE SILTY CLAY LOAM 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	LEGORE	MD0010	6E	.24	2	-		

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRRI IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
Lr	LEONARDTOWN SILT LOAM	LEONARDTOWN	MD0043	4W	.43	2		50	-2	.16
LyB	LOAMY AND CLAYEY LAND, 0 TO 5 PERCENT SLOPES	LOAMY AND CLAYEY LAND	MD0054	2E	.17	3		200	-3	.35
LyD	LOAMY AND CLAYEY LAND, 5 TO 15 PERCENT SLOPES	LOAMY AND CLAYEY LAND	MD0054	4E	.17	3		110	-8	1.10
LyE	LOAMY AND CLAYEY LAND, 15 TO 30 PERCENT SLOPES	LOAMY AND CLAYEY LAND	MD0054	7E	.17	3			-	
MbB2	MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	2E	.37	3		180	-5	.72
MbC2	MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	3E	.37	3		180	-8	1.11
MbC3	MANOR LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	4E	.37	3		180	-12	2.20
MbD2	MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	4E	.37	3		170	-15	3.35
MbD3	MANOR LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	6E	.37	3			-	
McB2	MANOR CHANNERY LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	MANOR	MD0020	2E	.32	3		180	-5	.72
McC2	MANOR CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MANOR	MD0020	3E	.32	3		180	-8	1.11
McC3	MANOR CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, SEVEPELY ERODED	MANOR	MD0020	4E	.32	3		180	-12	2.20
McD2	MANOR CHANNERY LOAM, 15 TO 25 PERCENT SLOPES MODERATELY ERODED	MANOR	MD0020	4E	.32	3		170	-15	3.35
McD3	MANOR CHANNERY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	MANOR	MD0020	6E	.32	3			-	
MdE	MANOR VERY STONY LOAM, 25 TO 45 PERCENT SLOPES	MANOR	MD0081	7S	.32	3			-	
MfE	MANOR SOILS, 25 TO 45 PERCENT SLOPES	MANOR	MD0020	6E	.37	3			-	
MgC	MANOR AND GLENELG VERY STONY LOAMS, 3 TO 15 PERCENT SLOPES	MANOR	MD0081	6S	.32	3			-	
		GLENELG	MD0081	6S	.32	3			-	
MgD	MANOR AND GLENELG VERY STONY LOAMS, 15 TO 25 PERCENT SLOPES	MANOR	MD0081	6S	.32	3			-	
		GLENELG								
MkA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	MATAPEAKE	MD0037	1	.37	4				
MkB	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES	MATAPEAKE	MD0037	2E	.37	4		200		.37
MlA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	MATTAPEX	MD0035	2W	.37	4		200		.16
MlB	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES	MATTAPEX	MD0035	2E	.37	4		200		.37
MsA	MONTALTO SILT LOAM, 0 TO 3 PERCENT SLOPES	MONTALTO	MD0014	1	.32	4			-	
MsB2	MONTALTO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	MONTALTO	MD0014	2E	.32	4		180	-5	.72
MsC2	MONTALTO SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	MONTALTO	MD0014	3E	.32	4		180	-8	1.11
NeA	NESHAMINY SILT LOAM, 0 TO 3 PERCENT SLOPES	NESHAMINY	PA0062	1	.32	4			-	
NeB2	NESHAMINY SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	2E	.32	4		180	-5	.72
NeC2	NESHAMINY SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	NESHAMINY	PA0062	3E	.32	4		180	-8	1.11
NsC	NESHAMINY AND MONTALTO VERY STONY SILT LOAMS 0 TO 15 PERCENT SLOPES	NESHAMINY	PA0063	6S	.24	4			-	
		MONTALTO	MD0059	6S	.28	4			-	
NsD	NESHAMINY AND MONTALTO VERY STONY SILT LOAMS, 15 TO 25 PERCENT SLOPES	NESHAMINY	PA0063	6S	.24	4			-	
		MONTALTO	MD0059	7S	.28	4			-	
NsE	NESHAMINY AND MONTALTO VERY STONY SILT LOAMS, 25 TO 45 PERCENT SLOPES	NESHAMINY	PA0063	7S	.24	4			-	
		MONTALTO	MD0059		.28	4			-	

CRES Data for HARFORD COUNTY MARYLAND

MAP SYMBOL	MAP UNIT NAME	SERIES NAME	SOILS-5 RECNO	CAPABILITY NIRR	CAPABILITY IRR	SURFACE EROSION FACTORS K	I	T	L	S	LS
Ot	OTHELLO SILT LOAM	OTHELLO	MD0032	3W		.37	3		125	-1	.14
Sa	SAND AND GRAVEL PITS	SAND AND GRAVEL PITS	DC0026	8S		.02	-				
ShB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	2E		.28	4		200	-3	.35
ShC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	3E		.28	4		190	-7	1.15
SlB2	SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	2E		.28	4		200	-3	.35
SlC2	SASSAFRAS LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	SASSAFRAS	MD0039	3E		.28	4		190	-7	1.15
SsD	SASSAFRAS AND JOPPA SOILS, 10 TO 15 PERCENT SLOPES	SASSAFRAS	MD0039	4E		.28	4		180	-12	2.21
		JOPPA	MD0013	4E		.28	3			-	
SsE	SASSAFRAS AND JOPPA SOILS, 15 TO 30 PERCENT SLOPES	SASSAFRAS	MD0039	7E		.28	4			-	
		JOPPA	MD0013	6E		.28	3			-	
St	STONY LAND, STEEP	STONY LAND	MD0081	7S		.32	3			-	
Sw	SWAMP	SWAMP	NJ0084	7W		.17	-			-	
Tm	TIDAL MARSH	TIDAL MARSH	VA0158	8W		-	-			-	
WaA	WATCHUNG SILT LOAM, 0 TO 3 PERCENT SLOPES	WATCHUNG	MD0007	5W		.43	3		100	-2	.20
WaB	WATCHUNG SILT LOAM, 3 TO 8 PERCENT SLOPES	WATCHUNG	MD0007	6W		.43	3			-	
WcB	WATCHUNG VERY STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	WATCHUNG	MD0028	7S		.43	3			-	
WhB	WHITEFORD SILT LOAM, 3 TO 8 PERCENT SLOPES	WHITEFORD	MD0008	2E		.32	3		100	-5	.72
WhC2	WHITEFORD SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	WHITEFORD	MD0008	3E		.32	3		100	-8	1.33
WoB	WOODSTOWN LOAM, 0 TO 5 PERCENT SLOPES	WOODSTOWN	MD0036	2W		.28	4		200	-2	.25
	TOTAL AREA MAPPED	TOTAL AREA MAPPED									
	UNMAPPED AREA (U.S. MILITARY RESERVATION)	UNMAPPED AREA (U.S. MILIT									