

KENT COUNTY, MARYLAND

029

muwathel (column) is hel class where:

1 = HIGHLY ERODIBLE SOIL MAP UNITS

2 = POTENTIALLY HIGHLY SOIL MAP UNITS

3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

musym	muname	muwathel
-----	-----	-----
AX	AXIS MUCKY SILT LOAM	3
BE	BEACHES	3
BS	BIBB SILT LOAM	3
BT	BIBB VARIANT SILT LOAM	3
BUA	BUTLERTOWN-MATTAPEX SILT LOAMS, 0 TO 2 PERCENT SLOPES	3
BUA	BUTLERTOWN-MATTAPEX SILT LOAMS, 0 TO 2 PERCENT SLOPES	3
BUB2	BUTLERTOWN-MATTAPEX SILT LOAMS, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
BUB2	BUTLERTOWN-MATTAPEX SILT LOAMS, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
BUC2	BUTLERTOWN-MATTAPEX SILT LOAMS, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
BUC2	BUTLERTOWN-MATTAPEX SILT LOAMS, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
CER2	COLTS NECK LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
CEC2	COLTS NECK LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
CGC2	COLTS NECK GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
CGC3	COLTS NECK GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
CGD2	COLTS NECK GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
CGD3	COLTS NECK GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
CNE	COLTS NECK AND SASSAFRAS SOILS, 15 TO 40 PERCENT SLOPES	1
CNE	COLTS NECK AND SASSAFRAS SOILS, 15 TO 40 PERCENT SLOPES	1

EM	ELKTON SILT LOAM	3
FA	FALLSINGTON SANDY LOAM	3
FH	FALLSINGTON LOAM	3
FMB	FORT MOTT LOAMY SAND, 0 TO 5 PERCENT SLOPES	3
FMC2	FORT MOTT LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	3
GAB	GALESTOWN LOAMY SAND, 0 TO 5 PERCENT SLOPES	3
GAD	GALESTOWN LOAMY SAND, 5 TO 15 PERCENT SLOPES	2
GAE	GALESTOWN LOAMY SAND, 15 TO 40 PERCENT SLOPES	1
IH	IPSWICH MUCKY PEAT	3
IK	IUKA SILT LOAM, RARELY FLOODED	3
KMA	KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
KMB2	KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
KPA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	3
KPB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
KPC2	KEYPORT SILT LOAM, 5 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
KS	KINGSLAND MUCKY PEAT	3
MFB	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	3
MNA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MNB	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES	3
MNC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
MNC3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
MND2	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
MPA	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MPB	MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	3
MTA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MTB	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES	3
MTC2	MATTAPEX SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
MWD	MATTAPEX AND WOODSTOWN SOILS, 10 TO 15 PERCENT SLOPES	1

MWD	MATTAPEX AND WOODSTOWN SOILS, 10 TO 15 PERCENT SLOPES	1
MXA	MATTAPEX-MATAPEAKE-BUTLERTOWN SILT LOAMS, 0 TO 2 PERCENT SLOPES	3
MXA	MATTAPEX-MATAPEAKE-BUTLERTOWN SILT LOAMS, 0 TO 2 PERCENT SLOPES	3
MXA	MATTAPEX-MATAPEAKE-BUTLERTOWN SILT LOAMS, 0 TO 2 PERCENT SLOPES	3
MXB	MATTAPEX-MATAPEAKE-BUTLERTOWN SILT LOAMS, 2 TO 5 PERCENT SLOPES	3
MXB	MATTAPEX-MATAPEAKE-BUTLERTOWN SILT LOAMS, 2 TO 5 PERCENT SLOPES	3
MXB	MATTAPEX-MATAPEAKE-BUTLERTOWN SILT LOAMS, 2 TO 5 PERCENT SLOPES	3
MZA	MATTAPEX VARIANT SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MZB	MATTAPEX VARIANT SILT LOAM, 2 TO 5 PERCENT SLOPES	3
OH	OTHELLO SILT LOAM	3
PT	PITS, GRAVEL AND SAND	3
SAA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SAB	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES	3
SAC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SAD2	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
SAD3	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
SFA	SASSAFRAS LOAM, 0 TO 2 PERCENT SLOPES	3
SFB	SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES	3
SFC2	SASSAFRAS LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SFC3	SASSAFRAS LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SFD3	SASSAFRAS LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
SGB	SASSAFRAS GRAVELLY LOAM, 0 TO 5 PERCENT SLOPES	3
SGC2	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
SGC3	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	2
SGD3	SASSAFRAS GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
WE	WESTBROOK PEAT	3
WOA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WOB	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES	3

WSA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	3
WSB	WOODSTOWN LOAM, 2 TO 5 PERCENT SLOPES	3