

637

ST MARYS COUNTY, MARYLAND

\*\*\*\*\*

muwathel (column) is hel class where:

-----

- 1 = HIGHLY ERODIBLE SOIL MAP UNITS
- 2 = POTENTIALLY HIGHLY SOIL MAP UNITS
- 3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

\*\*\*\*\*

| musym | muname   | muwathel |
|-------|--|----------|
| ----- |  | -----    |
| AA    | ALLUVIAL LAND  | 3        |
| AD    | ALLUVIAL LAND, WET   | 3        |
| BE    | BEACHES  | 3        |
| BLA   | BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES                      | 3        |
| BLB2  | BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED   | 2        |
| BLB3  | BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, SEVERELY ERODED     | 2        |
| BLC2  | BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED   | 1        |
| BLC3  | BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED    | 1        |
| BM    | BIBB SILT LOAM   | 3        |
| BRB2  | BOURNE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED | 2        |
| BRC3  | BOURNE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED  | 2        |
| CAB2  | CAROLINE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED     | 3        |
| CAC2  | CAROLINE SILT LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED     | 2        |
| CAC3  | CAROLINE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED      | 2        |
| CAD2  | CAROLINE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED   | 1        |
| CAD3  | CAROLINE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED     | 1        |
| CHA   | CHILLUM LOAM, 0 TO 2 PERCENT SLOPES                              | 3        |
| CHB2  | CHILLUM LOAM, 2 TO 6 PERCENT SLOPES MODERATELY ERODED            | 2        |

|      |   |   |
|------|---|---|
| CHC2 | CHILLUM LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED                   | 1 |
| CHC3 | CHILLUM LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED                     | 1 |
| CRB2 | CROOM GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED       | 2 |
| CRC2 | CROOM GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED      | 1 |
| CRD2 | CROOM GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED     | 1 |
| CRD3 | CROOM GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED       | 1 |
| CU   | CUT AND FILL LAND   | 2 |
| EK   | ELKTON SILT LOAM  | 3 |
| EVB  | EVESBORO LOAMY SAND, 0 TO 8 PERCENT SLOPES                                | 3 |
| EVC  | EVESBORO LOAMY SAND, 8 TO 15 PERCENT SLOPES                               | 3 |
| EMC2 | EVESBORO-WESTPHALIA COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED    | 2 |
| EMC2 | EVESBORO-WESTPHALIA COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED    | 2 |
| EMD2 | EVESBORO-WESTPHALIA COMPLEX, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED   | 1 |
| EMD2 | EVESBORO-WESTPHALIA COMPLEX, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED   | 1 |
| EME2 | EVESBORO-WESTPHALIA COMPLEX 20 TO 45 PERCENT SLOPES, MODERATELY ERODED    | 1 |
| EME2 | EVESBORO-WESTPHALIA COMPLEX 20 TO 45 PERCENT SLOPES, MODERATELY ERODED    | 1 |
| FAB  | FACEVILLE SILT LOAM, 0 TO 5 PERCENT SLOPES                                | 2 |
| FS   | FALLSINGTON SANDY LOAM  | 3 |
| GP   | GRAVEL PITS   | 3 |
| KEC2 | KEMPSVILLE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED     | 2 |
| KEC3 | KEMPSVILLE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED       | 2 |
| KED2 | KEMPSVILLE FINE SANDY LOAM, 10 TO TO 15 PERCENT SLOPES, MODERATELY ERODED | 1 |
| KED3 | KEMPSVILLE FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED      | 1 |
| KPA  | KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES                            | 3 |
| KPB2 | KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED         | 2 |
| KRA  | KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES                                  | 3 |
| KRB2 | KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED                | 2 |
| KRC2 | KEYPORT SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED              | 1 |

|      |  |   |
|------|--|---|
| KZ   | KLEJ LOAMY SAND, 0 TO 5 PERCENT SLOPES                               | 3 |
| LE   | LEONARDTOWN SILT LOAM  | 3 |
| MAB2 | MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED       | 2 |
| MAC2 | MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED      | 1 |
| MAC3 | MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED        | 1 |
| MMA  | MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES                     | 3 |
| MMB2 | MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED   | 2 |
| MNA  | MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES                           | 3 |
| MNB2 | MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED        | 2 |
| MNC3 | MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED         | 2 |
| MTA  | MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES                      | 3 |
| MTB2 | MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED   | 2 |
| MJA  | MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES                            | 3 |
| MUB2 | MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED         | 2 |
| MUC2 | MATTAPEX SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED        | 2 |
| ON   | OTHELLO FINE SANDY LOAM  | 3 |
| OT   | OTHELLO SILT LOAM  | 3 |
| RUB  | RUMFORD LOAMY SAND, 0 TO 5 PERCENT SLOPES                            | 3 |
| RUC2 | RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED        | 2 |
| SAA  | SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES                          | 3 |
| SAB2 | SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED       | 3 |
| SAC2 | SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED      | 2 |
| SAC3 | SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED        | 2 |
| SAD2 | SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES MODERATELY ERODED      | 1 |
| SAD3 | SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED       | 1 |
| SFA  | SASSAFRAS LOAM, 0 TO 2 PERCENT SLOPES                                | 3 |
| SFB2 | SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED             | 3 |
| SMC2 | SASSAFRAS-CHILLUM COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED | 2 |

|      |   |   |
|------|---|---|
| SMC2 | SASSAFRAS-CHILLUM COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED  | 2 |
| SMC3 | SASSAFRAS-CHILLUM COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED    | 2 |
| SMC3 | SASSAFRAS-CHILLUM COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED    | 2 |
| TM   | TIDAL MARSH   | 3 |
| WEB2 | WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED  | 2 |
| WEC2 | WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED | 1 |
| WEC3 | WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED   | 1 |
| WSA  | WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES                           | 3 |
| WSB  | WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES                           | 3 |
| WSC2 | WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED       | 2 |