

045

WICOMICO COUNTY, MARYLAND

\*\*\*\*\*

muwathel (column) is hel class where:

-----

1 = HIGHLY ERODIBLE SOIL MAP UNITS

2 = POTENTIALLY HIGHLY SOIL MAP UNITS

3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

\*\*\*\*\*

musym	muname	muwathel
----	-----	-----
BA	BAYBORO LOAM	3
BB	BAYBORO SILT LOAM	3
BE	BEACHES	3
BO	BORROW PITS	3
DOA	DOWNER LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
DOB2	DOWNER LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
DOC	DOWNER LOAMY SAND, 5 TO 10 PERCENT SLOPES	2
EA	ELKTON LOAM	3
EK	ELKTON SANDY LOAM	3
EM	ELKTON SILT LOAM	3
EN	ELKTON SILTY CLAY LOAM	3
EOD	EVEBORO LOAMY SAND, 5 TO 15 PERCENT SLOPES	2
EPB	EVEBORO LOAMY SAND, CLAYEY SUBSTRATUM, 0 TO 5 PERCENT SLOPES	3
ERD	EVEBORO SAND, 5 TO 15 PERCENT SLOPES	2
ESB	EVEBORO SAND, CLAYEY SUBSTRATUM, 0 TO 5 PERCENT SLOPES	3
ETF	EVEBORO SOILS, 15 TO 40 PERCENT SLOPES	1
EVD	EVEBORO-GALESTOWN SANDS, 5 TO 15 PERCENT SLOPES	2
EVD	EVEBORO-GALESTOWN SANDS, 5 TO 15 PERCENT SLOPES	2

EWB	EVESBORO-GALESTOWN SANDS, CLAYEY SUBSTRATUM, 0 TO 5 PERCENT SLOPES	3
EWB	EVESBORO-GALESTOWN SANDS, CLAYEY SUBSTRATUM, 0 TO 5 PERCENT SLOPES	3
EYC	EVESBORO-GALESTOWN-DOWNER LOAMY SANDS, 0 TO 10 PERCENT SLOPES	2
EYC	EVESBORO-GALESTOWN-DOWNER LOAMY SANDS, 0 TO 10 PERCENT SLOPES	2
EYC	EVESBORO-GALESTOWN-DOWNER LOAMY SANDS, 0 TO 10 PERCENT SLOPES	2
FA	FALLSINGTON FINE SANDY LOAM	3
FG	FALLSINGTON LOAM	3
FS	FALLSINGTON SANDY LOAM	3
GAD	GALESTOWN LOAMY SAND, 5 TO 15 PERCENT SLOPES	2
GCB	GALESTOWN LOAMY SAND, CLAYEY SUBSTRATUM, 0 TO 5 PERCENT SLOPES	3
KEA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	3
KEB	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES	2
KSA	KLEJ LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
KSB	KLEJ LOAMY SAND, 2 TO 5 PERCENT SLOPES	3
LE	LEON LOAMY SAND	3
MA	MADE LAND	3
MDA	MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MDB2	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	2
MEA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MEB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MEC	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES	2
MFA	MATAWAN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	2
MFB	MATAWAN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	2
MMA	MATAWAN LOAMY SAND, 0 TO 2 PERCENT SLOPES	2
MMB	MATAWAN LOAMY SAND, 2 TO 5 PERCENT SLOPES	2
MMC	MATAWAN LOAMY SAND, 5 TO 10 PERCENT SLOPES	1
MME	MATAWAN LOAMY SAND, 10 TO 30 PERCENT SLOPES	1
MNA	MATAWAN SANDY LOAM, 0 TO 2 PERCENT SLOPES	2

MNB	MATAWAN SANDY LOAM, 2 TO 5 PERCENT SLOPES	2
MPA	MATTAPEX LOAM, 0 TO 2 PERCENT SLOPES	3
MPB	MATTAPEX LOAM, 2 TO 5 PERCENT SLOPES	2
MTA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MTB	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES	2
MU	MUCK	3
MV	MIXED ALLUVIAL LAND	3
NOA	NORFOLK LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
NOB	NORFOLK LOAMY SAND, 2 TO 5 PERCENT SLOPES	2
NOC	NORFOLK LOAMY SAND, 5 TO 10 PERCENT SLOPES	2
NSD	NORFOLK AND SASSAFRAS SOILS, 10 TO 15 PERCENT SLOPES	2
NSE	NORFOLK AND SASSAFRAS SOILS, 15 TO 30 PERCENT SLOPES	1
OT	OTHELLO SILT LOAM	3
OM	OTHELLO SILT LOAM, LOW	3
PE	PLUMMER LOAMY SAND	3
PK	POCOMOKE LOAM	3
PO	POCOMOKE SANDY LOAM	3
PR	PORTSMOUTH SANDY LOAM	3
PT	PORTSMOUTH SILT LOAM	3
RU	RUTLEGE LOAMY SAND	3
SAA	SASSAFRAS FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SAB	SASSAFRAS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	2
SSA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SSB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SSC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	2
ST	ST. JOHNS LOAMY SAND	3
SU	ST. JOHNS MUCKY LOAMY SAND	3
SW	SWAMP	3

TM	TIDAL MARSH	3
WFA	WOODSTOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WFB	WOODSTOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	2
WOA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	3
WSA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WSB	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES	2