

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
70D	Ashe-Chestnut complex, 15 to 30 percent slopes, very rocky	AcD	Ashe-Chestnut complex, 15 to 30 percent slopes, very rocky
70E	Ashe soils, 25 to 50 percent slopes	AcE	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky
70E	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky	AcE	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky
75E	Ashe and Saluda stony soils, 25 to 40 percent slopes	AcE	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky
92E	Saluda, Ashe and Cleveland soils, 15 to 40 percent slopes	AcE	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky
AsF	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky	AcE	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky
AsF	Ashe stony sandy loam, 25 to 40 percent slopes	AcE	Ashe-Chestnut complex, 30 to 50 percent slopes, very rocky
70F	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky	AcF	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky
70F	Ashe fine sandy loam, 25 to 60 percent slopes	AcF	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky
70F1	Ashe soils, 50 to 80 percent slopes	AcF	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky
75F	Ashe and Saluda stony soils, 40 to 80 percent slopes	AcF	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky
AsG	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky	AcF	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky
AsG	Ashe stony sandy loam, 40 to 80 percent slopes	AcF	Ashe-Chestnut complex, 50 to 95 percent slopes, very rocky
75F	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
91F	Saluda stony fine sandy loam, 25 to 50 percent slopes	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
91F1	Cleveland and Saluda soils, 40 to 80 percent slopes	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
93F	Cleveland and Saluda soils, 40 to 80 percent slopes	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
AxF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
CSG	Cleveland and Saluda soils, 40 to 80 percent slopes	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
RSF	Rock outcrop-Ashe complex, 25 to 80 percent slopes	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery
RsF	Rock outcrop-Ashe complex, 25 to 80 percent slopes	ArF	Ashe-Cleveland-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
807E	Balsam very cobbly loam, windswept, 30 to 50 percent slopes, extremely bouldery	BaE	Balsam very cobbly loam, windswept, 30 to 50 percent slopes, extremely bouldery
BtF	Burton stony loam, 25 to 40 percent slopes	BaE	Balsam very cobbly loam, windswept, 30 to 50 percent slopes, extremely bouldery
18A	Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded	BbA	Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded
HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded	BbA	Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded
Wk	Wehadkee loam, frequently flooded	BbA	Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded
54B	Banister fine sandy loam, 2 to 8 percent slopes, rarely flooded	BcB	Banister fine sandy loam, 2 to 6 percent slopes, rarely flooded
BaB	Banister fine sandy loam, 2 to 8 percent slopes, rarely flooded	BcB	Banister fine sandy loam, 2 to 6 percent slopes, rarely flooded
DoB	Dogue fine sandy loam, 2 to 8 percent slopes	BcB	Banister fine sandy loam, 2 to 6 percent slopes, rarely flooded
36B	Fairview sandy loam, 2 to 8 percent slopes	BeB	Bentley-Nathalie complex, 2 to 8 percent slopes
36B	Appling sandy loam, 2 to 8 percent slopes	BeB	Bentley-Nathalie complex, 2 to 8 percent slopes
ApB	Appling sandy loam, 2 to 8 percent slopes	BeB	Bentley-Nathalie complex, 2 to 8 percent slopes
NaB	Nathalie sandy loam, 2 to 8 percent slopes	BeB	Bentley-Nathalie complex, 2 to 8 percent slopes
36C	Appling sandy loam, 8 to 15 percent slopes	BeC	Bentley-Nathalie complex, 8 to 15 percent slopes
36C	Fairview sandy loam, 8 to 15 percent slopes	BeC	Bentley-Nathalie complex, 8 to 15 percent slopes
ApD	Appling sandy loam, 8 to 15 percent slopes	BeC	Bentley-Nathalie complex, 8 to 15 percent slopes
NaD	Nathalie sandy loam, 8 to 15 percent slopes	BeC	Bentley-Nathalie complex, 8 to 15 percent slopes
65	Buncombe loamy sand	BoA	Biltmore loamy sand, 0 to 3 percent slopes, occasionally flooded
Bn	Buncombe loamy sand, frequently flooded	BoA	Biltmore loamy sand, 0 to 3 percent slopes, occasionally flooded
M65B	Biltmore loamy sand, 0 to 3 percent slopes, occasionally flooded	BoA	Biltmore loamy sand, 0 to 3 percent slopes, occasionally flooded
M22B2	Braddock clay loam, 2 to 8 percent slopes, moderately eroded	BrB3	Braddock clay loam, 2 to 8 percent slopes, severely eroded
22C	Masada loam, 8 to 15 percent slopes	BrC3	Braddock clay loam, 8 to 15 percent slopes, severely eroded
M22C2	Braddock clay loam, 8 to 15 percent slopes, moderately eroded	BrC3	Braddock clay loam, 8 to 15 percent slopes, severely eroded
MaD	Masada loam, 8 to 15 percent slopes	BrC3	Braddock clay loam, 8 to 15 percent slopes, severely eroded
99D	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes	BuD	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes, extremely bouldery

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
99E	Porters cobbly loam, 10 to 15 percent slopes	BuD	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes, extremely bouldery
99F	Porters cobbly loam, 15 to 40 percent slopes	BuD	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes, extremely bouldery
BtF	Burton stony loam, 25 to 40 percent slopes	BuD	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes, extremely bouldery
PcE	Porters cobbly loam, 10 to 25 percent slopes	BuD	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes, extremely bouldery
PcF	Porters cobbly loam, 25 to 40 percent slopes	BuD	Burton-Craggey-Rock outcrop complex, windswept, 15 to 30 percent slopes, extremely bouldery
99E	Porters cobbly loam, 10 to 15 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
99F	Porters cobbly loam, 15 to 40 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
99F	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
BtF	Burton stony loam, 25 to 40 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
BtF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
PcE	Porters cobbly loam, 10 to 25 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
PcF	Porters cobbly loam, 25 to 40 percent slopes	BuF	Burton-Craggey-Rock outcrop complex, windswept, 30 to 95 percent slopes, extremely bouldery
34F	Ashe and Edneyville soils, 25 to 50 percent slopes	CaF	Chestnut-Ashe complex, 50 to 95 percent slopes, very stony
34F	Chestnut-Ashe complex, 50 to 95 percent slopes, very stony	CaF	Chestnut-Ashe complex, 50 to 95 percent slopes, very stony
92E	Saluda, Ashe and Cleveland soils, 15 to 40 percent slopes	CaF	Chestnut-Ashe complex, 50 to 95 percent slopes, very stony
ESF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	CaF	Chestnut-Ashe complex, 50 to 95 percent slopes, very stony
34D	Edneyville loam, 15 to 25 percent slopes	CeC	Chestnut-Buladean complex, 8 to 15 percent slopes, rocky
41C	Chestnut-Buladean complex, 8 to 15 percent slopes, rocky	CeC	Chestnut-Buladean complex, 8 to 15 percent slopes, rocky

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CeC	Chestnut-Buladean complex, 8 to 15 percent slopes, rocky
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CeC	Chestnut-Buladean complex, 8 to 15 percent slopes, rocky
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CeC	Chestnut-Buladean complex, 8 to 15 percent slopes, rocky
34D	Edneyville loam, 15 to 25 percent slopes	CeD	Chestnut-Buladean complex, 15 to 30 percent slopes, rocky
41D	Chestnut-Buladean complex, 15 to 30 percent slopes, rocky	CeD	Chestnut-Buladean complex, 15 to 30 percent slopes, rocky
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CeD	Chestnut-Buladean complex, 15 to 30 percent slopes, rocky
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CeD	Chestnut-Buladean complex, 15 to 30 percent slopes, rocky
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CeD	Chestnut-Buladean complex, 15 to 30 percent slopes, rocky
44D	Chestnut-Buladean complex, 15 to 30 percent slopes, stony	ChD	Chestnut-Buladean complex, 15 to 30 percent slopes, stony
44E	Chestnut-Buladean complex, 30 to 50 percent slopes, stony	ChE	Chestnut-Buladean complex, 30 to 50 percent slopes, stony
34F	Ashe and Edneyville soils, 25 to 50 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
44F	Chestnut-Buladean complex, 50 to 95 percent slopes, stony	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
70F	Ashe fine sandy loam, 25 to 60 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
70F1	Ashe soils, 50 to 80 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
ChG	Chestnut-Buladean complex, 50 to 95 percent slopes, stony	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
EsF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	ChF	Chestnut-Buladean complex, 50 to 95 percent slopes, stony
34D	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony	CkD	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony
34D	Edneyville loam, 15 to 25 percent slopes	CkD	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CkD	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony
CKE	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony	CkD	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CkD	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	CkD	Chestnut-Edneyville complex, 15 to 30 percent slopes, stony
34E	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony	CkE	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony
72F	Chandler and Fannin soils, 30 to 50 percent slopes	CkE	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	CkE	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony
CKF	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony	CkE	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	CkE	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	CkE	Chestnut-Edneyville complex, 30 to 50 percent slopes, stony
812F	Clingman-Craggey-Rock outcrop complex, windswept, 15 to 95 percent slopes, extremely bouldery	CmF	Clingman-Craggey-Rock outcrop complex, windswept, 15 to 95 percent slopes, extremely bouldery
BtF	Burton stony loam, 25 to 40 percent slopes	CmF	Clingman-Craggey-Rock outcrop complex, windswept, 15 to 95 percent slopes, extremely bouldery
4	Chewacla loam	CnA	Codorus loam, 0 to 2 percent slopes, frequently flooded
4A	Codorus loam, 0 to 2 percent slopes, frequently flooded	CnA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Cm	Chewacla loam, occasionally flooded	CnA	Codorus loam, 0 to 2 percent slopes, frequently flooded
CvA	Codorus loam, 0 to 2 percent slopes, occasionally flooded	CnA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Cw	Chewacla loam, occasionally flooded	CnA	Codorus loam, 0 to 2 percent slopes, frequently flooded
37D	Evard fine sandy loam, 15 to 25 percent slopes	CoD	Cowee-Saluda complex, 15 to 30 percent slopes, stony
77D	Cowee-Saluda complex, 15 to 30 percent slopes, stony	CoD	Cowee-Saluda complex, 15 to 30 percent slopes, stony
77E	Cowee-Saluda complex, 30 to 60 percent slopes, stony	CoE	Cowee-Saluda complex, 30 to 50 percent slopes, stony
77F	Evard and Saluda soils, 25 to 60 percent slopes	CoE	Cowee-Saluda complex, 30 to 50 percent slopes, stony
ESF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	CoE	Cowee-Saluda complex, 30 to 50 percent slopes, stony
EsF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	CoE	Cowee-Saluda complex, 30 to 50 percent slopes, stony
68E	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony	CrE	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony
70F	Ashe fine sandy loam, 25 to 60 percent slopes	CrE	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
70F1	Ashe soils, 50 to 80 percent slopes	CrE	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	CrE	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	CrE	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	CrE	Crossnore-Jeffrey complex, 30 to 50 percent slopes, very stony
96D	Cullasaja cobbly loam, 15 to 30 percent slopes, extremely bouldery	CtD	Cullasaja cobbly loam, 15 to 30 percent slopes, extremely bouldery
BtE	Brevard, Tate and Tusquitee soils, 10 to 35 percent slopes	CtD	Cullasaja cobbly loam, 15 to 30 percent slopes, extremely bouldery
TaE	Tate fine sandy loam, 8 to 25 percent slopes	CtD	Cullasaja cobbly loam, 15 to 30 percent slopes, extremely bouldery
96E	Cullasaja cobbly loam, 30 to 50 percent slopes, extremely bouldery	CtE	Cullasaja cobbly loam, 30 to 50 percent slopes, extremely bouldery
22B	Masada loam, 2 to 8 percent slopes	DaB2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded
22B2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded	DaB2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded
DaB	Danripple loam, 2 to 8 percent slopes	DaB2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded
MaB	Masada loam, 2 to 8 percent slopes	DaB2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded
22C	Masada loam, 8 to 15 percent slopes	DaC2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded
22C2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded	DaC2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded
DaD	Danripple loam, 8 to 15 percent slopes	DaC2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded
MaD	Masada loam, 8 to 15 percent slopes	DaC2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded
DAM	Dam	DAM	Dam
6	Urban land-Masada complex, 2 to 15 percent slopes	DcC2	Danripple-Urban land complex, 2 to 15 percent slopes, moderately eroded
6C	Danripple-Urban land complex, 2 to 15 percent slopes, moderately eroded	DcC2	Danripple-Urban land complex, 2 to 15 percent slopes, moderately eroded
UmC	Urban land-Danripple complex, 2 to 15 percent slopes	DcC2	Danripple-Urban land complex, 2 to 15 percent slopes, moderately eroded
UmC	Urban land-Masada complex, 2 to 15 percent slopes	DcC2	Danripple-Urban land complex, 2 to 15 percent slopes, moderately eroded

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
13	Congaree fine sandy loam	DoA	Dan River-Comus complex, 0 to 3 percent slopes, occasionally flooded
13A	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded	DoA	Dan River-Comus complex, 0 to 3 percent slopes, occasionally flooded
Co	Congaree fine sandy loam, occasionally flooded	DoA	Dan River-Comus complex, 0 to 3 percent slopes, occasionally flooded
DvA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded	DoA	Dan River-Comus complex, 0 to 3 percent slopes, occasionally flooded
54B	Altavista fine sandy loam, 2 to 8 percent slopes	DrB	Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded
54B1	Dogue fine sandy loam, 2 to 8 percent slopes	DrB	Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded
DoB	Dogue fine sandy loam, 2 to 8 percent slopes	DrB	Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded
M54B	Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded	DrB	Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded
373C	Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony	EdC	Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	EdC	Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	EdC	Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	EdC	Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony
373D	Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony	EdD	Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	EdD	Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	EdD	Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	EdD	Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony
70E	Ashe soils, 25 to 50 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
70F	Ashe fine sandy loam, 25 to 60 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
70F1	Ashe soils, 50 to 80 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
373E	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
EaF	Evard fine sandy loam, 25 to 50 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
ESF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	EdE	Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony
37C	Evard-Cowee complex, 8 to 15 percent slopes, stony	EvC	Evard-Cowee complex, 8 to 15 percent slopes, stony
37D	Evard-Cowee complex, 15 to 30 percent slopes, stony	EvD	Evard-Cowee complex, 15 to 30 percent slopes, stony
37D	Evard fine sandy loam, 15 to 25 percent slopes	EvD	Evard-Cowee complex, 15 to 30 percent slopes, stony
EaE	Evard loam, 15 to 30 percent slopes, stony	EvD	Evard-Cowee complex, 15 to 30 percent slopes, stony
EaE	Evard fine sandy loam, 15 to 25 percent slopes	EvD	Evard-Cowee complex, 15 to 30 percent slopes, stony
37E	Evard-Cowee complex, 30 to 60 percent slopes, stony	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
37F	Evard fine sandy loam, 25 to 50 percent slopes	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
77F	Evard and Saluda soils, 25 to 60 percent slopes	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
EaF	Evard loam, 30 to 50 percent slopes, stony	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
EaF	Evard fine sandy loam, 25 to 50 percent slopes	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
ESF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
ESF	Evard-Cowee complex, 25 to 60 percent slopes, stony	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
EsF	Evard and Saluda fine sandy loams, 25 to 60 percent slopes	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
PaF	Pacolet fine sandy loam, 25 to 40 percent slopes	EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony
30B2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
31B	Cecil sandy loam, 2 to 8 percent slopes	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
31B2	Cecil clay loam, 2 to 8 percent slopes, eroded	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
32B2	Cecil sandy clay loam, 2 to 8 percent slopes	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
32B21	Cecil clay loam, 2 to 8 percent slopes, eroded	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
CeB2	Cecil sandy loam, 2 to 8 percent slopes, eroded	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
CmB2	Clifford sandy loam, 2 to 8 percent slopes, moderately eroded	FaB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
30C2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
31C	Cecil sandy loam, 8 to 15 percent slopes	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
31C2	Cecil clay loam, 8 to 15 percent slopes	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
32C2	Cecil sandy clay loam, 8 to 15 percent slopes	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
32C21	Cecil clay loam, 8 to 15 percent slopes, eroded	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CeD2	Cecil sandy loam, 8 to 15 percent slopes, eroded	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CmD2	Clifford sandy loam, 8 to 15 percent slopes, moderately eroded	FaC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
30D	Pacolet fine sandy loam, 8 to 15 percent slopes	FaD2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
30D2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded	FaD2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
FaE	Fairview fine sandy loam, 15 to 25 percent slopes	FaD2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
PaE	Pacolet fine sandy loam, 15 to 25 percent slopes	FaD2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
3B	Cecil-Urban land complex, 2 to 8 percent slopes	FeB	Fairview-Urban land complex, 2 to 8 percent slopes, moderately eroded
3B	Fairview-Urban land complex, 2 to 8 percent slopes, moderately eroded	FeB	Fairview-Urban land complex, 2 to 8 percent slopes, moderately eroded
CfB2	Cecil-Urban land complex, 2 to 8 percent slopes, eroded	FeB	Fairview-Urban land complex, 2 to 8 percent slopes, moderately eroded
CuB	Cecil-Urban land complex, 2 to 8 percent slopes	FeB	Fairview-Urban land complex, 2 to 8 percent slopes, moderately eroded
CuB2	Clifford-Urban land complex, 2 to 8 percent slopes, moderately eroded	FeB	Fairview-Urban land complex, 2 to 8 percent slopes, moderately eroded
3C	Cecil-Urban land complex, 8 to 15 percent slopes	FeC2	Fairview-Urban land complex, 8 to 15 percent slopes, moderately eroded
3C	Fairview-Urban land complex, 8 to 15 percent slopes, moderately eroded	FeC2	Fairview-Urban land complex, 8 to 15 percent slopes, moderately eroded
CfD2	Cecil-Urban land complex, 8 to 15 percent slopes, eroded	FeC2	Fairview-Urban land complex, 8 to 15 percent slopes, moderately eroded

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
CuD2	Cecil-Urban land complex, 8 to 15 percent slopes, eroded	FeC2	Fairview-Urban land complex, 8 to 15 percent slopes, moderately eroded
CuD2	Clifford-Urban land complex, 8 to 15 percent slopes, moderately eroded	FeC2	Fairview-Urban land complex, 8 to 15 percent slopes, moderately eroded
3D	Fairview-Urban land complex, 15 to 25 percent slopes, moderately eroded	FeD2	Fairview-Urban land complex, 15 to 25 percent slopes, moderately eroded
30D	Pacolet fine sandy loam, 8 to 15 percent slopes	FeD2	Fairview-Urban land complex, 15 to 25 percent slopes, moderately eroded
PaE	Pacolet fine sandy loam, 15 to 25 percent slopes	FeD2	Fairview-Urban land complex, 15 to 25 percent slopes, moderately eroded
13	Congaree fine sandy loam	FoB	Fontaflora-Ostin complex, 0 to 5 percent slopes, flooded
50B	Fontaflora-Ostin complex, 0 to 5 percent slopes, flooded	FoB	Fontaflora-Ostin complex, 0 to 5 percent slopes, flooded
Bn	Buncombe loamy sand, frequently flooded	FoB	Fontaflora-Ostin complex, 0 to 5 percent slopes, flooded
185E	Greenlee very cobbly sandy loam, 30 to 50 percent slopes, extremely bouldery	GcE	Greenlee very cobbly sandy loam, 30 to 50 percent slopes, extremely bouldery
121E	Greenlee-Tate complex, 30 to 50 percent slopes, extremely stony	GrE	Greenlee-Tate complex, 30 to 50 percent slopes, extremely stony
125D	Greenlee-Tate-Ostin complex, 1 to 15 percent slopes, extremely stony	GtC	Greenlee-Tate, rarely flooded-Ostin, frequently flooded complex, 1 to 15 percent slopes, extremely stony
86	Wehadkee loam	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
86A	Hatboro loam, 0 to 2 percent slopes, frequently flooded	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
Wk	Wehadkee loam, frequently flooded	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
32C	Hayesville fine sandy loam, 8 to 15 percent slopes	HeC	Hayesville loam, 8 to 15 percent slopes
32C	Hayesville loam, 8 to 15 percent slopes	HeC	Hayesville loam, 8 to 15 percent slopes
CeD2	Cecil sandy loam, 8 to 15 percent slopes, eroded	HeC	Hayesville loam, 8 to 15 percent slopes
HaD	Hayesville fine sandy loam, 8 to 15 percent slopes	HeC	Hayesville loam, 8 to 15 percent slopes
HsD	Hayesville fine sandy loam, 8 to 15 percent slopes	HeC	Hayesville loam, 8 to 15 percent slopes
30D	Pacolet fine sandy loam, 8 to 15 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes
32D	Hayesville loam, 15 to 30 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes
32D	Hayesville fine sandy loam, 15 to 25 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes
FaE	Fairview fine sandy loam, 15 to 25 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes
HaE	Hayesville fine sandy loam, 15 to 25 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes
HsE	Hayesville fine sandy loam, 15 to 25 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
PaE	Pacolet fine sandy loam, 15 to 25 percent slopes	HeD	Hayesville loam, 15 to 30 percent slopes
66C	Talapoosa gravelly sandy loam, 8 to 15 percent slopes	HwC	Hibriten-Woolwine complex, 8 to 15 percent slopes
66C	Hibriten-Woolwine complex, 8 to 15 percent slopes	HwC	Hibriten-Woolwine complex, 8 to 15 percent slopes
HbD	Hibriten very cobbly sandy loam, 8 to 15 percent slopes	HwC	Hibriten-Woolwine complex, 8 to 15 percent slopes
HtD	Hibriten very cobbly sandy loam, 8 to 15 percent slopes	HwC	Hibriten-Woolwine complex, 8 to 15 percent slopes
66E	Hibriten-Woolwine complex, 15 to 60 percent slopes	HwF	Hibriten-Woolwine complex, 15 to 50 percent slopes
66F	Talapoosa gravelly sandy loam, 15 to 60 percent slopes	HwF	Hibriten-Woolwine complex, 15 to 50 percent slopes
HbF	Hibriten very cobbly sandy loam, 15 to 60 percent slopes	HwF	Hibriten-Woolwine complex, 15 to 50 percent slopes
HtF	Hibriten very cobbly sandy loam, 15 to 60 percent slopes	HwF	Hibriten-Woolwine complex, 15 to 50 percent slopes
88	Roanoke loam	KnA	Kinkora loam, 0 to 2 percent slopes, rarely flooded
88A	Kinkora loam, 0 to 2 percent slopes, rarely flooded	KnA	Kinkora loam, 0 to 2 percent slopes, rarely flooded
KnA	Kinkora loam, 0 to 2 percent slopes, rarely flooded	KnA	Kinkora loam, 0 to 2 percent slopes, rarely flooded
Ro	Roanoke loam	KnA	Kinkora loam, 0 to 2 percent slopes, rarely flooded
171E	Northcove very cobbly loam, 30 to 50 percent slopes, extremely bouldery	NnE	Northcove very cobbly loam, 30 to 50 percent slopes, extremely bouldery
175D	Northcove-Maymead complex, 15 to 30 percent slopes, extremely stony	NoD	Northcove-Maymead complex, 15 to 30 percent slopes, extremely stony
TaE	Tate fine sandy loam, 8 to 25 percent slopes	NoD	Northcove-Maymead complex, 15 to 30 percent slopes, extremely stony
64	Buncombe cobbly loamy coarse sand	OsB	Ostin-Udifluents complex, 0 to 5 percent slopes, frequently flooded
64B	Ostin-Udifluents complex, 0 to 5 percent slopes, frequently flooded	OsB	Ostin-Udifluents complex, 0 to 5 percent slopes, frequently flooded
OsB	Ostin very cobbly loamy sand, 0 to 5 percent slopes, frequently flooded	OsB	Ostin-Udifluents complex, 0 to 5 percent slopes, frequently flooded
Po	Potomac very cobbly loamy sand, frequently flooded	OsB	Ostin-Udifluents complex, 0 to 5 percent slopes, frequently flooded
17	State loam, 2 to 8 percent slopes	PaB	Pfafftown loam, 2 to 6 percent slopes, rarely flooded
17B	Pfafftown loam, 2 to 8 percent slopes, rarely flooded	PaB	Pfafftown loam, 2 to 6 percent slopes, rarely flooded
PaB	Pfafftown loam, 2 to 8 percent slopes, rarely flooded	PaB	Pfafftown loam, 2 to 6 percent slopes, rarely flooded
SeB	State loam, 2 to 8 percent slopes	PaB	Pfafftown loam, 2 to 6 percent slopes, rarely flooded
67D	Pineola gravelly loam, 15 to 30 percent slopes, stony	PnD	Pineola gravelly loam, 15 to 30 percent slopes, stony
55	Pits, quarry	Qu	Pits, quarry

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
Pt	Pits, quarry	Qu	Pits, quarry
Pt	Pits, quarries	Qu	Pits, quarry
QU	Quarries	Qu	Pits, quarry
29D	Rhodhiss fine sandy loam, 15 to 25 percent slopes	RhD	Rhodhiss sandy loam, 15 to 25 percent slopes
35D	Rion sandy loam, 15 to 25 percent slopes	RhD	Rhodhiss sandy loam, 15 to 25 percent slopes
RnE	Rhodhiss sandy loam, 15 to 25 percent slopes	RhD	Rhodhiss sandy loam, 15 to 25 percent slopes
RnE	Rion sandy loam, 15 to 25 percent slopes	RhD	Rhodhiss sandy loam, 15 to 25 percent slopes
29E	Rhodhiss fine sandy loam, 25 to 50 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
30F	Pacolet fine sandy loam, 15 to 25 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
35F	Rion sandy loam, 25 to 45 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
FaF	Fairview fine sandy loam, 25 to 45 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
PaF	Pacolet fine sandy loam, 25 to 40 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
RnF	Rhodhiss sandy loam, 25 to 45 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
RnF	Rion sandy loam, 25 to 40 percent slopes	RhE	Rhodhiss sandy loam, 25 to 45 percent slopes
65	Buncombe loamy sand	RoB	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded
65B	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded	RoB	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded
Bn	Buncombe loamy sand, frequently flooded	RoB	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded
RoB	Ronda loamy sand, 0 to 5 percent slopes, frequently flooded	RoB	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded
385D	Soco-Ditney complex, 15 to 30 percent slopes, very stony	SoD	Soco-Ditney complex, 15 to 30 percent slopes, very stony
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	SoD	Soco-Ditney complex, 15 to 30 percent slopes, very stony
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	SoD	Soco-Ditney complex, 15 to 30 percent slopes, very stony
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	SoD	Soco-Ditney complex, 15 to 30 percent slopes, very stony
70E	Ashe soils, 25 to 50 percent slopes	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony
70F	Ashe fine sandy loam, 25 to 60 percent slopes	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony
70F1	Ashe soils, 50 to 80 percent slopes	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony
385E	Soco-Ditney complex, 30 to 50 percent slopes, very stony	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	SoE	Soco-Ditney complex, 30 to 50 percent slopes, very stony

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
70E	Ashe soils, 25 to 50 percent slopes	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
70F	Ashe fine sandy loam, 25 to 60 percent slopes	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
70F1	Ashe soils, 50 to 80 percent slopes	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
385F	Soco-Ditney complex, 50 to 95 percent slopes, very stony	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	SoF	Soco-Ditney complex, 50 to 95 percent slopes, very stony
M17B	Statler loam, 2 to 8 percent slopes, rarely flooded	StB	Statler loam, 2 to 8 percent slopes, rarely flooded
SeB	State loam, 2 to 8 percent slopes	StB	Statler loam, 2 to 8 percent slopes, rarely flooded
10B	Tate fine sandy loam, 2 to 8 percent slopes	TaB	Tate fine sandy loam, 2 to 8 percent slopes
10C	Tate fine sandy loam, 2 to 10 percent slopes	TaB	Tate fine sandy loam, 2 to 8 percent slopes
MaB	Masada loam, 2 to 8 percent slopes	TaB	Tate fine sandy loam, 2 to 8 percent slopes
TaB	Tate fine sandy loam, 2 to 8 percent slopes	TaB	Tate fine sandy loam, 2 to 8 percent slopes
TaD	Tate fine sandy loam, 2 to 10 percent slopes	TaB	Tate fine sandy loam, 2 to 8 percent slopes
10D	Tate fine sandy loam, 8 to 30 percent slopes	TaD	Tate fine sandy loam, 8 to 30 percent slopes
10D	Brevard, Tate and Tusquitee soils, 10 to 35 percent slopes	TaD	Tate fine sandy loam, 8 to 30 percent slopes
BtE	Brevard, Tate and Tusquitee soils, 10 to 35 percent slopes	TaD	Tate fine sandy loam, 8 to 30 percent slopes
MaD	Masada loam, 8 to 15 percent slopes	TaD	Tate fine sandy loam, 8 to 30 percent slopes
TaE	Tate fine sandy loam, 8 to 25 percent slopes	TaD	Tate fine sandy loam, 8 to 30 percent slopes
10C	Tate fine sandy loam, 2 to 10 percent slopes	TfC	Tate-French, occasionally flooded complex, 2 to 10 percent slopes
16B	Tate-French complex, 2 to 10 percent slopes, occasionally flooded	TfC	Tate-French, occasionally flooded complex, 2 to 10 percent slopes
MaD	Masada loam, 8 to 15 percent slopes	TfC	Tate-French, occasionally flooded complex, 2 to 10 percent slopes
10D	Brevard, Tate and Tusquitee soils, 10 to 35 percent slopes	TgD	Tate-Greenlee complex, 15 to 30 percent slopes, very stony
121D	Tate-Greenlee complex, 15 to 30 percent slopes, very stony	TgD	Tate-Greenlee complex, 15 to 30 percent slopes, very stony
BtE	Brevard, Tate and Tusquitee soils, 10 to 35 percent slopes	TgD	Tate-Greenlee complex, 15 to 30 percent slopes, very stony
TaE	Tate fine sandy loam, 8 to 25 percent slopes	TgD	Tate-Greenlee complex, 15 to 30 percent slopes, very stony
60E	Udorthents, loamy, 2 to 50 percent slopes	UdE	Udorthents, sanitary landfill, 2 to 25 percent slopes
2B	Udorthents-Urban land complex, 0 to 15 percent slopes	UeC	Udorthents-Urban land complex, 0 to 15 percent slopes

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
91D	Unaka-Porters complex, 15 to 30 percent slopes, very rocky	UkD	Unaka-Porters complex, 15 to 30 percent slopes, very rocky
CHE	Chestnut and Edneyville soils, 15 to 25 percent slopes	UkD	Unaka-Porters complex, 15 to 30 percent slopes, very rocky
CKE	Chestnut and Edneyville soils, 15 to 25 percent slopes	UkD	Unaka-Porters complex, 15 to 30 percent slopes, very rocky
CkE	Chestnut and Edneyville soils, 15 to 25 percent slopes	UkD	Unaka-Porters complex, 15 to 30 percent slopes, very rocky
70E	Ashe soils, 25 to 50 percent slopes	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
70F	Ashe fine sandy loam, 25 to 60 percent slopes	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
70F1	Ashe soils, 50 to 80 percent slopes	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
91E	Unaka-Porters complex, 30 to 50 percent slopes, very rocky	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	UkE	Unaka-Porters complex, 30 to 50 percent slopes, very rocky
70F	Ashe fine sandy loam, 25 to 60 percent slopes	UkF	Unaka-Porters complex, 50 to 95 percent slopes, very rocky
70F1	Ashe soils, 50 to 80 percent slopes	UkF	Unaka-Porters complex, 50 to 95 percent slopes, very rocky
91F	Unaka-Porters complex, 50 to 95 percent slopes, very rocky	UkF	Unaka-Porters complex, 50 to 95 percent slopes, very rocky
CHF	Chestnut and Edneyville soils, 25 to 50 percent slopes	UkF	Unaka-Porters complex, 50 to 95 percent slopes, very rocky
CKF	Chestnut and Edneyville soils, 25 to 50 percent slopes	UkF	Unaka-Porters complex, 50 to 95 percent slopes, very rocky
CkF	Chestnut and Edneyville soils, 25 to 50 percent slopes	UkF	Unaka-Porters complex, 50 to 95 percent slopes, very rocky
1	Urban land, 0 to 15 percent slopes	UrC	Urban land, 0 to 15 percent slopes
5	Urban land-Arents complex	UuB	Urban land-Udorthents complex, 0 to 6 percent slopes, occasionally flooded
5B	Urban land-Udorthents complex, 0 to 6 percent slopes, occasionally flooded	UuB	Urban land-Udorthents complex, 0 to 6 percent slopes, occasionally flooded
UaB	Urban land-Arents complex, occasionally flooded	UuB	Urban land-Udorthents complex, 0 to 6 percent slopes, occasionally flooded
W	Water	W	Water

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
W	Water	W	Water
31B	Cecil sandy loam, 2 to 8 percent slopes	WoB	Woolwine-Fairview complex, 2 to 8 percent slopes
31B2	Cecil clay loam, 2 to 8 percent slopes, eroded	WoB	Woolwine-Fairview complex, 2 to 8 percent slopes
32B2	Cecil sandy clay loam, 2 to 8 percent slopes	WoB	Woolwine-Fairview complex, 2 to 8 percent slopes
32B21	Cecil clay loam, 2 to 8 percent slopes, eroded	WoB	Woolwine-Fairview complex, 2 to 8 percent slopes
33B2	Woolwine-Fairview complex, 2 to 8 percent slopes, moderately eroded	WoB	Woolwine-Fairview complex, 2 to 8 percent slopes
CeB2	Cecil sandy loam, 2 to 8 percent slopes, eroded	WoB	Woolwine-Fairview complex, 2 to 8 percent slopes
3C	Cecil-Urban land complex, 8 to 15 percent slopes	WoC	Woolwine-Fairview complex, 8 to 15 percent slopes
33C2	Woolwine-Fairview complex, 8 to 15 percent slopes, moderately eroded	WoC	Woolwine-Fairview complex, 8 to 15 percent slopes
CfD2	Cecil-Urban land complex, 8 to 15 percent slopes, eroded	WoC	Woolwine-Fairview complex, 8 to 15 percent slopes
CuD2	Clifford-Urban land complex, 8 to 15 percent slopes, moderately eroded	WoC	Woolwine-Fairview complex, 8 to 15 percent slopes
CuD2	Cecil-Urban land complex, 8 to 15 percent slopes, eroded	WoC	Woolwine-Fairview complex, 8 to 15 percent slopes
30D	Pacolet fine sandy loam, 8 to 15 percent slopes	WoD	Woolwine-Fairview complex, 15 to 25 percent slopes
33D2	Woolwine-Fairview complex, 15 to 25 percent slopes, moderately eroded	WoD	Woolwine-Fairview complex, 15 to 25 percent slopes
PaE	Pacolet fine sandy loam, 15 to 25 percent slopes	WoD	Woolwine-Fairview complex, 15 to 25 percent slopes
3B	Cecil-Urban land complex, 2 to 8 percent slopes	WuB	Woolwine-Fairview-Urban land complex, 2 to 8 percent slopes
31B	Woolwine-Fairview-Urban land complex, 2 to 8 percent slopes	WuB	Woolwine-Fairview-Urban land complex, 2 to 8 percent slopes
CfB2	Cecil-Urban land complex, 2 to 8 percent slopes, eroded	WuB	Woolwine-Fairview-Urban land complex, 2 to 8 percent slopes
CuB	Cecil-Urban land complex, 2 to 8 percent slopes	WuB	Woolwine-Fairview-Urban land complex, 2 to 8 percent slopes
CuB2	Clifford-Urban land complex, 2 to 8 percent slopes, moderately eroded	WuB	Woolwine-Fairview-Urban land complex, 2 to 8 percent slopes
3C	Cecil-Urban land complex, 8 to 15 percent slopes	WuC	Woolwine-Fairview-Urban land complex, 8 to 15 percent slopes
31C	Woolwine-Fairview-Urban land complex, 8 to 15 percent slopes	WuC	Woolwine-Fairview-Urban land complex, 8 to 15 percent slopes
CfD2	Cecil-Urban land complex, 8 to 15 percent slopes, eroded	WuC	Woolwine-Fairview-Urban land complex, 8 to 15 percent slopes
CuD2	Cecil-Urban land complex, 8 to 15 percent slopes, eroded	WuC	Woolwine-Fairview-Urban land complex, 8 to 15 percent slopes

Correlation of Caldwell County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Field Name or Previously Published Map Unit Name	Publication Symbol	Published Map Unit Name
CuD2	Clifford-Urban land complex, 8 to 15 percent slopes, moderately eroded	WuC	Woolwine-Fairview-Urban land complex, 8 to 15 percent slopes
30D	Pacolet fine sandy loam, 8 to 15 percent slopes	WuD	Woolwine-Fairview-Urban land complex, 15 to 25 percent slopes
31D	Woolwine-Fairview-Urban land complex, 15 to 25 percent slopes	WuD	Woolwine-Fairview-Urban land complex, 15 to 25 percent slopes
PaE	Pacolet fine sandy loam, 15 to 25 percent slopes	WuD	Woolwine-Fairview-Urban land complex, 15 to 25 percent slopes
23B	Hiwassee loam, 2 to 8 percent slopes	YaB2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded
23B1	Davidson clay loam, 2 to 8 percent slopes	YaB2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded
23B2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded	YaB2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded
DnB	Davidson clay loam, 2 to 8 percent slopes	YaB2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded
YaB2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded	YaB2	Yadkin clay loam, 2 to 8 percent slopes, moderately eroded
23C	Hiwassee loam, 8 to 15 percent slopes	YaC2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded
23C1	Davidson clay loam, 8 to 15 percent slopes	YaC2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded
23C2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded	YaC2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded
DnD	Davidson clay loam, 8 to 15 percent slopes	YaC2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded
YaD2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded	YaC2	Yadkin clay loam, 8 to 15 percent slopes, moderately eroded