

Correlation of Forsyth County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
AlB	Altavista fine sandy loam, 1 to 6 percent slopes	AlB	Altavista fine sandy loam, 0 to 6 percent slopes, rarely flooded
ApB	Appling sandy loam, 2 to 6 percent slopes	ApB	Appling sandy loam, 2 to 6 percent slopes
ApC	Appling sandy loam, 6 to 10 percent slopes	ApC	Appling sandy loam, 6 to 10 percent slopes
TaF	Tallapoosa fine sandy loam, 15 to 45 percent slopes	AsF	Ashlar-Rion complex, 15 to 45 percent slopes
AlB	Altavista fine sandy loam, 1 to 6 percent slopes	BaB	Banister fine sandy loam, 0 to 6 percent slopes, rarely flooded
LwE	Louisburg-Wedowee complex, 15 to 25 percent slopes	BtE	Bannertown-Toast complex, 15 to 25 percent slopes
VaB	Vance sandy loam, 2 to 6 percent slopes	CaB	Casville sandy loam, 2 to 6 percent slopes
VaC	Vance sandy loam, 6 to 10 percent slopes	CaC	Casville sandy loam, 6 to 10 percent slopes
VaD	Vance sandy loam, 10 to 15 percent slopes	CaD	Casville sandy loam, 10 to 15 percent slopes
CcB	Cecil sandy loam, 2 to 6 percent slopes	CcB	Cecil sandy loam, 2 to 6 percent slopes
CcC	Cecil sandy loam, 6 to 10 percent slopes	CcC	Cecil sandy loam, 6 to 10 percent slopes
CeC2	Cecil clay loam, 6 to 10 percent slopes, eroded	CeC2	Cecil clay loam, 6 to 10 percent slopes, moderately eroded
Ch	Chewacla loam	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
CcB	Cecil sandy loam, 2 to 6 percent slopes	ClB	Clifford sandy loam, 2 to 6 percent slopes
CcC	Cecil sandy loam, 6 to 10 percent slopes	ClC	Clifford sandy loam, 6 to 10 percent slopes
CcD	Cecil sandy loam, 10 to 15 percent slopes	ClD	Clifford sandy loam, 10 to 15 percent slopes
CeB2	Cecil clay loam, 2 to 6 percent slopes, eroded	CmB2	Clifford clay loam, 2 to 6 percent slopes, moderately eroded
CeC2	Cecil clay loam, 6 to 10 percent slopes, eroded	CmC2	Clifford clay loam, 6 to 10 percent slopes, moderately eroded
Co	Congaree complex	CnA	Congaree loam, 0 to 2 percent slopes, frequently flooded
Ch	Chewacla loam	CoA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Co	Congaree complex	DaA	Dan River loam, 0 to 2 percent slopes, frequently flooded
EnB	Enon fine sandy loam, 2 to 6 percent slopes	EnB	Enon fine sandy loam, 2 to 6 percent slopes
EnC	Enon fine sandy loam, 6 to 10 percent slopes	EnC	Enon fine sandy loam, 6 to 10 percent slopes
PaB	Pacolet fine sandy loam, 2 to 6 percent slopes	FaB	Fairview fine sandy loam, 2 to 6 percent slopes
PaC	Pacolet fine sandy loam, 6 to 10 percent slopes	FaC	Fairview fine sandy loam, 6 to 10 percent slopes

Correlation of Forsyth County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
PaD	Pacolet fine sandy loam, 10 to 15 percent slopes	FaD	Fairview fine sandy loam, 10 to 15 percent slopes
PaF	Pacolet fine sandy loam, 15 to 45 percent slopes	FaF	Fairview fine sandy loam, 15 to 45 percent slopes
PcB2	Pacolet clay loam, 2 to 6 percent slopes, eroded	FcB2	Fairview clay loam, 2 to 6 percent slopes, moderately eroded
PcC2	Pacolet clay loam, 6 to 10 percent slopes, eroded	FcC2	Fairview clay loam, 6 to 10 percent slopes, moderately eroded
PcD2	Pacolet clay loam, 10 to 15 percent slopes, eroded	FcD2	Fairview clay loam, 10 to 15 percent slopes, moderately eroded
PcC3	Pacolet clay loam, 6 to 10 percent slopes, severely eroded	FeC3	Fairview clay loam, 6 to 10 percent slopes, severely eroded
PeE3	Pacolet complex, 10 to 25 percent slopes, severely eroded	FeE3	Fairview clay loam, 10 to 25 percent slopes, severely eroded
PuC	Pacolet-Urban land complex, 2 to 10 percent slopes	FfC	Fairview-Urban land complex, 2 to 10 percent slopes
PuE	Pacolet-Urban land complex, 10 to 25 percent slopes	FfE	Fairview-Urban land complex, 10 to 25 percent slopes
---	---	Gu	Gullied land
Wh	Wehadkee soils	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
HlB	Hiwassee loam, 2 to 6 percent slopes	HlB	Hiwassee loam, 2 to 6 percent slopes
HmC2	Hiwassee clay loam, 6 to 10 percent slopes, eroded	HmC2	Hiwassee clay loam, 6 to 10 percent slopes, eroded
IrB	Iredell fine sandy loam, 2 to 6 percent slopes	JkB	Jackland fine sandy loam, 2 to 6 percent slopes
MaB	Madison fine sandy loam, 2 to 6 percent slopes	MaB	Madison fine sandy loam, 2 to 6 percent slopes
MaC	Madison fine sandy loam, 6 to 10 percent slopes	MaC	Madison fine sandy loam, 6 to 10 percent slopes
MaD	Madison fine sandy loam, 10 to 15 percent slopes	MaD	Madison fine sandy loam, 10 to 15 percent slopes
MCC2	Madison clay loam, 6 to 10 percent slopes, eroded	MCC2	Madison clay loam, 6 to 10 percent slopes, moderately eroded
MeB	Mecklenburg loam, dark surface variant, 2 to 6 percent slopes	MeB	Mecklenburg loam, dark surface, 2 to 6 percent slopes
MeC	Mecklenburg loam, dark surface variant, 6 to 10 percent slopes	MeC	Mecklenburg loam, dark surface, 6 to 10 percent slopes
ApB	Appling sandy loam, 2 to 6 percent slopes	NaB	Nathalie sandy loam, 2 to 6 percent slopes
ApC	Appling sandy loam, 6 to 10 percent slopes	NaC	Nathalie sandy loam, 6 to 10 percent slopes
MeB	Mecklenburg loam, dark surface variant, 2 to 6 percent slopes	OkB	Oak Level loam, dark surface, 2 to 6 percent slopes

Correlation of Forsyth County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
MeC	Mecklenburg loam, dark surface variant, 6 to 10 percent slopes	OkC	Oak Level loam, dark surface, 6 to 10 percent slopes
MeD	Mecklenburg loam, dark surface variant, 10 to 15 percent slopes	OkD	Oak Level loam, dark surface, 10 to 15 percent slopes
PaB	Pacolet fine sandy loam, 2 to 6 percent slopes	PaB	Pacolet fine sandy loam, 2 to 6 percent slopes
PaC	Pacolet fine sandy loam, 6 to 10 percent slopes	PaC	Pacolet fine sandy loam, 6 to 10 percent slopes
PaD	Pacolet fine sandy loam, 10 to 15 percent slopes	PaD	Pacolet fine sandy loam, 10 to 15 percent slopes
PaF	Pacolet fine sandy loam, 15 to 45 percent slopes	PaF	Pacolet fine sandy loam, 15 to 45 percent slopes
PcB2	Pacolet clay loam, 2 to 6 percent slopes, eroded	PcB2	Pacolet clay loam, 2 to 6 percent slopes, moderately eroded
PcC2	Pacolet clay loam, 6 to 10 percent slopes, eroded	PcC2	Pacolet clay loam, 6 to 10 percent slopes, moderately eroded
PcD2	Pacolet clay loam, 10 to 15 percent slopes, eroded	PcD2	Pacolet clay loam, 10 to 15 percent slopes, moderately eroded
PcF2	Pacolet clay loam, 15 to 45 percent slopes, eroded	PcF2	Pacolet clay loam, 15 to 45 percent slopes, moderately eroded
PcC3	Pacolet clay loam, 6 to 10 percent slopes, severely eroded	PeC3	Pacolet clay loam, 6 to 10 percent slopes, severely eroded
PeE3	Pacolet complex, 10 to 25 percent slopes, severely eroded	PeE3	Pacolet clay loam, 10 to 25 percent slopes, severely eroded
MaB	Madison fine sandy loam, 2 to 6 percent slopes	PoB	Poplar Forest fine sandy loam, 2 to 6 percent slopes
MaC	Madison fine sandy loam, 6 to 10 percent slopes	PoC	Poplar Forest fine sandy loam, 6 to 10 percent slopes
MaD	Madison fine sandy loam, 10 to 15 percent slopes	PoD	Poplar Forest fine sandy loam, 10 to 15 percent slopes
MaF	Madison fine sandy loam, 15 to 45 percent slopes	PoF	Poplar Forest fine sandy loam, 15 to 45 percent slopes
McB2	Madison clay loam, 2 to 6 percent slopes, eroded	PpB2	Poplar Forest clay loam, 2 to 6 percent slopes, moderately eroded
Mcc2	Madison clay loam, 6 to 10 percent slopes, eroded	PpC2	Poplar Forest clay loam, 6 to 10 percent slopes, moderately eroded
Mcd2	Madison clay loam, 10 to 15 percent slopes, eroded	PpD2	Poplar Forest clay loam, 10 to 15 percent slopes, moderately eroded
QU	Quarry	Pt	Pits, quarry
EnB	Enon fine sandy loam, 2 to 6 percent slopes	RaB	Rasalo fine sandy loam, 2 to 6 percent slopes
EnC	Enon fine sandy loam, 6 to 10 percent slopes	RaC	Rasalo fine sandy loam, 6 to 10 percent slopes
EnD	Enon fine sandy loam, 10 to 15 percent slopes	RaD	Rasalo fine sandy loam, 10 to 15 percent slopes

Correlation of Forsyth County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
LoF	Louisburg loamy sand, 15 to 45 percent slopes	RoF	Rhodhiss-Bannertown complex, 15 to 45 percent slopes
LoD	Louisburg loamy sand, 6 to 15 percent slopes	RtD	Rhodhiss-Toast complex, 5 to 15 percent slopes
WlC	Wilkes soils, 6 to 10 percent slopes	SmC	Siloam sandy loam, 4 to 10 percent slopes
WlD	Wilkes soils, 10 to 15 percent slopes	SmD	Siloam sandy loam, 10 to 15 percent slopes
WlF	Wilkes soils, 15 to 45 percent slopes	SmF	Siloam sandy loam, 15 to 45 percent slopes
TaD	Tallapoosa fine sandy loam, 6 to 15 percent slopes	StD	Stott Knob fine sandy loam, 6 to 15 percent slopes
TaF	Tallapoosa fine sandy loam, 15 to 45 percent slopes	StF	Stott Knob fine sandy loam, 15 to 45 percent slopes
WdB	Wedowee sandy loam, 2 to 6 percent slopes	TcB	Toast sandy loam, 2 to 6 percent slopes
WdC	Wedowee sandy loam, 6 to 10 percent slopes	TcC	Toast sandy loam, 6 to 10 percent slopes
WdD	Wedowee sandy loam, 10 to 15 percent slopes	TcD	Toast sandy loam, 10 to 15 percent slopes
WeB	Wedowee-Louisburg complex, 2 to 6 percent slopes	TdB	Toast-Devotion complex, 2 to 6 percent slopes
WeC	Wedowee-Louisburg complex, 6 to 10 percent slopes	TdC	Toast-Devotion complex, 6 to 10 percent slopes
WeD	Wedowee-Louisburg complex, 10 to 15 percent slopes	TdD	Toast-Devotion complex, 10 to 15 percent slopes
HlB	Hiwassee loam, 2 to 6 percent slopes	TmB	Tomlin loam, 2 to 6 percent slopes
HlC	Hiwassee loam, 6 to 10 percent slopes	TmC	Tomlin loam, 6 to 10 percent slopes
HlD	Hiwassee loam, 10 to 15 percent slopes	TmD	Tomlin loam, 10 to 15 percent slopes
HlE	Hiwassee loam, 15 to 25 percent slopes	TmE	Tomlin loam, 15 to 25 percent slopes
HmB2	Hiwassee clay loam, 2 to 6 percent slopes, eroded	ToB2	Tomlin clay loam, 2 to 6 percent slopes, moderately eroded
HmC2	Hiwassee clay loam, 6 to 10 percent slopes, eroded	ToC2	Tomlin clay loam, 6 to 10 percent slopes, moderately eroded
HmD2	Hiwassee clay loam, 10 to 15 percent slopes, eroded	ToD2	Tomlin clay loam, 10 to 15 percent slopes, moderately eroded
Cu	Cut and fill land	Ud	Udorthents, loamy
VaB	Vance sandy loam, 2 to 6 percent slopes	VaB	Vance sandy loam, 2 to 6 percent slopes
VaC	Vance sandy loam, 6 to 10 percent slopes	VaC	Vance sandy loam, 6 to 10 percent slopes
VaD	Vance sandy loam, 10 to 15 percent slopes	VaD	Vance sandy loam, 10 to 15 percent slopes
---	---	W	Water
LoD	Louisburg loamy sand, 6 to 15 percent slopes	WaD	Wateree-Rion complex 6 to 15 percent slopes
LoF	Louisburg loamy sand, 15 to 45 percent slopes	WaF	Wateree-Rion complex, 15 to 45 percent slopes

Correlation of Forsyth County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
LwE	Louisburg-Wedowee complex, 15 to 25 percent slopes	WcE	Wateree-Rion-Wedowee complex, 15 to 25 percent slopes
WdC	Wedowee sandy loam, 6 to 10 percent slopes	WdC	Wedowee sandy loam, 6 to 10 percent slopes
WdD	Wedowee sandy loam, 10 to 15 percent slopes	WdD	Wedowee sandy loam, 10 to 15 percent slopes
WeB	Wedowee-Louisburg complex, 2 to 6 percent slopes	WeB	Wedowee-Wateree complex, 2 to 6 percent slopes
WeC	Wedowee-Louisburg complex, 6 to 10 percent slopes	WeC	Wedowee-Wateree complex, 6 to 10 percent slopes
WeD	Wedowee-Louisburg complex, 10 to 15 percent slopes	WeD	Wedowee-Wateree complex, 10 to 15 percent slopes
Wh	Wehadkee soils	WhA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
WkB	Wickham fine sandy loam, 2 to 6 percent slopes	WkB	Wickham fine sandy loam, 2 to 6 percent slopes
WkC	Wickham fine sandy loam, 6 to 10 percent slopes	WkC	Wickham fine sandy loam, 6 to 10 percent slopes
WkD	Wickham fine sandy loam, 10 to 15 percent slopes	WkD	Wickham fine sandy loam, 10 to 15 percent slopes
WkB	Wickham fine sandy loam, 2 to 6 percent slopes	WmB	Wickham fine sandy loam, mesic, 2 to 6 percent slopes
WkC	Wickham fine sandy loam, 6 to 10 percent slopes	WmC	Wickham fine sandy loam, mesic, 6 to 10 percent slopes
WkD	Wickham fine sandy loam, 10 to 15 percent slopes	WmD	Wickham fine sandy loam, mesic, 10 to 15 percent slopes
WlD	Wilkes soils, 10 to 15 percent slopes	WpD	Wilkes-Poindexter-Wynott complex, 10 to 15 percent slopes
WlF	Wilkes soils, 15 to 45 percent slopes	WpF	Wilkes-Poindexter-Wynott complex, 15 to 45 percent slopes
WlC	Wilkes soils, 6 to 10 percent slopes	WwC	Wynott-Wilkes-Poindexter complex, 2 to 10 percent slopes