Correlation of Guilford County, North Carolina
Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
ApB	Appling sandy loam, 2 to 6 percent slopes	ApB	Appling sandy loam, 2 to 6 percent slopes
ApC	Appling sandy loam, 6 to 10 percent slopes	ApC	Appling sandy loam, 6 to 10 percent slopes
VaB	Vance sandy loam, 2 to 6 percent slopes	CaB	Casville sandy loam, 2 to 6 percent slopes
VaC	Vance sandy loam, 6 to 10 percent slopes	CaC	Casville sandy loam, 6 to 10 percent slopes
VaD	Vance sandy loam, 10 to 15 percent slopes	CaD	Casville sandy loam, 10 to 15 percent slopes
CcB	Cecil sandy loam, 2 to 6 percent slopes	CcB	Cecil sandy loam, 2 to 6 percent slopes
CcC	Cecil sandy loam, 6 to 10 percent slopes	CcC	Cecil sandy loam, 6 to 10 percent slopes
CcD	Cecil sandy loam, 10 to 15 percent slopes	CcD	Cecil sandy loam, 10 to 15 percent slopes
CeB2	Cecil sandy clay loam, 2 to 6 percent slopes, eroded	CeB2	Cecil sandy clay loam, 2 to 6 percent slopes, moderately eroded
CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, eroded	CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, moderately eroded
CfB	Cecil-Urban land complex, 2 to 10 percent slopes	CfB	Cecil-Urban land complex, 2 to 10 percent slopes
Ch	Chewacla sandy loam	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
CcB	Cecil sandy loam, 2 to 6 percent slopes	CkB	Clifford sandy loam, 2 to 6 percent slopes
CcC	Cecil sandy loam, 6 to 10 percent slopes	CkC	Clifford sandy loam, 6 to 10 percent slopes
CcD	Cecil sandy loam, 10 to 15 percent slopes	CkD	Clifford sandy loam, 10 to 15 percent slopes
CeB2	Cecil sandy clay loam, 2 to 6 percent slopes, eroded	ClB2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded
CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, eroded	ClC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded
CfB	Cecil-Urban land complex, 2 to 10 percent slopes	CmB	Clifford-Urban land complex, 2 to 10 percent slopes
Ch	Chewacla sandy loam	CnA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Co	Congaree loam	CoA	Congaree loam, 0 to 2 percent slopes, frequently flooded
CrB	Coronaca clay loam, 2 to 6 percent slopes	CrB	Coronaca clay loam, 2 to 6 percent slopes
CrC	Coronaca clay loam, 6 to 10 percent slopes	CrC	Coronaca clay loam, 6 to 10 percent slopes
---	---	CuB	Coronaca-Urban land complex, 2 to 10 percent slopes
Co	Congaree loam	DaA	Dan River loam, 0 to 2 percent slopes, frequently flooded
---	---	DAM	Dam
EnB	Enon fine sandy loam, 2 to 6 percent slopes	EnB	Enon fine sandy loam, 2 to 6 percent slopes
EnC	Enon fine sandy loam, 6 to 10 percent slopes	EnC	Enon fine sandy loam, 6 to 10 percent slopes

Correlation of Guilford County, North Carolina
Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
EnD	Enon fine sandy loam, 10 to 15 percent slopes	EnD	Enon fine sandy loam, 10 to 15 percent slopes
EoB2	Enon clay loam, 2 to 6 percent slopes, eroded	EoB2	Enon clay loam, 2 to 6 percent slopes, moderately eroded
EoC2	Enon clay loam, 6 to 10 percent slopes, eroded	EoC2	Enon clay loam, 6 to 10 percent slopes, moderately eroded
EoD2	Enon clay loam, 10 to 15 percent slopes, eroded	EoD2	Enon clay loam, 10 to 15 percent slopes, moderately eroded
Es	Enon complex, gullied	EsD4	Enon-Udorthents complex, 6 to 15 percent slopes, gullied
---	---	EuB	Enon-Urban land complex, 2 to 10 percent slopes
HeC	Helena sandy loam, 6 to 10 percent slopes	HaC	Halifax sandy loam, 6 to 10 percent slopes
HhB	Helena-Sedgefield sandy loams, 0 to 6 percent slopes	HcB	Halifax-Davie complex, 0 to 6 percent slopes
Wh	Wehadkee silt loam	HdA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
HeC	Helena sandy loam, 6 to 10 percent slopes	HeC	Helena sandy loam, 6 to 10 percent slopes
HhB	Helena-Sedgefield sandy loams, 0 to 6 percent slopes	HhB	Helena-Sedgefield complex, 0 to 6 percent slopes
IrB	Iredell fine sandy loam, 0 to 4 percent slopes	IrB	Iredell fine sandy loam, 0 to 4 percent slopes
IrB	Iredell fine sandy loam, 0 to 4 percent slopes	JkB	Jackland fine sandy loam, 0 to 4 percent slopes
MaB	Madison sandy loam, 2 to 6 percent slopes	MaB	Madison sandy loam, 2 to 6 percent slopes
MaC	Madison sandy loam, 6 to 10 percent slopes	MaC	Madison sandy loam, 6 to 10 percent slopes
MaD	Madison sandy loam, 10 to 15 percent slopes	MaD	Madison sandy loam, 10 to 15 percent slopes
MaE	Madison sandy loam, 15 to 35 percent slopes	MaE	Madison sandy loam, 15 to 35 percent slopes
McB2	Madison clay loam, 2 to 6 percent slopes, eroded	McB2	Madison clay loam, 2 to 6 percent slopes, moderately eroded
McC2	Madison clay loam, 6 to 10 percent slopes, eroded	McC2	Madison clay loam, 6 to 10 percent slopes, moderately eroded
McD2	Madison clay loam, 10 to 15 percent slopes, eroded	McD2	Madison clay loam, 10 to 15 percent slopes, moderately eroded
McE2	Madison clay loam, 15 to 25 percent slopes, eroded	McE2	Madison clay loam, 15 to 25 percent slopes, eroded
Md	Madison complex, gullied	MdE4	Madison-Udorthents complex, 15 to 25 percent slopes, gullied
MeB	Madison-Urban land complex, 2 to 10 percent slopes	MeB	Madison-Urban land complex, 2 to 10 percent slopes
MhB2	Mecklenburg sandy clay loam, 2 to 6 percent slopes, eroded	MhB2	Mecklenburg sandy clay loam, 2 to 6 percent slopes, moderately eroded

Correlation of Guilford County, North Carolina
Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
MhC2	Mecklenburg sandy clay loam, 6 to 10 percent slopes, eroded	MhC2	Mecklenburg sandy clay loam, 6 to 10 percent slopes, moderately eroded
---	---	MuB	Mecklenburg-Urban land complex, 2 to 10 percent slopes
ApB	Appling sandy loam, 2 to 6 percent slopes	NaB	Nathalie sandy loam, 2 to 6 percent slopes
ApC	Appling sandy loam, 6 to 10 percent slopes	NaC	Nathalie sandy loam, 6 to 10 percent slopes
MhB2	Mecklenburg sandy clay loam, 2 to 6 percent slopes, eroded	OkB2	Oak Level sandy clay loam, 2 to 6 percent slopes, moderately eroded
MhC2	Mecklenburg sandy clay loam, 6 to 10 percent slopes, eroded	OkC2	Oak Level sandy clay loam, 6 to 10 percent slopes, moderately eroded
MaB	Madison sandy loam, 2 to 6 percent slopes	PoB	Poplar Forest sandy loam, 2 to 6 percent slopes
MaC	Madison sandy loam, 6 to 10 percent slopes	PoC	Poplar Forest sandy loam, 6 to 10 percent slopes
MaD	Madison sandy loam, 10 to 15 percent slopes	PoD	Poplar Forest sandy loam, 10 to 15 percent slopes
MaE	Madison sandy loam, 15 to 35 percent slopes	PoE	Poplar Forest sandy loam, 15 to 35 percent slopes
McB2	Madison clay loam, 2 to 6 percent slopes, eroded	PpB2	Poplar Forest clay loam, 2 to 6 percent slopes, moderately eroded
McC2	Madison clay loam, 6 to 10 percent slopes, eroded	PpC2	Poplar Forest clay loam, 6 to 10 percent slopes, moderately eroded
McD2	Madison clay loam, 10 to 15 percent slopes, eroded	PpD2	Poplar Forest clay loam, 10 to 15 percent slopes, moderately eroded
McE2	Madison clay loam, 15 to 25 percent slopes, eroded	PpE2	Poplar Forest clay loam, 15 to 25 percent slopes, eroded
Md	Madison complex, gullied	PsE4	Poplar Forest-Udorthents complex, 15 to 25 percent slopes, gullied
Pt	Pits	Pt	Pits quarry
MeB	Madison-Urban land complex, 2 to 10 percent slopes	PuB	Poplar Forest-Urban land complex, 2 to 10 percent slopes
EnB	Enon fine sandy loam, 2 to 6 percent slopes	RaB	Rasalo fine sandy loam, 2 to 6 percent slopes
EnC	Enon fine sandy loam, 6 to 10 percent slopes	RaC	Rasalo fine sandy loam, 6 to 10 percent slopes
EnD	Enon fine sandy loam, 10 to 15 percent slopes	RaD	Rasalo fine sandy loam, 10 to 15 percent slopes
EoC2	Enon clay loam, 6 to 10 percent slopes, eroded	RsC2	Rasalo clay loam, 6 to 10 percent slopes, moderately eroded
EoD2	Enon clay loam, 10 to 15 percent slopes, eroded	RsD2	Rasalo clay loam, 10 to 15 percent slopes, moderately eroded
Es	Enon complex, gullied	RuD4	Rasalo-Udorthents complex, 6 to 15 percent slopes, gullied

Correlation of Guilford County, North Carolina
Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
WkC	Wilkes sandy loam, 6 to 10 percent slopes	SmC	Siloam sandy loam, 4 to 10 percent slopes
WkD	Wilkes sandy loam, 10 to 15 percent slopes	SmD	Siloam sandy loam, 10 to 15 percent slopes
WkE	Wilkes sandy loam, 15 to 45 percent slopes	SmE	Siloam sandy loam, 15 to 45 percent slopes
CrB	Coronaca clay loam, 2 to 6 percent slopes	ToB	Tomlin clay loam, 2 to 6 percent slopes
CrC	Coronaca clay loam, 6 to 10 percent slopes	ToC	Tomlin clay loam, 6 to 10 percent slopes
---	---	Ur	Urban land
VaB	Vance sandy loam, 2 to 6 percent slopes	VaB	Vance sandy loam, 2 to 6 percent slopes
VaC	Vance sandy loam, 6 to 10 percent slopes	VaC	Vance sandy loam, 6 to 10 percent slopes
VaD	Vance sandy loam, 10 to 15 percent slopes	VaD	Vance sandy loam, 10 to 15 percent slopes
---	---	VuB	Vance-Urban land complex, 2 to 10 percent slopes
---	---	W	Water
Wh	Wehadkee silt loam	WhA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
WkD	Wilkes sandy loam, 10 to 15 percent slopes	WkD	Wilkes-Poindexter-Wynott complex, 10 to 15 percent slopes
WkE	Wilkes sandy loam, 15 to 45 percent slopes	WkE	Wilkes-Poindexter-Wynott complex, 15 to 45 percent slopes
WkC	Wilkes sandy loam, 6 to 10 percent slopes	WwC	Wynott-Wilkes-Poindexter complex, 2 to 10 percent slopes