HIGHLY ERODIBLE LAND
Montgomery County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
AeC	Ailey loamy sand, 8 to 15 percent slopes	8	15	4	0.15	0.82	HEL
AeD	Ailey loamy sand, 15 to 25 percent slopes	15	25	4	0.15	0.82	HEL
AgC	Ailey gravelly loamy sand, 8 to 15 percent slopes	8	15	3	0.1	0.92	HEL
BaB2	Badin-Goldston complex, 2 to 8 percent slopes, moderately eroded	2	8	2	0.32	0.19	HEL
BaC2	Badin-Goldston complex, 8 to 15 percent slopes, moderately eroded	8	15	2	0.32	0.19	HEL
BdB	Badin-Tarrus complex, 2 to 8 percent slopes	2	8	2	0.32	0.19	HEL
BdC	Badin-Tarrus complex, 8 to 15 percent slopes	8	15	2	0.32	0.19	HEL
BdD	Badin-Tarrus complex, 15 to 25 percent slopes	15	25	2	0.32	0.19	HEL
BdE	Badin-Tarrus complex, 25 to 45 percent slopes	25	45	2	0.32	0.19	HEL
BeC2	Badin-Tarrus complex, 8 to 15 percent slopes, moderately eroded	8	15	2	0.28	0.22	HEL
BsC	Biscoe-Secrest complex, 6 to 10 percent slopes	6	10	2	0.37	0.17	HEL
BvC2	Brickhaven-Carbonton complex, 8 to 15 percent slopes, moderately eroded	8	15	4	0.37	0.33	HEL
BvE2	Brickhaven-Carbonton complex, 15 to 40 percent slopes, moderately eroded	15	40	4	0.37	0.33	HEL
CxC2	Cullen silty clay loam, 8 to 15 percent slopes, moderately eroded, very stony	8	15	3	0.24	0.38	HEL
CxD2	Cullen silty clay loam, 15 to 25 percent slopes, moderately eroded, very stony	15	25	3	0.24	0.38	HEL
GaC	Georgeville silt loam, 8 to 15 percent slopes	8	15	4	0.49	0.25	HEL
GaD	Georgeville silt loam, 15 to 25 percent slopes	15	25	4	0.49	0.25	HEL

HIGHLY ERODIBLE LAND
Montgomery County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
GgC	Georgeville silt loam, 8 to 15 percent slopes, very stony	8	15	4	0.49	0.25	HEL
GgD	Georgeville silt loam, 15 to 25 percent slopes, very stony	15	25	4	0.49	0.25	HEL
GhC	Georgeville silt loam, 2 to 15 percent slopes, extremely stony	2	15	4	0.49	0.25	HEL
GmE	Georgeville silt loam, 15 to 45 percent slopes, extremely bouldery	15	45	4	0.49	0.25	HEL
GoE	Goldston-Badin complex, 15 to 45 percent slopes	15	45	1	0.05	0.62	HEL
HaC	Herndon silt loam, 8 to 15 percent slopes	8	15	5	0.43	0.36	HEL
HaD	Herndon silt loam, 15 to 25 percent slopes	15	25	5	0.43	0.36	HEL
HdC	Herndon silt loam, 8 to 15 percent slopes, very stony	8	15	5	0.43	0.36	HEL
HdD	Herndon silt loam, 15 to 25 percent slopes, very stony	15	25	5	0.43	0.36	HEL
HdE	Herndon silt loam, 25 to 45 percent slopes, very stony	25	45	5	0.43	0.36	HEL
MaC	Masada gravelly sandy loam, 8 to 15 percent slopes	8	15	4	0.15	0.82	HEL
PbC	Peakin-Brickhaven complex, 8 to 15 percent slopes	8	15	4	0.24	0.51	HEL
PbE	Peakin-Brickhaven complex, 15 to 40 percent slopes	15	40	4	0.24	0.51	HEL
PeC2	Peakin-Exway complex, 8 to 15 percent slopes, moderately eroded	8	15	4	0.24	0.51	HEL
PoE	Pinoka-Brickhaven complex, 15 to 40 percent slopes, very stony	15	40	2	0.15	0.41	HEL
PtC	Pittsboro gravelly silt loam, 8 to 15 percent slopes	8	15	3	0.32	0.29	HEL
WyE	Wynott-Enon complex, 15 to 45 percent slopes, extremely bouldery	15	45	3	0.32	0.29	HEL
AaB	Ailey loamy sand, moderately wet, 2 to 8 percent slopes	2	8	4	0.15	0.82	PHEL

HIGHLY ERODIBLE LAND
Montgomery County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
BeB2	Badin-Tarrus complex, 2 to 8 percent slopes, moderately eroded	2	8	2	0.28	0.22	PHEL
BsB	Biscoe-Secrest complex, 2 to 6 percent slopes	2	6	2	0.37	0.17	PHEL
BvB2	Brickhaven-Carbonton complex, 2 to 8 percent slopes, moderately eroded	2	8	4	0.37	0.33	PHEL
CdB	Candor sand, 0 to 8 percent slopes	0	8	5	0.1	1.54	PHEL
CdC	Candor sand, 8 to 15 percent slopes	8	15	5	0.1	1.54	PHEL
CrB	Creedmoor-Brickhaven complex, 2 to 8 percent slopes	2	8	3	0.28	0.33	PHEL
CuB2	Cullen silty clay loam, 2 to 8 percent slopes, moderately eroded	2	8	3	0.24	0.38	PHEL
CxB2	Cullen silty clay loam, 2 to 8 percent slopes, moderately eroded, very stony	2	8	3	0.24	0.38	PHEL
GaB	Georgeville silt loam, 2 to 8 percent slopes	2	8	4	0.49	0.25	PHEL
GeB2	Georgeville silty clay loam, 2 to 8 percent slopes, moderately eroded	2	8	4	0.49	0.25	PHEL
GgB	Georgeville silt loam, 2 to 8 percent slopes, very stony	2	8	4	0.49	0.25	PHEL
GnC	Georgeville-Urban land complex, 2 to 10 percent slopes	2	10	4	0.49	0.25	PHEL
HaB	Herndon silt loam, 2 to 8 percent slopes	2	8	5	0.43	0.36	PHEL
HdB	Herndon silt loam, 2 to 8 percent slopes, very stony	2	8	5	0.43	0.36	PHEL
HeC	Herndon-Urban land complex, 2 to 10 percent slopes	2	10	5	0.43	0.36	PHEL
HgB2	Hiwassee silty clay loam, 2 to 8 percent slopes, moderately eroded	2	8	5	0.28	0.55	PHEL
MmB	Masada-Mattaponi complex, 2 to 8 percent slopes	2	8	4	0.32	0.38	PHEL
NeB	Neeses-Ailey complex, 2 to 8 percent slopes	2	8	3	0.24	0.38	PHEL

HIGHLY ERODIBLE LAND
Montgomery County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
PbB	Peakin-Brickhaven complex, 2 to 8 percent slopes	2	8	4	0.24	0.51	PHEL
PeB2	Peakin-Exway complex, 2 to 8 percent slopes, moderately eroded	2	8	4	0.24	0.51	PHEL
PkA	Peawick loam, 0 to 3 percent slopes	0	3	4	0.37	0.33	PHEL
PnB	Pinoka-Brickhaven complex, 2 to 8 percent slopes	2	8	2	0.2	0.31	PHEL
PoC	Pinoka-Brickhaven complex, 4 to 15 percent slopes, very stony	4	15	2	0.15	0.41	PHEL
PtB	Pittsboro gravelly silt loam, 2 to 8 percent slopes	2	8	3	0.32	0.29	PHEL
StB	State silt loam, 2 to 6 percent slopes, very rarely flooded	2	6	5	0.28	0.55	PHEL
TeB	Tillery silt loam, 0 to 6 percent slopes, rarely flooded	0	6	5	0.37	0.42	PHEL
TuB	Turbeville sandy loam, 2 to 8 percent slopes	2	8	5	0.32	0.48	PHEL
WnB	Wynott-Enon complex, 2 to 8 percent slopes, very stony	2	8	3	0.32	0.29	PHEL
WyC	Wynott-Enon complex, 2 to 15 percent slopes, extremely bouldery	2	15	3	0.32	0.29	PHEL

JUL 1 8 1988

Revisions made 2-22-88 as per Tech. Guide Notice No. 1, Dated Jan. 1, 1988

file AO Tech Guide

U.S. Department of Agriculture
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
October 1986

Rev. 6-88

HIGHLY ERODIBLE LANDS

Montgomery County, North Carolina

Map Unit Symbol New * * *	Old	Map Unit Name	Slope %	"K"	"T"	LS EI=8
		Highly Erodible				
3C	570D	Ailey loamy sand	8-15	.15	4	.82
9C	67D	Badin Channery silt loam	8-15	.15	2	.41
10B		Badin-Goldston Complex	2-8	.15	1	.20
10C	24D	Badin-Goldston Complex	8-15	.15	1	.20
10D	24E	Badin-Goldston Complex	15-25	.15	1	.20
11C	575D	Blaney loamy sand	8-15	.15	4	.82
16B		Cid Channery silt loam	1-6	.37	2	.16
19C	532D	Creedmoor fine sandy loam	8-15	.28	3	.32
25C	506D	Enon very stony silt loam	8-15	.15	3	.61
27C	205D	Georgeville silt loam	8-15	.43	4	.28
29C	574D	Gilead loamy sand	8-15	.17	3	.54
33C	212C	Herndon silt loam	8-15	.43	5	.36
	325D	Hiwassee loam	8-15	.28	5	.54
37C	540D	Masada sandy loam	8-15	.32	4	.38
39C	226D	Mayodan fine sandy loam	8-15	.24	4	.52
47C	232D	Tatum silt loam	8-15	.37	4	.33
51C	576D	Vaucluse loamy sand	8-15	.15	3	.61
53C	577D	Vaucluse gravelly loamy sand	8-15	.15	3	.61
53D	577E	Vaucluse gravelly loamy sand	15-25	.15	3	.61

Revisions made 2-22-88 as per Tech. Guide Notice No. 1, Dated Jan. 1, 1988

U.S. Department of Agriculture
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
October 1986

Rev. 6-88

HIGHLY ERODIBLE LANDS

Montgomery County, North Carolina

Map Unit Symbol New * * * Old		Map Unit Name	Slope %	"K"	"T"	LS EI=8
		Potentially Highly Erodible				
3B	570B	Ailey loamy sand	2-8	.15	4	.82
9B	67B	Badin Channery silt loam	2-8	.15	2	.41
11B	575B	Blaney loamy sand	2-8	.15	4	.82
13C	716B	Candor Sand	6-15	.10	5	1.55
16B		Cid Channery silt loam	1-6	.37	2	.16
19B	532B	Creedmoor fine sandy loam	2-8	.28	3	.32
21B	394B	Dothan loamy sand	2-8	.15	5	1.02
23B	506B	Enon very stony silt loam	2-8	.15	3	.61
27B	205B	Georgeville silt loam	2-8	.43	4	.28
28B	205B	Georgeville silty clay loam	2-8	.49	4	.25
29B	574B	Gilead loamy sand	2-8	.17	3	.54
31C	68B	Goldston Channery silt loam	2-15	.15	1	.20
33B	212B	Herndon silt loam	2-8	.43	5	.36
	325B	Hiwassee loam	2-8	.28	5	.54
35B	522B	Lignum silt loam	2-8	.43	3	.21
37B	540B	Masada sandy loam	2-8	.32	4	.38
39B	226B	Mayodan fine sandy loam	2-8	.24	4	.52
40B		Misenheimer	0-4	.15	1	.20
41B	130B	Nason channery silt loam	2-8	.24	4	.51
43B	520B	Orange silt loam	2-8	.28	3	.33
45C	600B	Pinkston silt loam	2-8	.37	2	.17
46B		Peawick	1-4	.37	4	.33
47B	232B	Tatum silt loam	2-8	.37	4	.33
49B	544B	Tetatum	2-6	.28	4	.43
50B		Turbeville fine sandy loam	2-8	.32	5	.48
51B	576B	Vaucluse loamy sand	2-8	.15	3	.61
57B	536B	White Store Silt loam	2-8	.43	3	.21
59B		McQueen fine sandy loam	2-8	.37	4	.33
60		Worsham fine sandy loam	0-4	.37	4	.33