HIGHLY ERODIBLE LAND
Person County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
GoF	Goldston channery silt loam, 15 to 45 percent slopes	15	45	1	0.15	0.24	HEL
RhF	Rhodhiss sandy loam, 25 to 45 percent slopes	25	45	3	0.24	0.45	HEL
RoF	Rion sandy loam, 25 to 45 percent slopes	25	45	3	0.24	0.45	HEL
SmB	Siloam loam, 2 to 8 percent slopes	2	8	1	0.24	0.15	HEL
SmD	Siloam loam, 8 to 15 percent slopes	8	15	1	0.24	0.15	HEL
SmF	Siloam loam, 15 to 45 percent slopes	15	45	1	0.24	0.15	HEL
TaD	Tarrus loam, 10 to 15 percent slopes	8	15	4	0.37	0.39	HEL
TaE	Tarrus loam, 15 to 35 percent slopes	15	35	4	0.37	0.39	HEL
ToD	Toast sandy loam, 10 to 15 percent slopes	10	15	3	0.24	0.45	HEL
ToE	Toast sandy loam, 15 to 25 percent slopes	15	25	3	0.24	0.45	HEL
WeD	Wedowee sandy loam, 10 to 15 percent slopes	10	15	3	0.24	0.45	HEL
WeE	Wedowee sandy loam, 15 to 25 percent slopes	15	25	3	0.24	0.45	HEL
WkD	Wilkes loam, 8 to 15 percent slopes	8	15	1	0.24	0.15	HEL
WkF	Wilkes loam, 15 to 45 percent slopes	15	45	1	0.24	0.15	HEL
ApB	Appling sandy loam, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
ApC	Appling sandy loam, 6 to 10 percent slopes	6	10	4	0.24	0.61	PHEL
AuB	Appling-Urban land complex, 2 to 10 percent slopes	2	10	4	0.24	0.61	PHEL
CaB	Casville sandy loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
CaC	Casville sandy loam, 6 to 10 percent slopes	6	10	3	0.24	0.45	PHEL
CeB	Cecil sandy loam, 2 to 6 percent slopes	2	6	4	0.28	0.52	PHEL
CeC	Cecil sandy loam, 6 to 10 percent slopes	6	10	4	0.28	0.52	PHEL

HIGHLY ERODIBLE LAND
Person County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
CmB	Clifford sandy loam, 2 to 6 percent slopes	2	6	4	0.28	0.52	PHEL
CmC	Clifford sandy loam, 6 to 10 percent slopes	6	10	4	0.28	0.52	PHEL
EnB	Enon fine sandy loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
EnC	Enon fine sandy loam, 6 to 10 percent slopes	6	10	3	0.24	0.45	PHEL
FaB3	Fairview clay loam, 2 to 6 percent slopes, severely eroded	2	6	2	0.24	0.30	PHEL
FaC3	Fairview clay loam, 6 to 10 percent slopes, severely eroded	6	10	2	0.24	0.30	PHEL
GeB	Georgeville loam, 2 to 6 percent slopes	2	6	4	0.43	0.34	PHEL
GeC	Georgeville loam, 6 to 10 percent slopes	6	10	4	0.43	0.34	PHEL
GfB3	Georgeville clay loam, 2 to 6 percent slopes, severely eroded	2	6	4	0.49	0.30	PHEL
GoC	Goldston channery silt loam, 4 to 15 percent slopes	4	15	1	0.15	0.24	PHEL
HaB	Halifax sandy loam, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
HaC	Halifax sandy loam, 6 to 10 percent slopes	6	10	4	0.24	0.61	PHEL
HeB	Helena sandy loam, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
HeC	Helena sandy loam, 6 to 10 percent slopes	6	10	4	0.24	0.61	PHEL
HfB	Helena-Sedgefield sandy loams, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
HrB	Herndon loam, 2 to 6 percent slopes	2	6	5	0.43	0.42	PHEL
HrC	Herndon loam, 6 to 10 percent slopes	6	10	5	0.43	0.42	PHEL
IrB	Iredell gravelly loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
LgB	Lignum loam, 2 to 6 percent slopes	2	6	4	0.37	0.39	PHEL
MeB	Mecklenburg loam, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
MeC	Mecklenburg loam, 6 to 10 percent slopes	6	10	4	0.24	0.61	PHEL

HIGHLY ERODIBLE LAND
Person County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
NaB	Nathalie sandy loam, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
OaB	Oak Level loam, 2 to 6 percent slopes	2	6	4	0.24	0.61	PHEL
OaC	Oak Level loam, 6 to 10 percent slopes	6	10	4	0.24	0.61	PHEL
OnA	Orange loam, 0 to 2 percent slopes	0	2	3	0.28	0.39	PHEL
OrB	Orange gravelly loam, 2 to 7 percent slopes	2	7	3	0.24	0.45	PHEL
RaB	Rasalo fine sandy loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
RaC	Rasalo fine sandy loam, 6 to 10 percent slopes	6	10	3	0.24	0.45	PHEL
ToB	Toast sandy loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
ToC	Toast sandy loam, 6 to 10 percent slopes	6	10	3	0.24	0.45	PHEL
VaB	Vance sandy loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
VaC	Vance sandy loam, 6 to 10 percent slopes	6	10	3	0.24	0.45	PHEL
WeB	Wedowee sandy loam, 2 to 6 percent slopes	2	6	3	0.24	0.45	PHEL
WeC	Wedowee sandy loam, 6 to 10 percent slopes	6	10	3	0.24	0.45	PHEL
WfC	Wedowee sandy loam, 2 to 10 percent slopes, extremely bouldery	2	10	3	0.24	0.45	PHEL
WhB	Wickham sandy loam, 2 to 6 percent slopes, rarely flooded	2	6	5	0.24	0.76	PHEL
WiB	Wickham sandy loam, mesic, 2 to 6 percent slopes, rarely flooded	2	6	5	0.24	0.76	PHEL
WkB	Wilkes loam, 2 to 8 percent slopes	2	8	1	0.24	0.15	PHEL

5/86 updated but not approved yet. Bill W.

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
October 1986

Reviewed 5/88
No change BLA

HIGHLY ERODIBLE LANDS
Person County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
68F	Goldston channery silt loam	15 - 45	.15	1	.24
63D	Wilkes loam	8 - 15	.24	2	.30
63F	Wilkes loam	15 - 45	.24	2	.30
70D	Wedowee sandy loam	10 - 15	.24	3	.45
70E	Wedowee sandy loam	15 - 25	.24	3	.45
60F	Rion sandy loam	25 - 40	.24	3	.45
20D	Tatum loam	10 - 15	.43	4	.24
20E	Tatum loam	15 - 35	.43	4	.24
B. Potentially Highly Erodible					
68C	Goldston channery silt loam	4 - 15	.15	1	.24
520B	Orange gravelly loam	2 - 7	.24	2	.30
31B2	Pacolet clay loam	2 - 6	.24	2	.30
31C2	Pacolet clay loam	6 - 10	.24	2	.30
63B	Wilkes loam	2 - 8	.24	2	.30
506B	Enon fine sandy loam	2 - 6	.28	2	.26
506C	Enon fine sandy loam	6 - 10	.28	2	.26
50B	Helena-Seldgefield complex	2 - 6	.24	3	.45
70B	Wedowee sandy loam	2 - 6	.24	3	.45
70C	Wedowee sandy loam	6 - 10	.24	3	.45
522B	Lignum loam	2 - 6	.43	3	.25
511B	Orange loam	0 - 2	.43	3	.25
51B	Helena sandy loam	2 - 6	.20	3	.55
51C	Helena sandy loam	6 - 10	.20	3	.55
71B	Wedowee bouldery sandy loam	2 - 10	.20	3	.55
36B	Appling sandy loam	2 - 6	.24	4	.61
36C	Appling sandy loam	6 - 10	.24	4	.61
501B	Mecklenburg loam	2 - 6	.24	4	.61
501C	Mecklenburg loam	6 - 10	.24	4	.61
57B	Vance sandy loam	2 - 6	.24	4	.61
57C	Vance sandy loam	6 - 10	.24	4	.61
32B	Cecil sandy loam	2 - 6	.28	4	.52
32C	Cecil sandy loam	6 - 10	.28	4	.52
205B	Georgeville loam	2 - 6	.43	4	.24
205C	Georgeville loam	6 - 10	.43	4	.24
205B2	Georgeville clay loam	2 - 6	.49	4	.30
540B	Wickham sandy loam	2-6	.24	5	.76
212B	Herndon loam	2-6	.43	5	.42
212C	Herndon loam	6-10	.43	5	.42