

Correlation of Richmond County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
---	---	AaB	Ailey sand, moderately wet, 0 to 6 percent slopes
---	---	AcB	Ailey loamy sand, 0 to 8 percent slopes
---	---	AcC	Ailey loamy sand, 8 to 15 percent slopes
---	---	AgC	Ailey gravelly loamy sand, 8 to 15 percent slopes
---	---	AgD	Ailey gravelly loamy sand, 15 to 25 percent slopes
---	---	AuB	Ailey-Urban land complex, 0 to 8 percent slopes
---	---	AuC	Ailey-Urban land complex, 8 to 15 percent slopes
---	---	BcB	Badin channery silt loam, 2 to 8 percent slopes
---	---	BgC	Badin-Goldston complex, 8 to 15 percent slopes
---	---	CaC	Candor and Wakulla soils, 8 to 15 percent slopes
---	---	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
---	---	CrB	Creedmoor fine sandy loam, 2 to 8 percent slopes
---	---	CzD	Cullen-Wynott complex, 15 to 35 percent slopes
DaB2	Davidson clay loam, 2 to 8 percent slopes, eroded	DaB2	Hiwassee clay loam, 2 to 8 percent slopes, moderately eroded
DaC2	Davidson clay loam, 8 to 15 percent slopes, eroded	DaC2	Hiwassee clay loam, 8 to 15 percent slopes, moderately eroded
---	---	DAM	Dam
---	---	EmD	Enon-Mayodan complex, 15 to 35 percent slopes, very stony
---	---	EzB	Enon-Wynott complex, 2 to 8 percent slopes
---	---	EzC	Enon-Wynott complex, 4 to 15 percent slopes, very bouldery
FaB2	Faceville sandy clay loam, 2 to 6 percent slopes, eroded	FaB2	Faceville sandy clay loam, 2 to 6 percent slopes, moderately eroded
---	---	GdD	Goldston-Badin complex, 15 to 55 percent slopes
---	---	HsA	Hornsboro silt loam, 0 to 2 percent slopes
---	---	JmA	Johnston mucky loam, 0 to 2 percent slopes, frequently flooded
---	---	MaC	Masada sandy loam, 8 to 15 percent slopes

Correlation of Richmond County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
---	---	MaD	Masada sandy loam, 15 to 25 percent slopes
MbB2	Mayodan sandy clay loam, 2 to 8 percent slopes, eroded	MbB2	Mayodan sandy clay loam, 2 to 8 percent slopes, moderately eroded
MbC2	Mayodan sandy clay loam, 8 to 15 percent slopes, eroded	MbC2	Mayodan sandy clay loam, 8 to 15 percent slopes, moderately eroded
---	---	MbD	Mayodan sandy loam, 15 to 25 percent slopes
---	---	MdD	Mayodan sandy loam, 15 to 25 percent slopes, stony
MeB2	Mayodan-Exway complex, 2 to 8 percent slopes, eroded	MeB2	Peakin-Exway complex, 2 to 8 percent slopes, moderately eroded
MeC2	Mayodan-Exway complex, 8 to 15 percent slopes, eroded	MeC2	Peakin-Exway complex, 8 to 15 percent slopes, moderately eroded
---	---	MnB	McQueen loam, 1 to 6 percent slopes
---	---	NoA	Norfolk loamy sand, 0 to 2 percent slopes
---	---	NoB	Norfolk loamy sand, 2 to 6 percent slopes
---	---	OrA	Orangeburg loamy sand, 0 to 2 percent slopes
---	---	OrB	Orangeburg loamy sand, 2 to 6 percent slopes
---	---	PaC	Pacolet gravelly sandy loam, 8 to 15 percent slopes
---	---	PaD	Pacolet gravelly sandy loam, 15 to 35 percent slopes
---	---	PcA	Paxville fine sandy loam, 0 to 2 percent slopes
---	---	PeA	Peawick fine sandy loam, 0 to 2 percent slopes
---	---	PeB	Peawick fine sandy loam, 2 to 6 percent slopes
---	---	PfA	Peawick silt loam, 0 to 3 percent slopes, rarely flooded
---	---	PoA	Pelion loamy sand, 0 to 2 percent slopes
---	---	PoB	Pelion loamy sand, 2 to 8 percent slopes
---	---	PoC	Pelion loamy sand, 8 to 15 percent slopes
---	---	PrB	Pelion-Urban land complex, 0 to 8 percent slopes
---	---	PrC	Pelion-Urban land complex, 8 to 15 percent slopes
Psc	Pinkston fine sandy loam, 4 to 15 percent slopes, very stony	Psc	Pinoka-Brickhaven complex, 4 to 15 percent slopes, very stony
---	---	Pt	Pits, quarry
---	---	RvA	Riverview loam, 0 to 2 percent slopes, occasionally flooded

Correlation of Richmond County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
---	---	TbA	Turbeville sandy loam, 0 to 2 percent slopes
---	---	TbB	Turbeville sandy loam, 2 to 8 percent slopes
---	---	Ud	Udorthents, loamy
---	---	Ur	Urban land
UwB2	Uwharrie clay loam, 2 to 8 percent slopes, eroded	UwB2	Georgeville clay loam, 2 to 8 percent slopes, moderately eroded
UwC2	Uwharrie clay loam, 8 to 15 percent slopes, eroded	UwC2	Georgeville clay loam, 8 to 15 percent slopes, moderately eroded
UwD	Uwharrie loam, 15 to 25 percent slopes	UwD	Georgeville silt loam, 15 to 25 percent slopes
UxB2	Uwharrie-Badin complex, 2 to 8 percent slopes, eroded	UxB2	Georgeville-Badin complex, 2 to 8 percent slopes, moderately eroded
UxC2	Uwharrie-Badin complex, 8 to 15 percent slopes, eroded	UxC2	Georgeville-Badin complex, 8 to 15 percent slopes, moderately eroded
UxD	Uwharrie-Badin complex, 15 to 25 percent slopes	UxD	Georgeville-Badin complex, 15 to 25 percent slopes
---	---	W	Water
---	---	WcB	Wakulla and Candor soils, 0 to 8 percent slopes
---	---	WuB	Wakulla-Candor-Urban land complex, 0 to 10 percent slopes