HIGHLY ERODIBLE LAND
Rockingham County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
AyC	Ayersville gravelly loam, 4 to 15 percent slopes	4	15	2	0.28	0.30	HEL
AyF	Ayersville gravelly loam, 15 to 45 percent slopes	15	45	2	0.28	0.30	HEL
CaD	Casville sandy loam, 8 to 15 percent slopes	8	15	3	0.24	0.53	HEL
CmD	Clover sandy loam, 8 to 15 percent slopes	8	15	4	0.24	0.70	HEL
CmE	Clover sandy loam, 15 to 25 percent slopes	15	25	4	0.24	0.70	HEL
CnD2	Clover sandy clay loam, 8 to 15 percent slopes, moderately eroded	8	15	3	0.32	0.39	HEL
CnE2	Clover sandy clay loam, 15 to 25 percent slopes, moderately eroded	15	25	3	0.32	0.39	HEL
DeD	Devotion fine sandy loam, 6 to 15 percent slopes	6	15	3	0.2	0.63	HEL
DeF	Devotion fine sandy loam, 15 to 45 percent slopes	15	45	3	0.2	0.63	HEL
FpD	Fairview-Poplar Forest complex, 8 to 15 percent slopes	8	15	3	0.2	0.63	HEL
FpE	Fairview-Poplar Forest complex, 15 to 25 percent slopes	15	25	3	0.2	0.63	HEL
FpF	Fairview-Poplar Forest complex, 25 to 45 percent slopes	25	45	3	0.2	0.63	HEL
FrD2	Fairview-Poplar Forest complex, 8 to 15 percent slopes, moderately eroded	8	15	2	0.24	0.35	HEL
FrE2	Fairview-Poplar Forest complex, 15 to 25 percent slopes, moderately eroded	15	25	2	0.24	0.35	HEL
HwD	Hiwassee loam, 8 to 15 percent slopes	8	15	5	0.28	0.75	HEL
IrD	Iredell fine sandy loam, 8 to 15 percent slopes	8	15	3	0.28	0.45	HEL
JkD	Jackland fine sandy loam, 8 to 15 percent slopes	8	15	3	0.28	0.45	HEL
MbE2	Madison sandy clay loam, 15 to 25 percent slopes, moderately eroded	15	25	3	0.28	0.45	HEL

HIGHLY ERODIBLE LAND
Rockingham County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
NaD	Nathalie sandy loam, 8 to 15 percent slopes	8	15	4	0.24	0.70	HEL
PaD	Pacolet sandy loam, 8 to 15 percent slopes	8	15	3	0.2	0.63	HEL
PaE	Pacolet sandy loam, 15 to 25 percent slopes	15	25	3	0.2	0.63	HEL
PaF	Pacolet sandy loam, 25 to 45 percent slopes	25	45	3	0.2	0.63	HEL
PcD2	Pacolet sandy clay loam, 8 to 15 percent slopes, moderately eroded	8	15	2	0.24	0.35	HEL
PnC	Pinkston fine sandy loam, 6 to 15 percent slopes	6	15	2	0.2	0.42	HEL
PnF	Pinkston fine sandy loam, 15 to 45 percent slopes	15	45	2	0.2	0.42	HEL
PoD	Poplar Forest sandy loam, 8 to 15 percent slopes	8	15	4	0.24	0.70	HEL
PoE	Poplar Forest sandy loam, 15 to 35 percent slopes	15	35	4	0.24	0.70	HEL
PpD2	Poplar Forest sandy clay loam, 8 to 15 percent slopes, moderately eroded	8	15	3	0.28	0.45	HEL
PpE2	Poplar Forest sandy clay loam, 15 to 25 percent slopes, moderately eroded	15	25	3	0.28	0.45	HEL
PrC2	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied	2	15	3	0.28	0.45	HEL
RnD	Rhodhiss sandy loam, 8 to 15 percent slopes	8	15	3	0.24	0.53	HEL
RnE	Rhodhiss sandy loam, 15 to 30 percent slopes	15	25	3	0.24	0.53	HEL
SmC	Siloam sandy loam, 4 to 10 percent slopes	4	10	1	0.24	0.18	HEL
SmF	Siloam sandy loam, 10 to 45 percent slopes	10	45	1	0.24	0.18	HEL
SpB	Spray loam, 0 to 5 percent slopes	0	5	2	0.43	0.20	HEL

HIGHLY ERODIBLE LAND
Rockingham County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
SuB	Spray-Urban land complex, 0 to 5 percent slopes	0	5	2	0.43	0.20	HEL
SvD	Stoneville loam, 8 to 15 percent slopes	8	15	3	0.32	0.39	HEL
SvE	Stoneville loam, 15 to 25 percent slopes	15	25	3	0.32	0.39	HEL
WkC	Wilkes sandy loam, 4 to 10 percent slopes	4	10	1	0.24	0.18	HEL
WkF	Wilkes sandy loam, 10 to 45 percent slopes	15	45	1	0.24	0.18	HEL
YaD	Yadkin loam, 8 to 15 percent slopes	8	15	5	0.28	0.75	HEL
ApB	Appling sandy loam, 2 to 8 percent slopes	2	8	4	0.24	0.70	PHEL
BaB	Banister loam, 0 to 4 percent slopes, rarely flooded	0	4	5	0.37	0.57	PHEL
CaB	Casville sandy loam, 2 to 8 percent slopes	2	8	3	0.24	0.53	PHEL
CcB	Cecil sandy loam, 2 to 8 percent slopes	2	8	4	0.28	0.60	PHEL
CdB2	Cecil sandy clay loam, 2 to 8 percent slopes, moderately eroded	2	8	3	0.28	0.45	PHEL
CfB	Clifford sandy loam, 2 to 8 percent slopes	2	8	4	0.28	0.60	PHEL
CgB2	Clifford sandy clay loam, 2 to 8 percent slopes, moderately eroded	2	8	3	0.28	0.45	PHEL
ChC	Clifford-Urban land complex, 2 to 10 percent slopes	2	10	3	0.28	0.45	PHEL
CmB	Clover sandy loam, 2 to 8 percent slopes	2	8	4	0.24	0.70	PHEL
CnB2	Clover sandy clay loam, 2 to 8 percent slopes, moderately eroded	2	8	3	0.32	0.39	PHEL
CpC	Clover-Urban land complex, 2 to 10 percent slopes	2	10	4	0.24	0.70	PHEL
DcB	Davie sandy loam, 2 to 8 percent slopes	2	8	3	0.28	0.45	PHEL

HIGHLY ERODIBLE LAND
Rockingham County, North Carolina

Map Symbol	Map Unit Name	Slope % low	Slope % high	T Factor	K Factor	LS(EI=8)	Status
HaB	Halifax sandy loam, 2 to 8 percent slopes	2	8	4	0.24	0.70	PHEL
HeB	Helena sandy loam, 2 to 8 percent slopes	2	8	4	0.24	0.70	PHEL
HwB	Hiwassee loam, 2 to 8 percent slopes	2	8	5	0.28	0.75	PHEL
IrB	Iredell fine sandy loam, 2 to 8 percent slopes	2	8	3	0.28	0.45	PHEL
JkB	Jackland fine sandy loam, 2 to 8 percent slopes	2	8	3	0.28	0.45	PHEL
LaB	Lackstown fine sandy loam, 1 to 4 percent slopes	1	4	3	0.28	0.45	PHEL
LeB	Leaksville silt loam, 0 to 4 percent slopes	0	4	2	0.43	0.20	PHEL
LkB	Leaksville-Urban land complex, 0 to 4 percent slopes	0	4	2	0.43	0.20	PHEL
MkB2	Mecklenburg sandy clay loam, 2 to 8 percent slopes, moderately eroded	2	8	2	0.28	0.30	PHEL
NaB	Nathalie sandy loam, 2 to 8 percent slopes	2	8	4	0.24	0.70	PHEL
OkB2	Oak Level sandy clay loam, 2 to 8 percent slopes, moderately eroded	2	8	2	0.28	0.30	PHEL
PpB2	Poplar Forest sandy clay loam, 2 to 8 percent slopes, moderately eroded	2	8	3	0.28	0.45	PHEL
RnB	Rhodhiss sandy loam, 2 to 8 percent slopes	2	8	3	0.24	0.53	PHEL
RoC	Rhodhiss-Urban land complex, 2 to 10 percent slopes	2	10	3	0.24	0.53	PHEL
SvB	Stoneville loam, 2 to 8 percent slopes	2	8	3	0.32	0.39	PHEL
SwC	Stoneville-Urban land complex, 2 to 10 percent slopes	2	10	3	0.32	0.39	PHEL
VaB	Vance sandy loam, 2 to 8 percent slopes	2	8	3	0.24	0.53	PHEL
YaB	Yadkin loam, 2 to 8 percent slopes	2	8	5	0.28	0.75	PHEL

5/90 updated but not officially approved yet. — Bob

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
October, 1986
Rev. May 1988

HIGHLY ERODIBLE LANDS
Rockingham County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
36D	Appling sl	8-15	.24	4	.70
601C	Ayersville gl	2-10	.28	2	.30
601F	Ayersville gl	10-45	.28	2	.30
~~31B, 34B~~	~~Cecil scl~~	~~2-8~~	~~.28~~	~~3~~	~~.45~~
236D	Hiwassee l	8-15	.28	5	.75
~~511B, 506B~~	~~Iredell fsl~~	~~2-8~~	~~.28~~	~~3~~	~~.45~~
506D	Iredell fsl	8-15	.28	3	.45
14D	Madison sl	8-15	.24	4	.70
14E	Madsion sl	15-35	.24	4	.70
317D	Madison scl	8-15	.28	3	.45
317E	Madison scl	15-25	.28	3	.45
307D	Mayodan sl	8-15	.24	4	.70
307E	mayodan sl	15-25	.24	4	.70
33D	Mayodan scl	8-15	.32	3	.39
33E	Mayodan scl	15-25	.32	3	.39
~~501B~~	~~Mecklenburg scl~~	~~2-8~~	~~.28~~	~~2~~	~~.30~~
24D	Pacolet sl	8-15	.20	3	.63
24E	Pacolet sl	15-25	.20	3	.63
324D	Pacolet scl	8-15	.24	2	.35
324E	Pacolet scl	15-25	.24	2	.35
324F	Pacolet sl	25-40	.20	3	.63
600C	Pinkston fsl	6-15	.20	2	.42
600F	Pinkston fsl	15-45	.20	2	.42
11D	Rion sl	8-15	.24	3	.53
11E	Rion sl	15-30	.24	3	.53
7	Spray l	0-5	.43	2	.20
~~221B~~	~~Stoneville l~~	~~2-8~~	~~.32~~	~~3~~	~~.39~~
221D	Stoneville l	8-15	.32	3	.39
221E	Stoneville l	15-25	.32	3	.39
~~57B~~	~~Vance sl~~	~~2-8~~	~~.24~~	~~3~~	~~.53~~
57D	Vance sl	8-15	.24	3	.53
60C	Wateree fsl	6-15	.20	3	.63
60F	Wateree fsl	15-45	.20	3	.63
63C	Wilkes sl	4-10	.24	1	.18
63F	Wilkes sl	10-45	.24	1	.18

HIGHLY ERODIBLE LANDS
Rockingham County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS, EI = 8
B. Potentially Highly Erodible					
36B, 30B	Appling sl	2-8	.24	4	.70
134B, 131B	Cecil sl	2-8	.28	4	.60
52B	Helena sl	2-8	.24	4	.70
236B	Hiwassee l	2-8	.28	5	.75
317B	Madison scl	2-8	.28	3	.45
307B	Mayodan sl	2-8	.24	4	.70
33B	Mayodan scl	2-8	.24	4	.70
11B	Rion sl	2-8	.24	3	.53
51B	Sedgefield sl	2-8	.28	3	.45
31B, 34B	Cecil scl	2-8	.28	3	.45
511B, 506B	Iredell fsl	2-8	.28	3	.45
221B	Stoneville l	2-8	.32	3	.39
57B	Vance sl	2-8	.24	3	.53
501B	Mecklenbueg scl	2-8	.28	2	.30