

Correlation of Rockingham County, North Carolina  
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
ApB	Appling sandy loam, 2 to 8 percent slopes	ApB	Appling sandy loam, 2 to 8 percent slopes
---	---	AyC	Ayersville gravelly loam, 4 to 15 percent slopes
---	---	AyF	Ayersville gravelly loam, 15 to 45 percent slopes
DoB	Dogue loam, 0 to 4 percent slopes	BaB	Banister loam, 0 to 4 percent slopes, rarely flooded
VaB	Vance sandy loam, 2 to 8 percent slopes	CaB	Casville sandy loam, 2 to 8 percent slopes
VaD	Vance sandy loam, 8 to 15 percent slopes	CaD	Casville sandy loam, 8 to 15 percent slopes
CcB	Cecil sandy loam, 2 to 8 percent slopes	CcB	Cecil sandy loam, 2 to 8 percent slopes
CdB2	Cecil sandy clay loam, 2 to 8 percent slopes, eroded	CdB2	Cecil sandy clay loam, 2 to 8 percent slopes, moderately eroded
Ck	Chewacla loam	CeA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
CcB	Cecil sandy loam, 2 to 8 percent slopes	CfB	Clifford sandy loam, 2 to 8 percent slopes
CdB2	Cecil sandy clay loam, 2 to 8 percent slopes, eroded	CgB2	Clifford sandy clay loam, 2 to 8 percent slopes, moderately eroded
CeC	Cecil-Urban land complex, 2 to 10 percent slopes	ChC	Clifford-Urban land complex, 2 to 10 percent slopes
MdB	Mayodan sandy loam, 2 to 8 percent slopes	CmB	Clover sandy loam, 2 to 8 percent slopes
MdD	Mayodan sandy loam, 8 to 15 percent slopes	CmD	Clover sandy loam, 8 to 15 percent slopes
MdE	Mayodan sandy loam, 15 to 25 percent slopes	CmE	Clover sandy loam, 15 to 25 percent slopes
MeB2	Mayodan sandy clay loam, 2 to 8 percent slopes, eroded	CnB2	Clover sandy clay loam, 2 to 8 percent slopes, moderately eroded
MeD2	Mayodan sandy clay loam, 8 to 15 percent slopes, eroded	CnD2	Clover sandy clay loam, 8 to 15 percent slopes, moderately eroded
MeE2	Mayodan sandy clay loam, 15 to 25 percent slopes, eroded	CnE2	Clover sandy clay loam, 15 to 25 percent slopes, moderately eroded
MfC	Mayodan-Urban land complex, 2 to 10 percent slopes	CpC	Clover-Urban land complex, 2 to 10 percent slopes
Ck	Chewacla loam	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Co	Congaree loam	CuA	Congaree loam, 0 to 2 percent slopes, frequently flooded
Co	Congaree loam	DaA	Dan River loam, 0 to 2 percent slopes, frequently flooded
---	---	DAM	Dam
SeB	Sedgefield sandy loam, 2 to 8 percent slopes	DcB	Davie sandy loam, 2 to 8 percent slopes
WaD	Wateree fine sandy loam, 6 to 15 percent slopes	DeD	Devotion fine sandy loam, 6 to 15 percent slopes

Correlation of Rockingham County, North Carolina  
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
WaF	Wateree fine sandy loam, 15 to 45 percent slopes	DeF	Devotion fine sandy loam, 15 to 45 percent slopes
PaD	Pacolet sandy loam, 8 to 15 percent slopes	FpD	Fairview-Poplar Forest complex, 8 to 15 percent slopes
PaE	Pacolet sandy loam, 15 to 25 percent slopes	FpE	Fairview-Poplar Forest complex, 15 to 25 percent slopes
PaF	Pacolet sandy loam, 25 to 40 percent slopes	FpF	Fairview-Poplar Forest complex, 25 to 45 percent slopes
PcD2	Pacolet sandy clay loam, 8 to 15 percent slopes, eroded	FrD2	Fairview-Poplar Forest complex, 8 to 15 percent slopes, moderately eroded
PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, eroded	FrE2	Fairview-Poplar Forest complex, 15 to 25 percent slopes, moderately eroded
HeB	Helena sandy loam, 2 to 8 percent slopes	HaB	Halifax sandy loam, 2 to 8 percent slopes
We	Wehadkee silt loam	HbA	Hatboro silt loam, 0 to 2 percent slopes, frequently flooded, long duration
Ch	Chastain silty clay loam	HcA	Haw River silty clay loam, 0 to 2 percent slopes, frequently flooded
HeB	Helena sandy loam, 2 to 8 percent slopes	HeB	Helena sandy loam, 2 to 8 percent slopes
HwB	Hiwassee loam, 2 to 8 percent slopes	HwB	Hiwassee loam, 2 to 8 percent slopes
HwD	Hiwassee loam, 8 to 15 percent slopes	HwD	Hiwassee loam, 8 to 15 percent slopes
IrB	Iredell fine sandy loam, 2 to 8 percent slopes	IrB	Iredell fine sandy loam, 2 to 8 percent slopes
IrD	Iredell fine sandy loam, 8 to 15 percent slopes	IrD	Iredell fine sandy loam, 8 to 15 percent slopes
IrB	Iredell fine sandy loam, 2 to 8 percent slopes	JkB	Jackland fine sandy loam, 2 to 8 percent slopes
IrD	Iredell fine sandy loam, 8 to 15 percent slopes	JkD	Jackland fine sandy loam, 8 to 15 percent slopes
CrB	Creedmoor fine sandy loam, 1 to 4 percent slopes	LaB	Lackstown fine sandy loam, 1 to 4 percent slopes
---	---	LeB	Leaksville silt loam, 0 to 4 percent slopes
---	---	LkB	Leaksville-Urban land complex, 0 to 4 percent slopes
MbE2	Madison sandy clay loam, 15 to 25 percent slopes, eroded	MbE2	Madison sandy clay loam, 15 to 25 percent slopes, moderately eroded
MkB2	Mecklenburg sandy clay loam, 2 to 8 percent slopes, eroded	MkB2	Mecklenburg sandy clay loam, 2 to 8 percent slopes, moderately eroded
ApB	Appling sandy loam, 2 to 8 percent slopes	NaB	Nathalie sandy loam, 2 to 8 percent slopes
ApD	Appling sandy loam, 8 to 15 percent slopes	NaD	Nathalie sandy loam, 8 to 15 percent slopes
MkB2	Mecklenburg sandy clay loam, 2 to 8 percent slopes, eroded	OkB2	Oak Level sandy clay loam, 2 to 8 percent slopes, moderately eroded

Correlation of Rockingham County, North Carolina  
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
PaD	Pacolet sandy loam, 8 to 15 percent slopes	PaD	Pacolet sandy loam, 8 to 15 percent slopes
PaE	Pacolet sandy loam, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes
PaF	Pacolet sandy loam, 25 to 40 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
PcD2	Pacolet sandy clay loam, 8 to 15 percent slopes, eroded	PcD2	Pacolet sandy clay loam, 8 to 15 percent slopes, moderately eroded
---	---	PnC	Pinkston fine sandy loam, 6 to 15 percent slopes
---	---	PnF	Pinkston fine sandy loam, 15 to 45 percent slopes
MaD	Madison sandy loam, 8 to 15 percent slopes	PoD	Poplar Forest sandy loam, 8 to 15 percent slopes
MaE	Madison sandy loam, 15 to 35 percent slopes	PoE	Poplar Forest sandy loam, 15 to 35 percent slopes
MbB2	Madison sandy clay loam, 2 to 8 percent slopes, eroded	PpB2	Poplar Forest sandy clay loam, 2 to 8 percent slopes, moderately eroded
MbD2	Madison sandy clay loam, 8 to 15 percent slopes, eroded	PpD2	Poplar Forest sandy clay loam, 8 to 15 percent slopes, moderately eroded
MbE2	Madison sandy clay loam, 15 to 25 percent slopes, eroded	PpE2	Poplar Forest sandy clay loam, 15 to 25 percent slopes, moderately eroded
Mcc2	Madison-Udorthents complex, 2 to 15 percent slopes, gullied	PrC2	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied
---	---	Pt	Pits, clay
Qu	Pits, quarries	Qu	Pits, quarry
RnB	Rion sandy loam, 2 to 8 percent slopes	RnB	Rhodhiss sandy loam, 2 to 8 percent slopes
RnD	Rion sandy loam, 8 to 15 percent slopes	RnD	Rhodhiss sandy loam, 8 to 15 percent slopes
RnE	Rion sandy loam, 15 to 30 percent slopes	RnE	Rhodhiss sandy loam, 15 to 30 percent slopes
RoC	Rion-Urban land complex, 2 to 10 percent slopes	RoC	Rhodhiss-Urban land complex, 2 to 10 percent slopes
WkC	Wilkes sandy loam, 4 to 10 percent slopes	SmC	Siloam sandy loam, 4 to 10 percent slopes
WkF	Wilkes sandy loam, 10 to 45 percent slopes	SmF	Siloam sandy loam, 10 to 45 percent slopes
---	---	SpB	Spray loam, 0 to 5 percent slopes
---	---	SuB	Spray-Urban land complex, 0 to 5 percent slopes
---	---	SvB	Stoneville loam, 2 to 8 percent slopes
---	---	SvD	Stoneville loam, 8 to 15 percent slopes
---	---	SvE	Stoneville loam, 15 to 25 percent slopes
---	---	SwC	Stoneville-Urban land complex, 2 to 10 percent slopes

Correlation of Rockingham County, North Carolina  
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
---	---	Ud	Udorthents, loamy
---	---	Ur	Urban land
VaB	Vance sandy loam, 2 to 8 percent slopes	VaB	Vance sandy loam, 2 to 8 percent slopes
---	---	W	Water
WhB	Wickham sandy loam, 1 to 4 percent slopes	WcB	Wickham sandy loam, 1 to 4 percent slopes, rarely flooded
WhB	Wickham sandy loam, 1 to 4 percent slopes	WhB	Wickham sandy loam, mesic, 1 to 4 percent slopes, rarely flooded
WkC	Wilkes sandy loam, 4 to 10 percent slopes	WkC	Wilkes sandy loam, 4 to 10 percent slopes
WkF	Wilkes sandy loam, 10 to 45 percent slopes	WkF	Wilkes sandy loam, 10 to 45 percent slopes
HwB	Hiwassee loam, 2 to 8 percent slopes	YaB	Yadkin loam, 2 to 8 percent slopes
HwD	Hiwassee loam, 8 to 15 percent slopes	YaD	Yadkin loam, 8 to 15 percent slopes