

Correlation of Stokes County, North Carolina
 Detailed Soil Map Legend

Field Symbol	Field Map Unit Name	Publication Symbol	Publication Map Unit Name
DgB	Dogue fine sandy loam, 2 to 8 percent slopes, rarely flooded	BaB	Banister fine sandy loam, 2 to 8 percent slopes, rarely flooded
DgC	Dogue fine sandy loam, 8 to 15 percent slopes	BaC	Banister fine sandy loam, 8 to 15 percent slopes
HoA	Hornsboro loam, 0 to 3 percent slopes, rarely flooded	BeA	Belews Lake loam, 0 to 3 percent slopes, rarely flooded
---	---	BrD	Brevard-Greenlee complex, 8 to 25 percent slopes, extremely bouldery
---	---	BrE	Brevard-Greenlee complex, 25 to 60 percent slopes, extremely bouldery
CcB	Cecil fine sandy loam, 2 to 8 percent slopes	CcB	Clifford fine sandy loam, 2 to 8 percent slopes
CeB2	Cecil sandy clay loam, 2 to 8 percent slopes, eroded	CeB2	Clifford sandy clay loam, 2 to 8 percent slopes, moderately eroded
CeC2	Cecil sandy clay loam, 8 to 15 percent slopes, eroded	CeC2	Clifford sandy clay loam, 8 to 15 percent slopes, moderately eroded
MnB	Mayodan fine sandy loam, 2 to 8 percent slopes	CfB	Clover fine sandy loam, 2 to 8 percent slopes
MnC	Mayodan fine sandy loam, 8 to 15 percent slopes	CfC	Clover fine sandy loam, 8 to 15 percent slopes
MnD	Mayodan fine sandy loam, 15 to 25 percent slopes	CfD	Clover fine sandy loam, 15 to 25 percent slopes
MoB2	Mayodan sandy clay loam, 2 to 8 percent slopes, eroded	CoB2	Clover sandy clay loam, 2 to 8 percent slopes, moderately eroded
MoC2	Mayodan sandy clay loam, 8 to 15 percent slopes, eroded	CoC2	Clover sandy clay loam, 8 to 15 percent slopes, moderately eroded
MoD2	Mayodan sandy clay loam, 15 to 25 percent slopes, eroded	CoD2	Clover sandy clay loam, 15 to 25 percent slopes, moderately eroded
MpE	Mayodan-Pinkston complex, 25 to 45 percent slopes	CpE	Clover-Pinkston complex, 25 to 45 percent slopes
MyB	Mayodan-Urban land complex, 2 to 10 percent slopes	CrB	Clover-Urban land complex, 2 to 10 percent slopes
ChA	Chewacla loam, 0 to 2 percent slopes, occasionally flooded	CsA	Codorus loam, 0 to 2 percent slopes, occasionally flooded
RtA	Riverview and Toccoa soils, 0 to 4 percent slopes, occasionally flooded	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
---	---	DAM	Dam
MaB2	Masada sandy clay loam, 2 to 8 percent slopes, eroded	DpB2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded
MaC2	Masada sandy clay loam, 8 to 15 percent slopes, eroded	DpC2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded
PaC	Pacolet gravelly fine sandy loam, 8 to 15 percent slopes	FgC	Fairview gravelly fine sandy loam, 8 to 15 percent slopes

Correlation of Stokes County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
PaD	Pacolet gravelly fine sandy loam, 15 to 25 percent slopes	FgD	Fairview gravelly fine sandy loam, 15 to 25 percent slopes
PcB2	Pacolet sandy clay loam, 2 to 8 percent slopes, eroded	FpB2	Fairview-Poplar Forest complex, 2 to 8 percent slopes, moderately eroded
PcC2	Pacolet sandy clay loam, 8 to 15 percent slopes, eroded	FpC2	Fairview-Poplar Forest complex, 8 to 15 percent slopes, moderately eroded
PcD2	Pacolet sandy clay loam, 15 to 25 percent slopes, eroded	FpD2	Fairview-Poplar Forest complex, 15 to 25 percent slopes, moderately eroded
PuB	Pacolet-Urban land complex, 2 to 8 percent slopes	FrB	Fairview-Poplar Forest-Urban land complex, 2 to 8 percent slopes
PuC	Pacolet-Urban land complex, 8 to 15 percent slopes	FrC	Fairview-Poplar Forest-Urban land complex, 8 to 15 percent slopes
PwC	Pacolet-Wilkes complex, 8 to 15 percent slopes	FsC2	Fairview-Siloam complex, 8 to 15 percent slopes, moderately eroded
PwD	Pacolet-Wilkes complex, 15 to 25 percent slopes	FsD2	Fairview-Siloam complex, 15 to 25 percent slopes, moderately eroded
---	---	HaC	Hayesville channery fine sandy loam, 8 to 15 percent slopes, very stony
---	---	HaD	Hayesville channery fine sandy loam, 15 to 25 percent slopes, very stony
---	---	HaE	Hayesville channery fine sandy loam, 25 to 60 percent slopes, very stony
---	---	HeB	Hayesville-Sauratown complex, 2 to 8 percent slopes
---	---	HeC	Hayesville-Sauratown complex, 8 to 15 percent slopes
---	---	HeD	Hayesville-Sauratown complex, 15 to 25 percent slopes
---	---	HeE	Hayesville-Sauratown complex, 25 to 60 percent slopes
DgB	Dogue fine sandy loam, 2 to 8 percent slopes, rarely flooded	LaB	Lackstown fine sandy loam, 2 to 8 percent slopes
DgC	Dogue fine sandy loam, 8 to 15 percent slopes	LaC	Lackstown fine sandy loam, 8 to 15 percent slopes
RnB	Rion fine sandy loam, 2 to 8 percent slopes	RnB	Rhodhiss fine sandy loam, 2 to 8 percent slopes
RnC	Rion fine sandy loam, 8 to 15 percent slopes	RnC	Rhodhiss fine sandy loam, 8 to 15 percent slopes
RnD	Rion fine sandy loam, 15 to 25 percent slopes	RnD	Rhodhiss fine sandy loam, 15 to 25 percent slopes
RpE	Rion, Pacolet, and Wateree soils, 25 to 60 percent slopes	RpE	Rhodhiss, Fairview, and Stott Knob soils, 25 to 60 percent slopes

Correlation of Stokes County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
---	---	RuE	Rock outcrop-Ashe complex, 10 to 80 percent slopes, extremely bouldery
---	---	SaC	Sauratown channery fine sandy loam, 8 to 15 percent slopes
---	---	SaD	Sauratown channery fine sandy loam, 15 to 25 percent slopes
---	---	SaE	Sauratown channery fine sandy loam, 25 to 60 percent slopes
SuC	Sauratown channery fine sandy loam, 8 to 15 percent slopes, very stony	ScC	Sauratown channery fine sandy loam, 8 to 15 percent slopes, very stony
SuD	Sauratown channery fine sandy loam, 15 to 25 percent slopes, very stony	ScD	Sauratown channery fine sandy loam, 15 to 25 percent slopes, very stony
SuE	Sauratown channery fine sandy loam, 25 to 60 percent slopes, very stony	ScE	Sauratown channery fine sandy loam, 25 to 60 percent slopes, very stony
WkC	Wilkes fine sandy loam, 8 to 15 percent slopes	SfC	Siloam fine sandy loam, 8 to 15 percent slopes
WkD	Wilkes fine sandy loam, 15 to 25 percent slopes	SfD	Siloam fine sandy loam, 15 to 25 percent slopes
PxE	Poindexter fine sandy loam, 25 to 60 percent slopes	SpE	Spriggs fine sandy loam, 25 to 60 percent slopes
CwD	Cowee gravelly loam, 8 to 25 percent slopes, stony	StD	Stott Knob gravelly loam, 8 to 25 percent slopes, stony
CwE	Cowee gravelly loam, 25 to 60 percent slopes, stony	StE	Stott Knob gravelly loam, 25 to 60 percent slopes, stony
WeB	Wedowee loam, 2 to 8 percent slopes	ToB	Toast loam, 2 to 8 percent slopes
WeC	Wedowee loam, 8 to 15 percent slopes	ToC	Toast loam, 8 to 15 percent slopes
WeD	Wedowee loam, 15 to 25 percent slopes	ToD	Toast loam, 15 to 25 percent slopes
---	---	Ud	Udorthents, loamy
ZwC	Zion-Wilkes complex, 8 to 15 percent slopes	ZwC	Zion-Siloam complex, 8 to 15 percent slopes