HIGHLY ERODIBLE LANDS
Swain County, North Carolina

Map Unit Symbol	Map Unit Name	Slope % low	Slope % high	T factor	K factor	LS(EI=8)	Status
BkC2	Braddock clay loam, 8 to 15 percent slopes, moderately eroded	8	15	3	.32	0.33	HEL
BkD2	Braddock clay loam, 15 to 30 percent slopes, moderately eroded	15	30	3	.32	0.33	HEL
BsC	Brasstown-Junaluska complex, 8 to 15 percent slopes	8	15	3	.15	0.70	HEL
BsD	Brasstown-Junaluska complex, 15 to 30 percent slopes	15	30	3	.15	0.70	HEL
BsE	Brasstown-Junaluska complex, 30 to 50 percent slopes	30	50	3	.15	0.70	HEL
CbF	Cataska-Rock outcrop complex, 50 to 95 percent slopes, very stony	30	95	1	.15	0.23	HEL
ChE	Cheoah channery loam, 30 to 50 percent slopes, stony	30	50	3	.15	0.70	HEL
CkF	Cheoah-Jeffrey complex, 50 to 95 percent slopes, very rocky	50	95	3	.15	0.70	HEL
CnD	Chestnut-Edneyville complex, windswept, 15 to 30 percent slopes, stony	15	30	2	.17	0.41	HEL
CnE	Chestnut-Edneyville complex, windswept, 30 to 50 percent slopes, stony	30	50	2	.17	0.41	HEL
CrE	Cleveland-Chestnut-Rock outcrop complex, windswept, 30 to 50 percent slopes, very stony	30	50	1	.17	0.20	HEL
CrF	Cleveland-Chestnut-Rock outcrop complex, windswept, 50 to 95 percent slopes, very stony	50	95	1	.17	0.20	HEL
CtD	Cullasaja-Tuckasegee complex, 15 to 30 percent slopes, very stony	15	30	5	.05	3.48	HEL
CtE	Cullasaja-Tuckasegee complex, 30 to 50 percent slopes, very stony	30	50	5	.05	3.48	HEL
DtE	Ditney-Unicoi-Rock outcrop complex, 30 to 50 percent slopes, very stony	30	50	2	.17	0.41	HEL
DtF	Ditney-Unicoi-Rock outcrop complex, 50 to 95 percent slopes, very stony	50	95	2	.17	0.41	HEL
EdD	Edneyville-Chestnut complex, 15 to 30 percent slopes, stony	15	30	4	.24	0.58	HEL
EdE	Edneyville-Chestnut complex, 30 to 50 percent slopes, stony	30	50	4	.24	0.58	HEL
ErF	Edneyville-Chestnut complex, 50 to 95 percent slopes, rocky	50	95	4	.24	0.58	HEL
EvC	Evard-Cowee complex, 8 to 15 percent slopes	8	15	5	.24	0.72	HEL
EvD	Evard-Cowee complex, 15 to 30 percent slopes, stony	15	30	5	.15	1.16	HEL
EvE	Evard-Cowee complex, 30 to 50 percent slopes, stony	30	50	5	.15	1.16	HEL
EvF	Evard-Cowee complex, 50 to 95 percent slopes, stony	50	95	5	.15	1.16	HEL

Map Unit Symbol	Map Unit Name	Slope % low	Slope % high	T factor	K factor	LS(EI=8)	Status
ExD	Evard-Cowee-Urban land complex, 15 to 30 percent slopes	15	30	5	.24	0.72	HEL
ExE	Evard-Cowee-Urban land complex, 30 to 50 percent slopes	30	50	5	.24	0.72	HEL
HaC2	Hayesville clay loam, 8 to 15 percent slopes, moderately eroded	8	15	5	.24	0.72	HEL
HaD2	Hayesville clay loam, 15 to 30 percent slopes, moderately eroded	15	30	5	.24	0.72	HEL
JgD	Junaluska-Brasstown-Tsali-Urban land complex, 15 to 30 percent slopes	15	30	2	.28	0.25	HEL
JgF	Junaluska-Brasstown-Tsali-Urban land complex, 30 to 95 percent slopes	30	95	2	.28	0.25	HEL
JtC	Junaluska-Tsali complex, 8 to 15 percent slopes	8	15	2	.28	0.25	HEL
JtD	Junaluska-Tsali complex, 15 to 30 percent slopes	15	30	2	.28	0.25	HEL
JtE	Junaluska-Tsali complex, 30 to 50 percent slopes	30	50	2	.28	0.25	HEL
JtF	Junaluska-Tsali complex, 50 to 95 percent slopes	50	95	2	.28	0.25	HEL
LdC	Lauada-Fannin complex, 8 to 15 percent slopes	8	15	2	.32	0.22	HEL
LdD	Lauada-Fannin complex, 15 to 30 percent slopes	15	30	2	.32	0.22	HEL
LdE	Lauada-Fannin complex, 30 to 50 percent slopes	30	50	2	.32	0.22	HEL
LdF	Lauada-Fannin complex, 50 to 95 percent slopes	50	95	2	.32	0.22	HEL
LeE	Leatherwood cobbly clay, 30 to 50 percent slopes, stony	30	50	5	.15	1.16	HEL
LkF	Leatherwood cobbly clay, 50 to 95 percent slopes, rocky	50	95	5	.15	1.16	HEL
LnD	Luftee-Anakeesta complex, windswept, 15 to 30 percent slopes, very rocky	15	30	2	.20	0.35	HEL
LnE	Luftee-Anakeesta complex, windswept, 30 to 50 percent slopes, very rocky	30	50	2	.20	0.35	HEL
NtD	Northcove-Maymead complex, 15 to 30 percent slopes, very stony	15	30	5	.10	1.74	HEL
OwE	Oconaluftee-Guyot-Cataloochee complex, windswept, 30 to 50 percent slopes, stony	30	50	3	.15	0.70	HEL
OwF	Oconaluftee-Guyot-Cataloochee complex, windswept, 50 to 95 percent slopes, stony	50	95	3	.15	0.70	HEL
SaC	Saunook gravelly loam, 8 to 15 percent slopes	8	15	5	.15	1.16	HEL
SaD	Saunook gravelly loam, 15 to 30 percent slopes	15	30	5	.15	1.16	HEL
SnE	Snowbird loam, 30 to 50 percent slopes, stony	30	50	4	.24	0.58	HEL
SnF	Snowbird loam, 50 to 95 percent slopes, stony	50	95	4	.24	0.58	HEL
SoD	Soco-Stecoah complex, 15 to 30 percent slopes, stony	15	30	2	.15	0.46	HEL
SoE	Soco-Stecoah complex, 30 to 50 percent slopes, stony	30	50	2	.15	0.46	HEL
SpF	Soco-Stecoah complex, 50 to 95 percent slopes, rocky	50	95	2	.15	0.46	HEL
SqD	Spivey-Santeetlah complex, 15 to 30 percent slopes, very stony	15	30	5	.17	1.02	HEL
SqE	Spivey-Santeetlah complex, 30 to 50 percent slopes, very stony	30	50	5	.17	1.02	HEL
StD	Sylco-Cataska complex, 15 to 30 percent slopes, very rocky	15	30	2	.20	0.35	HEL

Map Unit Symbol	Map Unit Name	Slope % low	Slope % high	T factor	K factor	LS(EI=8)	Status
StE	Sylco-Cataska complex, 30 to 50 percent slopes, very rocky	30	50	2	.20	0.35	HEL
StF	Sylco-Cataska complex, 50 to 95 percent slopes, very rocky	50	95	2	.20	0.35	HEL
TaE	Tanasee-Balsam complex, 30 to 50 percent slopes, very stony	30	50	5	.24	0.72	HEL
ThC	Thurmont loam, 8 to 15 percent slopes	8	15	4	.24	0.58	HEL
ThD	Thurmont loam, 15 to 30 percent slopes	15	30	4	.24	0.58	HEL
TrE	Trimont gravelly loam, 30 to 50 percent slopes, stony	30	50	4	.15	0.93	HEL
TrF	Trimont gravelly loam, 50 to 95 percent slopes, stony	50	95	4	.15	0.93	HEL
WaE	Wayah sandy loam, 30 to 50 percent slopes, stony	30	50	3	.24	0.43	HEL
WaF	Wayah sandy loam, 50 to 95 percent slopes, stony	50	95	3	.24	0.43	HEL
WeD	Wayah sandy loam, windswept, 15 to 30 percent slopes, stony	15	30	3	.24	0.43	HEL
WeE	Wayah sandy loam, windswept, 30 to 50 percent slopes, stony	30	50	3	.24	0.43	HEL
BkB2	Braddock clay loam, 2 to 8 percent slopes, moderately eroded	2	8	3	.32	0.33	PHEL
BrC	Braddock-Urban land complex, 2 to 15 percent slopes	2	15	3	.32	0.33	PHEL
CsC	Cullasaja-Tuckasegee-Cruso complex, 8 to 15 percent slopes, very stony	8	15	5	.05	3.48	PHEL
DrB	Dillard loam, 1 to 5 percent slopes, rarely flooded	1	5	4	.32	0.43	PHEL
ExC	Evard-Cowee-Urban land complex, 2 to 15 percent slopes	2	15	5	.24	0.72	PHEL
JgC	Junaluska-Brasstown-Tsali-Urban land complex, 2 to 15 percent slopes	2	15	1	.15	0.23	PHEL
JgC	Junaluska-Brasstown-Tsali-Urban land complex, 2 to 15 percent slopes	2	15	2	.28	0.25	PHEL
SaB	Saunook gravelly loam, 2 to 8 percent slopes	2	8	5	.15	1.16	PHEL
SkC	Saunook-Urban land complex, 2 to 15 percent slopes	2	15	5	.24	0.72	PHEL
SqC	Spivey-Santeetlah complex, 8 to 15 percent slopes, very stony	8	15	5	.17	1.02	PHEL
SrB	Statler loam, 1 to 5 percent slopes, rarely flooded	1	5	5	.32	0.54	PHEL
TdB	Thurmont-Dillard complex, 2 to 8 percent slopes	2	8	4	.24	0.58	PHEL

This list appends the attached Highly Erodible Lands List issued March 1988, and reflects the correlated and published map units.
HEL – Highly Erodible
PHEL – Potentially Highly Erodible

$EI = \frac{RKLS}{T}$

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
Rev. Mar., 1988

HIGHLY ERODIBLE LANDS

Swain County, North Carolina

$\frac{ST}{RK} = LS$

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
244D (330D)	Braddock cl	8-15	.32	4	LS = .43
244E (330E)	Braddock cl	15-30	.32	4	.43
811E (811D)	Burton-Croggey-Rock outcrop complex	15-30	.15	2	.46
811G (811F, 712G)	Burton-Croggey-Rock outcrop complex	30-95	.15	2	.46
844D	Cashiers gl	8-15	.28	4	.50
844E	Cashiers gl	15-30	.28	4	.50
844F	Cashiers gl	30-50	.28	4	.50
844G	Cashiers gl	50-95	.28	4	.50
721D, 724D	Chandler gl	8-15	.17	3	.61
721E, 724E	Chandler gl	15-30	.17	3	.61
721F, 724F	Chandler gl	30-50	.17	3	.61
721G, 724G	Chandler gl	50-95	.17	3	.61
550F (550E)	Cheoah, cnl	30-50	.15	3	.70
550G	Cheoah, cnl	50-95	.15	3	.70
808D	Chestnut-Edneyville complex, windswept, st	8-15	.17	5	1.02
808E	Chestnut-Edneyville complex, windswept, -1	15-30	.17	5	1.02
808F (808G)	Chestnut-Edneyville complex, windswept, st	30-50	.17	5	1.02

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
Rev. Mar. , 1988

HIGHLY ERODIBLE LANDS
Swain County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
804E (804D)	Cleveland-Chestnut-Rock outcrop complex, windswept	15-30	.17	1	.20
804F	Cleveland-Chestnut-Rock outcrop complex, windswept	30-50	.17	1	.20
804G	Cleveland-Chestnut-Rock outcrop complex, windswept	50-95	.17	1	.20
305E	Cowee-Evard-Urbanland complex	15-30	.24	5	.72
185E	Cullasaja cbrfsl, byx	15-30	.17	5	1.02
185F	Cullasaja cbrfsl, byx	30-50	.17	5	1.02
181D	Cullasaja-Tuckasegee complex, st	8-15	.24	5	.72
181E (801E)	Cullasaja-Tuckasegee complex, st	15-30	.24	5	.72
181F	Cullasaja-Tuckasegee complex, st	30-50	.24	5	.72
181G	Cullasaja-Tuckasegee complex, st	50-90	.24	5	.72
803D (393B, 393D)	Ednaville-Chestnut Complex, st	8-15	.17	5	1.02
803E (393E)	Ednaville-Chestnut Complex, st	15-30	.17	5	1.02
803F (393F)	Ednaville-Chestnut Complex, st	30-50	.17	5	1.02
803G (393G)	Ednaville-Chestnut Complex, st	50-95	.17	5	1.02
414D	Ellijay silty clay loam,	8-15	.24	3	.43
414E	Ellijay silty clay loam,	15-30	.24	3	.43

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
Rev. Mar. , 1983

HIGHLY ERODIBLE LANDS
Swain County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
783D (784B, 304B, 784D, 304D)	Evard-Cowee complex	8-15	.24	5	.72
783E (784E, 304E)	Evard-Cowee complex	15-30	.24	5	.72
783F (784F, 304F, 330F)	Evard-Cowee complex	30-50	.24	5	.72
783G (784G)	Evard-Cowee complex	50-95	.24	5	.72
351D	Fannin, fsl	8-15	.24	3	.43
351E	Fannin, fsl	15-30	.24	3	.43
351F	Fannin, fsl	30-50	.24	3	.43
351G	Fannin, fsl	50-95	.24	3	.43
782E (782D)	Junaluska-Brasstown complex	15-30	.15	2	.46
782F (782G)	Junaluska-Brasstown complex	30-50	.15	2	.46
780E	Junaluska-Tsali complex	15-30	.15	2	.46
780F	Junaluska-Tsali complex	30-50	.15	2	.46
780G	Junaluska-Tsali complex	50-95	.15	2	.46
549E	Oconaluftee cnl	15-30	.15	3	.70
549F	Oconaluftee cnl	30-50	.15	3	.70
549G	Oconaluftee cnl	50-95	.15	3	.70
544E	Oconaluftee cnl, windswept	15-30	.15	3	.70
544F	Oconaluftee cnl, windswept	30-50	.15	3	.70
544G	Oconaluftee cnl, windswept	50-95	.15	3	.70

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
Rev. Mar. , 1988

HIGHLY ERODIBLE LANDS
Swain County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
841E (841D)	Plott fsl, st	15-30	.15	3	.70
841F	Plott fsl, st	30-50	.15	3	.70
841G	Plott fsl, st	50-95	.15	3	.70
7G (7E)	Rock outcrop-Cleveland	30-95	.17	1	.20
125E	Saunook, grl, st	15-30	.15	5	1.16
121D (125D)	Saunook, grl	8-15	.15	5	1.16
121E	Saunook, grl	15-30	.15	5	1.16
398E (398D)	Soco-Stecoah complex	15-30	.15	3	.70
398F	Soco-Stecoah complex	30-50	.15	3	.70
398G	Soco-Stecoah complex	50-95	.15	3	.70
130E (130D)	Spivey-Sarteetlah complex	15-30	.17	5	1.02
130F	Spivey-Sarteetlah complex	30-50	.17	5	1.02
807D (807B)	Tanasee-Balsam complex, st	8-15	.15	5	1.16
807E	Tanasee-Balsam complex, st	15-30	.15	5	1.16
807F	Tanasee-Balsam complex, st	30-50	.15	5	1.16
840F	Trimont, grl	30-50	.15	4	.92
840G	Trimont, grl	50-75	.15	4	.92
801D (101D)	Tuckasegee-Witoside Complex	8-15	.24	5	.72
242D	Unison Variant I	8-15	.32	4	.43

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
Rev. Mar., 1988

HIGHLY ERODIBLE LANDS
Swain County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
848E	Wayah, fsl, st	15-30	.15	3	.70
848F	Wayah, fsl, st	30-50	.15	3	.70
848G	Wayah, fsl, st	50-95	.15	3	.70
847D	Wayah, fsl, windswept, st	8-15	.15	3	.70
847E	Wayah, fsl, windswept, st	15-30	.15	3	.70
847F	Wayah, fsl, windswept, st	30-50	.15	3	.70
847G	Wayah, fsl, windswept, st	50-75	.15	3	.70
732 D	Sylco-Cataska cnvl	8-15	.24	2	.29
732 E	Sylco-Cataska cnvl	15-30	.24	2	.29
732 F	Sylco-Cataska cnvl	30-50	.24	2	.29
732 G	Sylco-Cataska cnvl	50-95	.24	2	.29

U.S. DEPARTMENT OF AGRICULTURE
Soil Conservation Service
North Carolina

Technical Guide
Section II-A-1
Rev. March, 1988

HIGHLY ERODIBLE LANDS
Swain County, North Carolina

Map Unit Symbol	Map Unit Name	Slope %	"K"	"T"	LS EI = 8
A. Highly Erodible					
B. Potentially Highly Erodible					
244B (330B	Braddock cl	2-8	.32	4	.43
245D	Braddock-Urbanland complex	2-15	.32	4	.43
233B (233)	Dillard Variant l	1-5	.24	4	.58
414B	Ellijay sicl	2-8	.24	3	.43
121B (125E)	Saunook gl	2-8	.15	5	1.16
201B (201A)	Statler l	1-5	.32	5	.54
~~102~~	~~Sylva-Whiteside complex~~	~~0-2~~	~~.24~~	~~5~~	~~.72~~ 138B
242B	Unison Variant l	2-8	.32	4	.43
101B (127B, 801B)	Whiteside-Tuckasegee complex	2-8	.24	5	.72