

Correlation of Wilkes County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
DoB	Dogue fine sandy loam, 1 to 6 percent slopes, rarely flooded	BaB	Banister fine sandy loam, 1 to 6 percent slopes, rarely flooded
BrB2	Braddock clay loam, 2 to 8 percent slopes, eroded	BrB2	Braddock clay loam, 2 to 8 percent slopes, moderately eroded
BrD2	Braddock clay loam, 8 to 25 percent slopes, eroded	BrD2	Braddock clay loam, 8 to 25 percent slopes, moderately eroded
---	---	CdF	Chandler gravelly fine sandy loam, 25 to 80 percent slopes
---	---	CeD	Chestnut-Ashe complex, 8 to 25 percent slopes, very stony
---	---	CeF	Chestnut-Ashe complex, 25 to 90 percent slopes, very stony
---	---	ChD	Chestnut-Edneyville complex, 8 to 25 percent slopes, stony
---	---	ChE	Chestnut-Edneyville complex, 25 to 60 percent slopes, stony
CrF	Cleveland-Rock outcrop complex, 8 to 90 percent slopes	CnF	Cleveland-Rock outcrop complex, 8 to 90 percent slopes
CkA	Chewacla loam, 0 to 2 percent slopes, frequently flooded	CoA	Codorus loam, 0 to 2 percent slopes, frequently flooded
---	---	CsD	Cowee-Saluda complex, 8 to 25 percent slopes, stony
---	---	CsE	Cowee-Saluda complex, 25 to 60 percent slopes, stony
---	---	CuE	Cullasaja very cobbly sandy loam, 15 to 60 percent slopes, extremely bouldery
---	---	CwA	Culowhee fine sandy loam, 0 to 3 percent slopes, frequently flooded
ToA	Toccoa sandy loam, 0 to 3 percent slopes, occasionally flooded	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
---	---	DAM	Dam
MaB2	Masada sandy clay loam, 2 to 8 percent slopes, eroded	DpB2	Danripple sandy clay loam, 2 to 8 percent slopes, moderately eroded
MaC2	Masada sandy clay loam, 8 to 15 percent slopes, eroded	DpC2	Danripple sandy clay loam, 8 to 15 percent slopes, moderately eroded
MsB2	Masada gravelly sandy clay loam, 2 to 8 percent slopes, eroded	DsB2	Danripple gravelly sandy clay loam, 2 to 8 percent slopes, moderately eroded
MsC2	Masada gravelly sandy clay loam, 8 to 15 percent slopes, eroded	DsC2	Danripple gravelly sandy clay loam, 8 to 15 percent slopes, moderately eroded
MuC	Masada-Urban land complex, 2 to 15 percent slopes	DuC	Danripple-Urban land complex, 2 to 15 percent slopes
WeF	Wateree-Rion complex, 40 to 95 percent slopes	DwF	Devotion-Rhodhiss-Bannertown complex, 40 to 95 percent slopes, very rocky

Correlation of Wilkes County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
---	---	EdD	Edneytown gravelly sandy loam, 8 to 25 percent slopes
---	---	ErC	Evard gravelly sandy loam, 6 to 15 percent slopes
---	---	ErD	Evard gravelly sandy loam, 15 to 25 percent slopes
---	---	EsD	Evard-Cowee complex, 8 to 25 percent slopes, stony
---	---	EsE	Evard-Cowee complex, 25 to 60 percent slopes, stony
PaD	Pacolet sandy loam, 15 to 25 percent slopes	FaD	Fairview sandy loam, 15 to 25 percent slopes
PcB2	Pacolet sandy clay loam, 2 to 8 percent slopes, eroded	FcB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
PcC2	Pacolet sandy clay loam, 8 to 15 percent slopes, eroded	FcC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
PrC	Pacolet-Urban land complex, 2 to 15 percent slopes	FrC	Fairview-Urban land complex, 2 to 15 percent slopes
PrD	Pacolet-Urban land complex, 15 to 25 percent slopes	FrD	Fairview-Urban land complex, 15 to 25 percent slopes
GrD	Greenlee-Ostin complex, 3 to 40 percent slopes, very stony	GrD	Greenlee-Ostin, frequently flooded complex, 3 to 40 percent slopes, very stony
WhA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
HaC2	Hayesville sandy clay loam, 6 to 15 percent slopes, eroded	HeC2	Hayesville sandy clay loam, 6 to 15 percent slopes, moderately eroded
HbE	Hibriten very cobbly sandy loam, 15 to 45 percent slopes	HnE	Hibriten very cobbly sandy loam, 15 to 45 percent slopes
---	---	OsB	Ostin very cobbly loamy sand, 1 to 5 percent slopes, occasionally flooded
StB	State fine sandy loam, 1 to 6 percent slopes, rarely flooded	PaB	Pfafftown fine sandy loam, 1 to 6 percent slopes, rarely flooded
Pt	Pits, quarries	Pt	Pits, quarry
---	---	PwD	Porters loam, 15 to 25 percent slopes, stony
RnD	Rion fine sandy loam, 15 to 25 percent slopes	RdD	Rhodhiss fine sandy loam, 15 to 25 percent slopes
RnE	Rion fine sandy loam, 25 to 60 percent slopes	RdE	Rhodhiss fine sandy loam, 25 to 60 percent slopes
RsD	Rion-Ashlar complex, 15 to 35 percent slopes, stony	RgD	Rhodhiss-Bannertown complex, 15 to 35 percent slopes, stony
RwC	Rion-Wedowee complex, 5 to 15 percent slopes	RhC	Rhodhiss-Toast complex, 5 to 15 percent slopes
---	---	Rx	Rock outcrop

Correlation of Wilkes County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
BuB	Buncombe loamy sand, 0 to 6 percent slopes, occasionally flooded	RyB	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded
---	---	RzA	Rosman-Reddies complex, 0 to 3 percent slopes, occasionally flooded
---	---	TaD	Tate fine sandy loam, 8 to 25 percent slopes
TcC	Tate-Cullowhee complex, 0 to 25 percent slopes	TcC	Tate-Cullowhee, frequently flooded complex, 0 to 25 percent slopes
---	---	UdC	Udorthents-Urban land complex, 1 to 15 percent slopes
---	---	UfB	Udorthents-Urban land complex, 1 to 6 percent slopes, rarely flooded
---	---	W	Water
---	---	WaC	Watauga loam, 8 to 15 percent slopes
---	---	WaD	Watauga loam, 15 to 25 percent slopes
BhC	Bethlehem-Hibriten complex, 6 to 15 percent slopes	WhC	Woolwine-Hibriten complex, 6 to 15 percent slopes