

Correlation of Yadkin County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
Au	Augusta silt loam	AuA	Augusta silt loam, 0 to 2 percent slopes, rarely flooded
AfA	Altavista fine sandy loam, 0 to 2 percent slopes	BaA	Banister fine sandy loam, 0 to 2 percent slopes, rarely flooded
AfB	Altavista fine sandy loam, 2 to 7 percent slopes	BaB	Banister fine sandy loam, 0 to 6 percent slopes, rarely flooded
AfC	Altavista fine sandy loam, 7 to 10 percent slopes	BaC	Banister fine sandy loam, 6 to 10 percent slopes, rarely flooded
---	---	Bp	Borrow pits
CfB	Cecil fine sandy loam, 2 to 7 percent slopes	CaB	Clifford fine sandy loam, 2 to 6 percent slopes
CfC	Cecil fine sandy loam, 7 to 10 percent slopes	CaC	Clifford fine sandy loam, 6 to 10 percent slopes
ClB2	Cecil loam, 2 to 7 percent slopes, eroded	CbB2	Clifford loam, 2 to 6 percent slopes, moderately eroded
ClC	Cecil loam, 7 to 10 percent slopes	CbC	Clifford loam, 6 to 10 percent slopes
CfB2	Cecil fine sandy loam, 2 to 7 percent slopes, eroded	CcB2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded
CfC2	Cecil fine sandy loam, 7 to 10 percent slopes, eroded	CcC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded
CcB3	Cecil clay loam, 2 to 7 percent slopes, severely eroded	CeB3	Clifford clay loam, 2 to 6 percent slopes, severely eroded
CgB	Cecil gravelly fine sandy loam, 2 to 7 percent slopes	CgB	Clifford gravelly fine sandy loam, 2 to 6 percent slopes
CgB2	Cecil gravelly fine sandy loam, 2 to 7 percent slopes, eroded	CgB2	Clifford gravelly fine sandy loam, 2 to 6 percent slopes, moderately eroded
CgC	Cecil gravelly fine sandy loam, 7 to 10 percent slopes	CgC	Clifford gravelly fine sandy loam, 6 to 10 percent slopes
CgC2	Cecil gravelly fine sandy loam, 7 to 10 percent slopes, eroded	CgC2	Clifford gravelly fine sandy loam, 6 to 10 percent slopes, moderately eroded
MfB	Mayodan fine sandy loam, 2 to 7 percent slopes	CmB	Clover fine sandy loam, 2 to 6 percent slopes
MfC	Mayodan fine sandy loam, 7 to 10 percent slopes	CmC	Clover fine sandy loam, 6 to 10 percent slopes
MfD	Mayodan fine sandy loam, 10 to 14 percent slopes	CmD	Clover fine sandy loam, 10 to 15 percent slopes
MfB2	Mayodan fine sandy loam, 2 to 7 percent slopes, eroded	CoB2	Clover sandy clay loam, 2 to 6 percent slopes, moderately eroded
MfC2	Mayodan fine sandy loam, 7 to 10 percent slopes, eroded	CoC2	Clover sandy clay loam, 6 to 10 percent slopes, moderately eroded
MfD2	Mayodan fine sandy loam, 10 to 14 percent slopes, eroded	CoD2	Clover sandy clay loam, 10 to 15 percent slopes, moderately eroded

Correlation of Yadkin County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
MfF	Mayodan fine sandy loam, 14 to 40 percent slopes	CpF	Clover-Pinkston complex, 25 to 45 percent slopes
Cp	Chewacla silt loam	CrA	Codorus loam, 0 to 2 percent slopes, occasionally flooded
WfB2	Wickham fine sandy loam, 2 to 7 percent slopes, eroded	DaB2	Danripple fine sandy loam, 2 to 8 percent slopes, moderately eroded
WfC2	Wickham fine sandy loam, 7 to 14 percent slopes, eroded	DaC2	Danripple fine sandy loam, 8 to 15 percent slopes, moderately eroded
Mn	Mixed alluvial land, well drained	DeA	Dan River sandy loam, 0 to 3 percent slopes, frequently flooded
Cs	Congaree silt loam	DgA	Dan River loam, 0 to 2 percent slopes, occasionally flooded
Lo	Local alluvial land	DhA	Dan River and Codorus soils, 0 to 2 percent slopes, occasionally flooded
Cr	Congaree fine sandy loam	DmA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
WoB	Worsham fine sandy loam, 0 to 7 percent slopes	DoB	Delila fine sandy loam, 0 to 6 percent slopes
HaC	Halewood stony sandy loam, 7 to 10 percent slopes	EcC	Evard-Cowee complex, 6 to 10 percent slopes, stony
HaD	Halewood stony sandy loam, 10 to 14 percent slopes	EcD	Evard-Cowee complex, 10 to 15 percent slopes, stony
HaE	Halewood stony sandy loam, 14 to 25 percent slopes	EcE	Evard-Cowee complex, 15 to 25 percent slopes, stony
HaF	Halewood stony sandy loam, 25 to 40 percent slopes	EcF	Evard-Cowee complex, 25 to 45 percent slopes, stony
CnC2	Hayesville and Cecil fine sandy loams, 7 to 10 percent slopes, eroded	FaC2	Fairview fine sandy loam, 6 to 10 percent slopes, moderately eroded
CfD	Cecil fine sandy loam, 10 to 14 percent slopes	FaD	Fairview fine sandy loam, 10 to 15 percent slopes
CnD2	Hayesville and Cecil fine sandy loam, 10 to 14 percent slopes, eroded	FaD2	Fairview fine sandy loam, 10 to 15 percent slopes, moderately eroded
CfE	Cecil fine sandy loam, 14 to 25 percent slopes	FaE	Fairview fine sandy loam, 15 to 25 percent slopes
CnE	Hayesville and Cecil fine sandy loams, 14 to 25 percent slopes	FaE	Fairview fine sandy loam, 15 to 25 percent slopes
CnE2	Hayesville and Cecil fine sandy loams, 14 to 25 percent slopes, eroded	FaE2	Fairview fine sandy loam, 15 to 25 percent slopes, moderately eroded
CmD3	Hayesville and Cecil clay loams, 7 to 14 percent slopes, severely eroded	FdC2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CfD2	Cecil fine sandy loam, 10 to 14 percent slopes, eroded	FdD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
CfE2	Cecil fine sandy loam, 14 to 25 percent slopes, eroded	FdE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded

Correlation of Yadkin County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
CmE3	Hayesville and Cecil clay loams, 14 to 25 percent slopes, severely eroded	FdE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
CcC3	Cecil clay loam, 7 to 10 percent slopes, severely eroded	FeC3	Fairview clay loam, 6 to 10 percent slopes, severely eroded
CcD3	Cecil clay loam, 10 to 14 percent slopes, severely eroded	FeD3	Fairview clay loam, 10 to 15 percent slopes, severely eroded
CcE3	Cecil clay loam, 14 to 25 percent slopes, severely eroded	FeE3	Fairview clay loam, 15 to 25 percent slopes, severely eroded
CgD	Cecil gravelly fine sandy loam, 10 to 14 percent slopes	FgD	Fairview gravelly fine sandy loam, 10 to 15 percent slopes
CgD2	Cecil gravelly fine sandy loam, 10 to 14 percent slopes, eroded	FgD2	Fairview gravelly fine sandy loam, 10 to 15 percent slopes, moderately eroded
CgE	Cecil gravelly fine sandy loam, 14 to 25 percent slopes	FgE	Fairview gravelly fine sandy loam, 15 to 25 percent slopes
CgE2	Cecil gravelly fine sandy loam, 14 to 25 percent slopes, eroded	FgE2	Fairview gravelly fine sandy loam, 15 to 25 percent slopes, moderately eroded
Mr	Moderately gullied land, rolling	FhD	Fairview-Gullied land complex, 6 to 15 percent slopes
Ms	Moderately gullied land, hilly	FhE	Fairview-Gullied land complex, 15 to 25 percent slopes
CnF	Hayesville and Cecil fine sandy loams, 25 to 40 percent slopes	FsF	Fairview-Stott Knob complex, 25 to 45 percent slopes
CnF2	Hayesville and Cecil fine sandy loams, 25 to 40 percent slopes, eroded	FsF2	Fairview-Stott Knob complex, 25 to 45 percent slopes, moderately eroded
CcF3	Cecil clay loam, 25 to 40 percent slopes, severely eroded	FtF	Fairview-Stott Knob complex, 25 to 45 percent slopes, stony
Sg	Severely gullied land	GuE	Gullied land-Fairview complex, 10 to 25 percent slopes
We	Wehadkee loams	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
Mm	Mixed alluvial land, poorly drained	HsA	Hatboro soils, 0 to 2 percent slopes, frequently flooded
IrB	Iredell fine sandy loam, 2 to 7 percent slopes	JaB	Jackland loam, 2 to 6 percent slopes
IrB2	Iredell fine sandy loam, 2 to 7 percent slopes, eroded	JaB2	Jackland loam, 2 to 6 percent slopes, moderately eroded
IrC	Iredell fine sandy loam, 7 to 10 percent slopes	JaC	Jackland loam, 6 to 10 percent slopes
IrC2	Iredell fine sandy loam, 7 to 10 percent slopes, eroded	JaC2	Jackland loam, 6 to 10 percent slopes, moderately eroded
ApB	Appling fine sandy loam, 2 to 7 percent slopes	NaB	Nathalie fine sandy loam, 2 to 6 percent slopes
ApC	Appling fine sandy loam, 7 to 10 percent slopes	NaC	Nathalie fine sandy loam, 6 to 10 percent slopes

Correlation of Yadkin County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
ApB2	Appling fine sandy loam, 2 to 7 percent slopes, eroded	NeB2	Nathalie sandy clay loam, 2 to 6 percent slopes, moderately eroded
ApC2	Appling fine sandy loam, 7 to 10 percent slopes, eroded	NeC2	Nathalie sandy clay loam, 6 to 10 percent slopes, moderately eroded
MkB2	Mecklenburg loam, 2 to 7 percent slopes, eroded	OkB2	Oak Level loam, 2 to 8 percent slopes, moderately eroded
MkC2	Mecklenburg loam, 7 to 14 percent slopes, eroded	OkC2	Oak Level loam, 8 to 15 percent slopes, moderately eroded
MkE2	Mecklenburg loam, 14 to 25 percent slopes, eroded	OkE2	Oak Level loam, 15 to 25 percent slopes, moderately eroded
GeC2	Georgeville silt loam, 2 to 10 percent slopes, eroded	PeC2	Penhook silt loam, 2 to 10 percent slopes, moderately eroded
GeE	Georgeville silt loam, 10 to 25 percent slopes	PeE	Penhook silt loam, 10 to 25 percent slopes
Sn	State fine sandy loam	PfB	Pfafftown fine sandy loam, 0 to 6 percent slopes, rarely flooded
MaB	Madison fine sandy loam, 2 to 7 percent slopes	PoB	Poplar Forest fine sandy loam, 2 to 6 percent slopes
MaC	Madison fine sandy loam, 7 to 10 percent slopes	PoC	Poplar Forest fine sandy loam, 6 to 10 percent slopes
MaD	Madison fine sandy loam, 10 to 14 percent slopes	PoD	Poplar Forest fine sandy loam, 10 to 15 percent slopes
MaE	Madison fine sandy loam, 14 to 25 percent slopes	PoE	Poplar Forest fine sandy loam, 15 to 25 percent slopes
MaB2	Madison fine sandy loam, 2 to 7 percent slopes, eroded	PpB2	Poplar Forest sandy clay loam, 2 to 6 percent slopes, moderately eroded
MaC2	Madison fine sandy loam, 7 to 10 percent slopes, eroded	PpC2	Poplar Forest sandy clay loam, 6 to 10 percent slopes, moderately eroded
MaD2	Madison fine sandy loam, 10 to 14 percent slopes, eroded	PpD2	Poplar Forest sandy clay loam, 10 to 15 percent slopes, moderately eroded
MdC	Madison gravelly fine sandy loam, 7 to 10 percent slopes	PrC	Poplar Forest gravelly fine sandy loam, 6 to 10 percent slopes
MdD	Madison gravelly fine sandy loam, 10 to 14 percent slopes	PrD	Poplar Forest gravelly fine sandy loam, 10 to 15 percent slopes
MdD2	Madison gravelly fine sandy loam, 10 to 14 percent slopes, eroded	PrD2	Poplar Forest gravelly fine sandy loam, 10 to 15 percent slopes, moderately eroded
MdF	Madison gravelly fine sandy loam, 25 to 40 percent slopes	PsF	Poplar Forest gravelly fine sandy loam, 25 to 45 percent slopes, very stony
MdE	Madison gravelly fine sandy loam, 14 to 25 percent slopes	PvE	Poplar Forest gravelly fine sandy loam, 15 to 25 percent slopes, rocky
LsD	Louisburg coarse sandy loam, 7 to 14 percent slopes	RdD	Rhodhiss-Stott Knob complex, 8 to 15 percent slopes, stony
LsE	Louisburg coarse sandy loam, 14 to 25 percent slopes	RdE	Rhodhiss-Stott Knob complex, 15 to 25 percent slopes, stony

Correlation of Yadkin County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
LsF	Louisburg coarse sandy loam, 25 to 50 percent slopes	RdF	Rhodhiss-Stott Knob complex, 25 to 45 percent slopes, stony
Bn	Buncombe loamy sand	RnB	Ronda loamy sand, 0 to 5 percent slopes, occasionally flooded
Bu	Buncombe sand	RoB	Ronda sand, 0 to 5 percent slopes, occasionally flooded
WkC	Wilkes sandy loam, 2 to 10 percent slopes	SmC	Siloam sandy loam, 2 to 10 percent slopes
WkC3	Wilkes sandy loam, 2 to 10 percent slopes, severely eroded	SmC3	Siloam sandy loam, 2 to 10 percent slopes, severely eroded
WkD	Wilkes sandy loam, 10 to 14 percent slopes	SmD	Siloam sandy loam, 10 to 15 percent slopes
WkE	Wilkes sandy loam, 14 to 25 percent slopes	SmE	Siloam sandy loam, 15 to 25 percent slopes
WkE3	Wilkes sandy loam, 10 to 25 percent slopes, severely eroded	SmE3	Siloam sandy loam, 10 to 25 percent slopes, severely eroded
WkF	Wilkes sandy loam, 25 to 50 percent slopes	SmF	Siloam sandy loam, 25 to 50 percent slopes
IrD	Iredell fine sandy loam, 10 to 14 percent slopes	SoD	Siloam-Zion complex, 10 to 15 percent slopes
IrD2	Iredell fine sandy loam, 10 to 14 percent slopes, eroded	SoD2	Siloam-Zion complex, 10 to 15 percent slopes, moderately eroded
SmB	Starr loam, 0 to 7 percent slopes	StB	Starr loam, 0 to 6 percent slopes, rarely flooded
ApD	Appling fine sandy loam, 10 to 14 percent slopes	TaD	Toast fine sandy loam, 10 to 15 percent slopes
ApE	Appling fine sandy loam, 14 to 25 percent slopes	TaE	Toast fine sandy loam, 15 to 25 percent slopes
ApD2	Appling fine sandy loam, 10 to 14 percent slopes, eroded	TeD2	Toast sandy clay loam, 10 to 15 percent slopes, moderately eroded
ApE2	Appling fine sandy loam, 14 to 25 percent slopes, eroded	TeE2	Toast sandy clay loam, 15 to 25 percent slopes, moderately eroded
LdB	Lloyd loam, 2 to 7 percent slopes	TmB	Tomlin loam, 2 to 6 percent slopes
LdC	Lloyd loam, 7 to 10 percent slopes	TmC	Tomlin loam, 6 to 10 percent slopes
LdD	Lloyd loam, 10 to 14 percent slopes	TmD	Tomlin loam, 10 to 15 percent slopes
LdE	Lloyd loam, 14 to 25 percent slopes	TmE	Tomlin loam, 15 to 25 percent slopes
LdF	Lloyd loam, 25 to 40 percent slopes	TmF	Tomlin loam, 25 to 45 percent slopes
DaB2	Davidson clay loam, 2 to 7 percent slopes, eroded	TnB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
LdB2	Lloyd loam, 2 to 7 percent slopes, eroded	TnB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
DaC2	Davidson clay loam, 7 to 10 percent slopes, eroded	TnC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded

Correlation of Yadkin County, North Carolina
 Detailed Soil Map Legend

Previous Symbol	Previously Published Map Unit Name	Publication Symbol	Revised Map Unit Name
LdC2	Lloyd loam, 7 to 10 percent slopes, eroded	TnC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
LdD2	Lloyd loam, 10 to 14 percent slopes, eroded	TnD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
LdE2	Lloyd loam, 14 to 25 percent slopes, eroded	TnE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
LcB3	Lloyd clay loam, 2 to 10 percent slopes, severely eroded	ToB3	Tomlin clay loam, 2 to 10 percent slopes, severely eroded
LcD3	Lloyd clay loam, 10 to 14 percent slopes, severely eroded	ToD3	Tomlin clay loam, 10 to 15 percent slopes, severely eroded
LcE3	Lloyd clay loam, 14 to 25 percent slopes, severely eroded	ToE3	Tomlin clay loam, 15 to 25 percent slopes, severely eroded
WaB	Wadesboro fine sandy loam, 2 to 7 percent slopes	TsB	Totier fine sandy loam, 2 to 6 percent slopes
WaC	Wadesboro fine sandy loam, 7 to 10 percent slopes	TsC	Totier fine sandy loam, 6 to 10 percent slopes
WaD	Wadesboro fine sandy loam, 10 to 14 percent slopes	TsD	Totier fine sandy loam, 10 to 15 percent slope
WaE	Wadesboro fine sandy loam, 14 to 30 percent slopes	TsE	Totier fine sandy loam, 15 to 30 percent slopes
WaB2	Wadesboro fine sandy loam, 2 to 7 percent slopes, eroded	TvB2	Totier sandy clay loam, 2 to 6 percent slopes, moderately eroded
WaC2	Wadesboro fine sandy loam, 7 to 10 percent slopes, eroded	TvC2	Totier sandy clay loam, 6 to 10 percent slopes, moderately eroded
WaD2	Wadesboro fine sandy loam, 10 to 14 percent slopes, eroded	TvD2	Totier sandy clay loam, 10 to 15 percent slopes, moderately eroded
---	---	W	Water
ApF	Appling fine sandy loam, 25 to 45 percent slopes	WoF	Woolwine-Fairview-Westfield complex, 25 to 45 percent slopes
CfF2	Cecil fine sandy loam, 25 to 40 percent slopes, eroded	WsF2	Woolwine-Fairview-Westfield complex, 25 to 45 percent slopes, moderately eroded
CfF	Cecil fine sandy loam, 25 to 40 percent slopes	WwF	Woolwine-Fairview-Westfield complex, 25 to 45 percent slopes, stony
HwB2	Hiwassee loam, 2 to 7 percent slopes, eroded	YaB2	Yadkin loam, 2 to 8 percent slopes, moderately eroded