

CONSERVATION PRACTICE SPECIFICATON HERBACEOUS WEED CONTROL - 315

DEFINITION

The removal or control of herbaceous weeds including invasive, noxious and prohibited plants.

PURPOSE

- Enhance accessibility, quantity, and quality of forage and/or browse.
- Restore or release native or create desired plant communities and wildlife habitats consistent with the ecological site.
- Protect soils and control erosion
- Reduce fine-fuels fire hazard and improve air quality

CONDITIONS WHERE PRACTICE APPLIES

On all lands except active cropland where removal reduction, or manipulation of herbaceous vegetation is desired.

This practice does not apply to removal of herbaceous vegetation by prescribed fire (use Prescribed Burning - 338) or removal of herbaceous vegetation to facilitate a land use change (use Land Clearing - 460).

CRITERIA

General Criteria Applicable to All Purposes

Herbaceous weed control will be applied in a manner to achieve the desired control of the target species and protection of preferred species. This will be accomplished by mechanical, chemical, or biological methods either alone or in combination.

NRCS will not develop biological or chemical treatment recommendations except for biological control utilizing grazing animals. Prescribed Grazing (528) is used to ensure desired results are achieved and maintained.

NRCS may provide clients with acceptable biological and/or chemical control references. For ND, information on the type and availability of biological control agents is available in the ND Extension Service's publication "Identification and Control of Invasive and Troublesome Weeds in North Dakota – W-1411". A downloadable version of this publication is available at:

<http://www.ag.ndsu.edu/publications/landing-pages/crops/identifcation-and-control-of-invasive-and-troublesome-weeds-in-north-dakota-w-1411>

Additional information on biological control of herbaceous weeds is available at:

<http://www.biocontrol.entomology.cornell.edu/weedfeedTOC.html>

For additional information on the use of targeted grazing for herbaceous weed control see:

<http://www.cnr.uidaho.edu/rx-grazing/handbook.htm>

For species specific prescription information see: <http://www.cnr.uidaho.edu/rx-grazing/prescriptions.htm>

NRCS may provide clients with current acceptable references to achieve desired management objectives.

When herbicides are used, environmental hazards and site-specific application criteria listed on pesticide labels and contained in extension service and other approved pest management references must be followed.

Due to the non-selective nature of herbicides, the following thresholds will be used to determine the need and feasibility of herbaceous weed control on rangeland and pastureland.

Rangeland: Herbicide treatment is justified when the functional/structural group containing the targeted species replaces or, in the case of state listed noxious weeds has the potential to replace, a dominant or subdominant functional/structural group (as shown on the rangeland health reference worksheet) on the ecological site(s).

Pastureland: Herbicide treatment is justified when targeted species increases, or in the case of noxious weeds has the potential to increase, to the point where percent desirable plants is less than 60% of the stand by weight. See Pasture Condition Score sheet ND-CPA-32.

The latest version of the North Dakota Weed Control Guide is available at:

<http://www.ag.ndsu.edu/weeds/weed-control-guides/nd-weed-control-guide-1>

Herbaceous weed control will include post treatment measures as needed to achieve resource management objectives.

Livestock and people access will be controlled based on management methods applied and restrictions as listed on the chemical labels.

Manage and/or dispose of treated weed species in a manner that will prevent the spread of herbaceous weeds to new sites.

For weed control in tree plantings utilizing organic or synthetic mulches refer to the Mulching standard (practice code 484)

Additional Criteria to Enhance Accessibility, Quantity, and Quality of Forage and/or Browse

Herbaceous weed control will be applied in a manner to minimize negative impact to forage and/or other non-targeted plants. Timing and sequence of control shall be planned in coordination with specifications developed for Prescribed Grazing (528) or Forage Harvest Management (511).

Additional Criteria to Restore or Release Native or Create Desired Plant Communities and Wildlife Habitats Consistent with the Ecological Site

Apply herbaceous weed control in a manner to protect the health and vigor of native or desired plant species.

Use applicable Ecological Site Description (ESD) State and Transition models, to develop specifications that are ecologically sound and defensible. Treatments must be congruent with dynamics of the ecological site(s) and keyed to states and plant community phases that have the potential and capability to support the desired plant community. If an ESD is not available, base specifications on the best approximation of the desired plant community composition, structure, and function.

The latest approved ecological site description (ESD) reports are available via the Ecological Site Information System (ESIS) web page: <http://esis.sc.egov.usda.gov/Welcome/pgESDWelcome.aspx> or Section II of the FOTG: <http://efotg.sc.egov.usda.gov/treemenuFS.aspx> .

Treatments will be conducted when target weed species are most vulnerable and restoration of the native or desired plant communities will be promoted.

Consideration should be given to avoid desired wildlife reproduction time periods. However, habitat restoration treatments have first priority. Short-term habitat quality and wildlife impacts are surpassed by long-term quality improvements. Failure to vigorously treat invasive species early will lead to broad plant community shifts with substantial wildlife habitat implications.

Apply treatments that maintain or enhance plant community composition and structure to meet the requirements of target wildlife species.

Additional Criteria to Protect Soils and Control Erosion

Apply herbaceous weed control to minimize soil disturbance and soil erosion.

Additional treatment will be applied to protect soils and prevent erosion.

Additional Criteria to Reduce Fine-Fuels Fire Hazard and Improve Air Quality

Treat weed species in a manner that creates a native or desired plant community which reduces the potential for accumulating excessive fuel loads and increased wildfire hazards.

Apply treatment methods in a manner that minimize the potential for unintended impacts to air resources, e.g., smoke, chemical drift etc.

CONSIDERATIONS

A North Dakota pesticide applicators certification (Private or Commercial) may be required to purchase and apply certain herbicides.

Consider using Integrated Pest Management (595) in support of herbaceous weed control. Consider soil erosion potential and difficulty of vegetation establishment when choosing a method of control that causes soil disturbance.

Consider the appropriate time period for treatment. Some herbaceous weed control activities can be effective when applied within a single year; others may require multiple years of treatment(s) to achieve desired objectives.

Consider impacts to wildlife species, in general, treatments that create a mosaic pattern may be the most desirable.

Consider impacts to wildlife food supplies, space, and cover availability when planning the method and amount of herbaceous weed control.

For air quality purposes, consider using chemical methods of herbaceous weed control that minimize chemical drift and excessive chemical usage and consider mechanical methods of herbaceous weed control that minimize the entrainment of particulate matter.

Adjacent land uses must be considered before chemicals are used.

PLANS AND SPECIFICATIONS

Prepare plans and specifications for each field or treatment unit according to the criteria included in this specification.

Plans and specifications will be documented on the North Dakota Herbaceous Weed Control Job Sheet (ND-CPA-315) and, at a minimum, shall include:

1. Goals and objectives statement including the stated purpose for planning and applying the conservation practice.
2. Plan map, resource inventory map, and soil map for the site.
3. Pre-treatment cover or density of the target plant(s) and the planned post-treatment cover or density and desired efficacy.
4. Maps, drawings, and/or narratives detailing or identifying areas to be treated, pattern of treatment (if applicable), and areas that will not be disturbed.
5. A monitoring plan that identifies what shall be measured (including timing and frequency) and the changes in the plant community (compare with objectives) that will be achieved.

For Mechanical Treatment Methods. Plans and specifications will include items 1 through 5 above, plus the following:

- Type of equipment to use for control
- Planned dates of treatment
- Operating instructions (if applicable)
- Techniques and procedures (i.e. grazing deferment) to be followed.

For Chemical Treatment Methods. Plans and specifications will include items 1 through 5, above, plus the following:

- List references where weed control guidance may be found.
- Document techniques to be used, planned dates and rates of application
- Evaluation and interpretation of herbicide risks associated with the selected treatment(s) using WIN-PST or other approved tools.
- Any special mitigation, timing considerations or other factors (such as soil texture and organic matter content) that must be considered to ensure the safest, most effective application of the herbicide
- Reference to product label instructions

For Biological Treatment Methods. Plans and specifications will include items 1 through 5, above, plus the following:

- Acceptable biological treatment references for the selected biological agent(s) used to contain and manage the target species
 - <http://www.ag.ndsu.edu/pubs/plantsci/pests/e1225.pdf>
 - <http://www.ag.ndsu.edu/griggscountyextension/biological-control-of-weeds-1/biological-control-of-weeds-how-to-successfully-release-leafy-spurge-flea-beetles>
 - <http://www.ag.ndsu.edu/publications/landing-pages/crops/identification-and-control-of-invasive-and-troublesome-weeds-in-north-dakota-w-1411>
 - <http://www.biocontrol.entomology.cornell.edu/weedfeedTOC.html>
- Document release date, kind, and number of agents
- Timing, frequency, duration and intensity of grazing or browsing (if applicable)
- Desired degree of grazing or browsing use for effective management of target species (if applicable)
- Maximum allowable degree of use on desirable non-target species (if applicable)
- Special mitigation, precautions, or requirements associated with the selected treatment(s)

OPERATION AND MAINTENANCE

Operation. Herbaceous weed control practices shall be applied using approved materials and procedures. Operations will comply with all local, state, and federal laws and ordinances.

Success of the practice shall be determined by evaluating regrowth or reoccurrence of target species after sufficient time has passed to monitor the situation and gather reliable data. Length of evaluation periods will depend on the herbaceous weeds species being monitored, proximity of propagules

(seeds, plant materials and roots) to the site, transport mode of seeds (wind or animals) and methods and materials used.

The operator will develop a safety plan for individuals exposed to chemicals, including telephone numbers and addresses of emergency treatment centers and the telephone number for the nearest poison control center.

- Hennepin Regional Poison Center, Minneapolis, MN. Emergency phone number (800) 222-1222; (612) 904-4691 (TTY).
- National Pesticide Information Center (NPIC) telephone number in Corvallis, Oregon (for non-emergency information), **1-800-858-7384**, Monday to Friday 6:30 a.m. to 4:30 p.m. Pacific Time
- The national Chemical Transportation Emergency Center (CHEMTRAC) telephone number is: 1-800-424-9300

Follow label requirements for mixing/loading setbacks from wells, intermittent streams and rivers, natural or impounded ponds and lakes, and reservoirs.

Post signs, according to label directions and/or federal, state, tribal, and local laws, around fields that have been treated. Follow restricted entry intervals.

Dispose of herbicide and herbicide containers in accordance with label directions and adhere to federal, state, tribal, and local regulations.

Read and follow label directions and maintain appropriate Material Safety Data Sheets (MSDS). MSDS and herbicide labels may be accessed on the Internet at: <http://www.greenbook.net/>

Calibrate application equipment according to recommendations before each seasonal use and with each major chemical and site change.

Replace worn nozzle tips, cracked hoses, and faulty gauges on spray equipment.

Maintain records of plant management for at least two years. herbicide application records shall be in accordance with USDA Agricultural Marketing Service's Pesticide Recordkeeping Program and state-specific requirements.

Maintenance. Following initial application, some regrowth, resprouting, or reoccurrence of herbaceous weeds may be expected. Spot treatment of individual plants or areas needing re-treatment should be completed as needed when weed vegetation is most vulnerable to desired treatment procedures.

Review and update the plan periodically in order to incorporate new IPM technology; response to grazing management and complex weed population changes; and avoid the development of weed resistance to herbicide chemicals.

REFERENCES

Alex, J.F., and C.M. Switer. 1982. Ontario weeds. Publ. 505, University of Guelph – Ontario Agricultural College, Guelph, Ontario, Canada.

American Sheep Industry, A. Peischel and D.D. Henry, Jr., 2006. Targeted Grazing: a Natural Approach to Vegetation Management and Landscape Enhancement.

Cheney, M. Common poisonous plants of western Washington which affect livestock. [Online] Available at http://www.piercecountycd.org/tip_toxicplants_p.html. (Accessed 15 October 2008).

Ciba-Geigy Corp. Plants that poison livestock: Information chart.

Cornell University Department of Animal Science. Plants Poisonous to Livestock and Other Animals. [Online]. Available at: <http://www.ansci.cornell.edu/plants/>

DeWolf , G. and M. Hondalus. 1988. Common Massachusetts plants poisonous to horses. University of Massachusetts Cooperative Extension Service, Amherst, MA.

Ensminger, M.E. 1992. The stockman's handbook. (7th Ed.) The Interstate Printers and Publishers, Inc. Danville, IL.

Evers, R.A., and R.P. Link. 1972. Poison plants of the Midwest and their effects on livestock. Special Publication 24, University of Illinois – College of Agriculture, Urbana, IL.

Hamilton, G.W., and J.R. Mitchell. 2001. [Online] Poisonous plants in pastures. Univ. of New Hampshire Coop. Ext. Serv., Durham, NH. Available at http://extension.unh.edu/resources/representation/Resource000623_Rep645.pdf. (Accessed 15 October 2008).

Hill, R.J., and D. Folland. 1986. Poisonous plants of Pennsylvania. Pennsylvania Department of Agriculture, Harrisburg, PA.

Reed, C.F. 1970. Selected weeds of the United States. Agriculture Handbook No. 366, U.S. Government Printing Office, Washington, D.C.

USDA-ARS. 2006. Bulletin 415 - Plants poisonous to livestock in the Western states. [Online]. Available at <http://www.ars.usda.gov/Services/docs.htm?docid=12140> (Updated 08 February 2006, accessed 15 October 2008).