

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44

**State Guidance for Wetland Determinations  
Including State Offsite Methods  
North Dakota Natural Resources Conservation Service**

For the 1985 Food Security Act, as amended.

**State Guidance for Wetland Determinations  
Including State Offsite Methods  
North Dakota Natural Resources Conservation Service**

**TABLE OF CONTENTS**

1.0 INTRODUCTION.....	3
1.1 OVERVIEW OF USDA WETLAND IDENTIFICATION PROCEDURES .....	3
1.2 OVERVIEW OF STATE OFFSITE METHODS (SOSM).....	3
1.3 OVERVIEW OF FOOD SECURITY ACT WETLANDS.....	4
1.4 OVERVIEW OF DEFINITIONS USED BY THE NRCS to Implement the Act.....	4
2.0 FSA Wetland Determination Process STEP 1: Wetland Identification.....	7
2.1 DEVELOP A BASE MAP .....	8
2.1.1 Information supplementing the Corps Manual and FSA variances: .....	8
2.1.2 Information supplementing All Sections in the Corps Manual .....	9
2.2 STATE OFFSITE METHOD (SOSM) SUPPLEMENTING “SECTION D, ROUTINE DETERMINATIONS, SUBSECTION 1: ONSITE INSPECTION UNNECESSARY” and SUBSECTION 3 (for factors that are adequately characterized).....	9
2.2.1 Hydrophytic Vegetation (no pre-1985 drainage) and the vegetation is not significantly disturbed or problematic due to climate: .....	10
2.2.2 Hydric Soils (with or without pre-1985 drainage): .....	11
2.2.3 Wetland Hydrology (no pre-1985 drainage):.....	11
2.3 INFORMATION SUPPLEMENTING “SECTION F: ATYPICAL SITUATIONS” .....	12
2.3.1 Hydrophytic Vegetation (no pre-1985 drainage, with or without post 1985 drainage):.....	12
2.3.2 Hydrophytic Vegetation (with pre-1985 drainage, with or without post 1985 drainage):.....	13
2.3.3 Wetland Hydrology (post 1985 drainage with no pre-1985 drainage): .....	14
2.3.4 Wetland Hydrology (post 1985 drainage with pre-1985 drainage):.....	15
2.4 INFORMATION SUPPLEMENTING “SECTION G: PROBLEM AREAS” .....	15
2.4.1 Hydrophytic Vegetation (no pre-1985 drainage): .....	15
2.4.2 Wetland Hydrology (no pre-1985 drainage):.....	16
2.4.3 Wetland Hydrology (with pre-1985 drainage): .....	17
2.5 FINALIZATION OF BASE MAP .....	17
3.0 FSA Wetland Determination Process STEP 2: Assignment of WC labels.....	18
3.1 VERIFICATION OF PRE-1985 CROPPING HISTORY .....	18
3.2 VERIFICATION OF PRE-DECEMBER 23, 1985, MANIPULATION(s).....	18
3.3 VERIFICATION OF POST-1985 POTENTIAL CONVERSION.....	19
3.4 VERIFICATION OF POTHOLE LANDFORM.....	19
3.5 Verification of consecutive length (duration) of ponding and/or saturation during the growing season on December 23, 1985, in most years (50% chance or more).....	20
3.6 DETERMINATION OF THE REQUIRED CONDITIONS FOR WC LABELS.....	20
4.0 FSA WETLAND DETERMINATION PROCESS STEP 3: DETERMINATION OF SIZE AND DEVELOPMENT OF CERTIFIED WETLAND DETERMINATION MAP .....	22
4.1 TRANSFERRING BASE MAP SAMPLING UNITS TO WC COMPLIANCE LABELED POLYGONS .....	22
4.2 CERTIFIED WETLAND DETERMINATION (CWD) MAP.....	22

1  
2  
3 **SECTION 1**

4 **1.0 INTRODUCTION**

5 The purpose of this document is to provide guidance to agency experts to maximize consistency  
6 and accuracy of wetland determinations. Included in this document are supplemental wetland  
7 identification procedures defined as State Offsite Methods (SOSM). The SOSM contain “state  
8 procedures” which are used in addition to existing NRCS methods for rendering decisions under  
9 either of these situations:

- 10  
11 1) Routine - onsite inspection is unnecessary,  
12 2) Section F situations, and/or  
13 3) Section G situations, including Chapter 5 of the Regional Supplements.  
14

15 Additionally, this document provides guidance related to the assignment of WC labels and  
16 sizing.  
17

18 **1.1 OVERVIEW OF USDA WETLAND IDENTIFICATION PROCEDURES**

19  
20 The 1985 Food Security Act, as amended, (Act) requires producers participating in most USDA  
21 programs to comply with the Wetland Conservation (WC) compliance provisions at 7 CFR Part  
22 12. The 2014 Farm Bill re-linked the WC compliance provisions to crop insurance premium  
23 subsidies. To remain eligible for USDA program benefits, producers must not plant an  
24 agricultural commodity on a wetland converted after December 23, 1985, or convert a wetland  
25 to make possible the production of an agricultural commodity after November 29, 1990. The  
26 NRCS assists producers with meeting their WC compliance responsibilities by issuing certified  
27 wetland determinations. Certified wetland determinations identify the location of all wetlands on  
28 their land and the scope of protection that must be provided in order for a producer to maintain  
29 eligibility for USDA program benefits.  
30

31 The NRCS completes certified wetland determinations for the purpose of implementing the Act.  
32 This document incorporates, by reference, the current versions and pertinent sections of the  
33 following documents:  
34

- 35 1) National Food Security Act Manual (NFSAM)  
36 2) FSA Wetland Identification Procedures (NFSAM Part 527 Appendix)  
37 3) 1987 United States Army Corps of Engineers (USACE) Wetland Delineation Manual,  
38 Technical Report Y-87-1 ('87 Manual)  
39 4) USACE Regional Supplements (Great Plains and Midwest) to the '87 Manual  
40 5) Title 210 Engineering, National Engineering Handbook (NEH), Part 650, Engineering  
41 Field Handbook (EFH), Chapter 19 - Hydrology Tools for Wetland Determination  
42

43 **1.2 OVERVIEW OF STATE OFFSITE METHODS (SOSM)**

44  
45 The NRCS has established wetland identification procedures in the NFSAM. Part 527 of the  
46 NFSAM, titled “Food Security Act Wetland Identification Procedures,” explains how the NRCS  
47 utilizes methods contained in portions of the 1987 Corps Manual, the USACE Regional  
48 Supplements, the regulations found in 7 CFR Part 12, and the procedures (Part 527 of the  
49 NFSAM).  
50

1 The listed state procedures (SOSM) in this document takes into account unique regional, state,  
2 and local wetland characteristics. As directed by the Secretary of Agriculture, this document  
3 was developed consistently with other states in the Northern Plains portion of the Prairie  
4 Pothole Region. This document adheres to regulations and policies in effect as of the date of  
5 this document but may be subject to change.

### 6 7 **1.3 OVERVIEW OF FOOD SECURITY ACT WETLANDS**

8  
9 As defined by Congress in Section 1201(b) of the Act, *“the Secretary shall develop:*

- 10 (1) *Criteria for the identification of hydric soils and hydrophytic vegetation; and*  
11 (2) *Lists of such soils and such vegetation.”*

12  
13 Pursuant to this statutory framework, the NRCS procedures for making a wetland determination  
14 follow a basic three-step process:

#### 15 16 Step 1 – Wetland Identification – Normal Circumstances

17 During the first step of wetland identification, the NRCS determines whether the site (sampling  
18 unit(s)) meet the Act’s definition of wetland “under normal circumstances.” Normal  
19 circumstances are those conditions (vegetation, soils, and hydrologic conditions) that would  
20 occur in the absence of any post-1985 drainage actions, without regard to whether the  
21 vegetation has been removed or significantly altered, and during the wet portion of the growing  
22 season under normal climate conditions.

23  
24 The NRCS consults two sources of information when making a decision whether an area would,  
25 under normal circumstances, meet the Act definition of a wetland:

- 26  
27 1) Regulations found in 7 CFR Part 12,  
28 2) Food Security Act Wetland Identification Procedures, located in the National Food  
29 Security Act Manual Appendix

30  
31 The Food Security Act Wetland Identification Procedures do not contain wetland determination  
32 methods. Therefore, the NRCS utilizes existing methodology found in the 1987 Corps Manual  
33 and its Regional Supplements. The NRCS adopted portions of the 1987 Corps Manual which  
34 include Paragraph 23 of Part I: Introduction, and Part IV: Methods.

#### 35 36 Step 2 – Determination of Act Exemptions/Labels

37 In this step the agency expert uses the wetland/non-wetland map produced from Step 1  
38 (wetland identification) and labels each of the polygons on the wetland map based on Act  
39 exemptions. Each exemption has specific “conditions,” many of which tie back to the date of  
40 enactment of its various provisions (i.e., December 23, 1985, and November 29, 1990).

#### 41 42 Step 3 – Sizing of Wetlands

43 Size of the wetland/non-wetland areas and the areas meeting Act exemptions is determined by  
44 examining data sources and the information gathered in a site visit, if one was made.

### 45 46 **1.4 OVERVIEW OF DEFINITIONS USED BY THE NRCS TO IMPLEMENT THE ACT**

#### 47 48 Wetland:

49 For Act purposes, the term “wetland” is defined in 16 U.S.C. section 3801(a)(18) as land that—

- 50  
51 A) Has a predominance of hydric soils.

- 1 B) Is inundated or saturated by surface or groundwater at a frequency and duration  
2 sufficient to support a prevalence of hydrophytic vegetation typically adapted for life  
3 in saturated soil conditions.  
4 C) Under normal circumstances supports a prevalence of such vegetation.  
5

6 For the purposes of FSA and any other act, this term does not include lands in Alaska  
7 identified as having high potential for agricultural development that have a  
8 predominance of permafrost soils.  
9

10 *“This definition is unique to the statute, and all decisions regarding the identification of FSA  
11 wetlands must be based on this definition. The statute adds further clarity to the concept of an  
12 FSA wetland by defining “hydric soil” and “hydrophytic vegetation” (as those concepts will be  
13 applied to the WC provisions) and by the specific direction given to the Secretary as to the  
14 hydric soils and hydrophytic vegetation criteria that must be developed by USDA (16 U.S.C.  
15 Section 3801(b)(1)).”*  
16

#### 17 Normal Circumstances

18 Wetland identification decisions are based on conditions that are expected to occur under  
19 Normal Circumstances. The FSA Wetland Identification Procedures paragraph (2-10) defines  
20 Normal Circumstances (NC) as, *“The soil and hydrologic conditions that are normally present,  
21 without regard to whether the vegetation has been removed (7 CFR section 12.31(b)(2)(i)). For  
22 FSA wetland identification purposes, this concept is the consideration of normal and abnormal  
23 climate-based site changes and natural and artificial disturbance-based site changes that can  
24 create wetland identification challenges. “Normally present” is further explained as the  
25 vegetative, soil, and hydrologic conditions that occur under both of these conditions:*  
26

- 27 a. *Without regard to whether the site has been subject to drainage actions (see drainage  
28 definition) after December 23, 1985, and without regard to whether the vegetation has  
29 been removed or significantly altered.*  
30 b. *During the wet portion of the growing season under normal climatic conditions (normal  
31 environmental conditions).*  
32

33 The FSA Wetland Identification Procedures paragraph (2-11) defines Normal Environmental  
34 Conditions (NEC) as. *“The climate-based concept of NC, defined as the physical conditions,  
35 characteristics (hydrology, soil, and vegetation), or both that would exist in a typical situation (2-  
36 12) on a site during the wet portion of the growing season in a normal climatic year.”*  
37

38 Normal Circumstances as used in the FSA wetland definition requires that decisions be based  
39 not on anomalies, but rather what would normally occur on the sampling unit during NEC (FSA  
40 Procedures paragraph (3-3)). In the Corps methods, the concept of “normal” is separated into  
41 the disturbance-based concept of normal circumstances (typical/atypical situations) and the  
42 climate-based concept of normal circumstances called “normal environmental conditions”  
43 (NEC). The NRCS adopts this concept that a determination of “normal” is a two-pronged  
44 consideration (FSA Procedures paragraph (3-4)). For FSA purposes the agency expert will  
45 determine the normal circumstances (NC) of the sampling unit as those that would be expected  
46 to occur,  
47

- 48 (1) In the absence of post-12/23/1985 drainage actions that alter the normal soil or  
49 hydrologic conditions.

- 1 (2) In the absence of an alteration (removal or change) in the plant community such that  
2 a decision cannot be made if the site would support a prevalence of hydrophytic  
3 vegetation if undisturbed.  
4 (3) During the wet portion of the growing season during a year experiencing normal  
5 weather patterns.  
6

7 Wetland Indicators

8 In the absence of direct evidence, the decision if a sampling unit meets a particular diagnostic  
9 factor (wetland hydrology, prevalence of hydrophytic vegetation, and a predominance of hydric  
10 soils) is assisted by confirmation of the presence of indicators. The use of indicators to predict  
11 the conditions that would occur under NC is referred to as the “indicator-based approach to  
12 wetland identification.” Indicators can be obtained from remote data sources, site visits or both.  
13

14 The NRCS utilizes the indicator-based approach to assist in decision-making. The ultimate  
15 decision if a site meets the FSA criteria for any of the three diagnostic factors is made from a  
16 preponderance of evidence, best professional judgment, and the FSA definitions, criteria, or  
17 both, of hydrophytic vegetation, hydric soils, and wetland hydrology (FSA Wetland Identification  
18 Procedures paragraph (4-3)).  
19

20 According to Paragraph (4-4) of the FSA Wetland Identification Procedures, “*The decision if the*  
21 *site is an FSA wetland is ultimately rendered based on the determination of a presence or*  
22 *absence of each of the three factors under NC. Areas determined to support wetland*  
23 *hydrology, a prevalence of hydrophytic vegetation, and a predominance of hydric soils (all under*  
24 *NC), as each factor is defined by the FSA, are wetlands subject to the WC provisions of the*  
25 *act.*”  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51

1  
2  
3 **SECTION 2**

4 **2.0 FSA WETLAND DETERMINATION PROCESS STEP 1: WETLAND IDENTIFICATION**

5 Wetland determinations are technical decisions resulting from the determination of whether or  
6 not an area is a wetland (wetland ID), including a determination of the appropriate wetland type  
7 (WC compliance label), and size (FSA Wetland Identification Procedures paragraph (2-18)).  
8 Therefore, the NRCS identifies three unique and separate steps to the wetland determination  
9 process. Within the first two steps each of the three wetland diagnostic factors must be  
10 assessed independently to determine if a decision can be rendered at the diagnostic factor level  
11 using offsite data sources.

12  
13 As a reminder, the first step in the wetland identification process is to subdivide the project into  
14 different areas called sampling units (FSA Procedures (2-12)) and identify each sampling unit  
15 on a base map. Then for each sampling unit, an independent consideration of each of the three  
16 wetland diagnostic factors is made. For each sampling unit the agency expert must decide  
17 when applying Section C: Selection of Method of the 'Corps Manual which level is most  
18 appropriate.

19  
20 Selection of “Section D – Routine Determinations, Subsection 1 – Onsite Inspection  
21 Unnecessary,” procedures are not likely to occur in an actively cropped sampling unit. Within  
22 the agriculture landscape, sometimes decisions are rendered when one or more factor is either  
23 atypical (Section F) or climatically challenged (Section G). Therefore, agency experts often  
24 utilize “Section D – Routine Determinations, Subsection 2 – Onsite Inspection Necessary,”  
25 procedures supplemented with the methods provided in Section F, G, and/or Chapter 5 of the  
26 Regional Supplements.

27  
28 The agency expert selects the most appropriate method(s) to identify wetlands. This decision is  
29 not made at the project (USDA tract/field) scale; rather for each sampling unit identified and  
30 delineated on the wetland identification base map. The agency expert retains the sole  
31 responsibility to determine the level of routine determination (Section D, Subsection 1,  
32 Subsection 2, or Subsection 3), and if Sections F or G will be utilized.

33  
34 **NOTES:**

- 35
- 36 • All agency decisions during Step 1 are made at the sampling unit level.
  - 37 • The term “imagery” refers to all forms of remotely captured imagery or photography,  
38 digital or analog, at all resolutions.
  - 39 • Unless otherwise stated, the use of “1985” in this document refers to December 23,  
40 1985.
  - 41 • A single resource document (tool) can contain multiple data sources. Each resource  
42 document can be used to support the decision for one or more wetland diagnostic factor.  
43 A soil survey contains multiple data sources (soils map, hydrology data, vegetative data,  
44 and use limitation data). The soil survey can be used to assist in a decision for one or  
45 more diagnostic factor. However, a single remote data source contained within the  
46 published county soil survey manuscript (i.e., hydric soils list, vegetative data table) can  
47 only be applied to a single factor.
  - 48
  - 49
  - 50

1 **2.1 DEVELOP A BASE MAP**  
2

3 The agency expert must utilize preliminary data gathering and synthesis in determining whether  
4 a typical or atypical situation exists (FSA Variance 5-9). The Corps Manual, “Section B  
5 (Preliminary Data Gathering and Synthesis)”, Step 2; and “Section D, Routine Determination,  
6 Subsection 2 – Onsite Inspection Necessary,” Step 1 and Step 4, require the agency expert to  
7 identify the project area, make a base map, and identify sampling units.  
8

9 **2.1.1 Information supplementing the Corps Manual and FSA variances:**

- 10 • Users will graphically subdivide the project into sampling units on a base map image  
11 using resources A through E (as available) below as indicated.  
12 • The base map shall be large enough to readily read and record multiple sampling  
13 units in one location (e.g., concentric circles).  
14 • A sampling unit number will only be recorded once.  
15 • Sampling unit boundaries do not need to match exactly between resources.  
16 • The sampling unit boundary from resource B will be used.  
17 • The agency expert will determine sampling unit validity.  
18 • Sampling units will be located using the remote resources below.  
19  
20 A. Review the NRCS wetland inventory maps **OR** previous non-certified determinations,  
21 if available. Each previously identified polygon may be a sampling unit.  
22  
23 B. Review appropriate imagery. Each signature listed below not matching resource A  
24 above is a sampling unit:  
25 • Hydrophytic vegetation  
26 • Surface water  
27 • Saturated conditions  
28 • Flooded or drowned-out crops  
29 • Stressed crops due to wetness  
30 • Differences in vegetation due to different planting or replanting dates  
31 • Inclusions of wet areas as set-aside or idled land  
32 • Circular or irregular areas of unharvested crops within a harvested field  
33 • Isolated areas that are not farmed with the rest of the field  
34 • Areas of greener vegetation  
35

36 **Note:** The term “appropriate” means that the agency expert will select the imagery  
37 year or years that best represents Normal Circumstances, including “Normal  
38 Environmental Conditions”, to identify and size sampling units. To the extent  
39 possible, Section I of the NRCS Field Office Technical Guide will include designation  
40 of the image year(s) (2 to 4 different images) determined to reflect Normal  
41 Environmental Conditions for specific geographic locations.  
42

43 **For sampling units without pre-1985 drainage manipulations,** base map  
44 development will include use of the imagery year which best reflects Normal  
45 Environmental Conditions as identified in Section I of the FOTG is required.  
46

47 **For sampling units with pre-1985 drainage manipulations** when developing the  
48 base map, the agency expert must determine and utilize imagery which reflects  
49 Normal Circumstances with consideration of when the manipulation was installed

1 and the best drained conditions<sup>1</sup> of the sampling unit. To determine the best drained  
2 conditions, the agency expert must review imagery years immediately following the  
3 approximate drainage manipulation year and/or use other resources such as  
4 producer submitted drainage worksheets, drainage equations, watershed district  
5 maps, road culvert elevations, and/or county drainage maps to determine the  
6 presence or absence of sampling units and their size.  
7

- 8 C. Review the National Wetland Inventory (NWI) maps. Each NWI polygon not  
9 matching resources A or B above may be a sampling unit.
- 10
- 11 D. Review the soil survey and the county hydric soils list. Identify listed hydric soil map  
12 units, map units with hydric soils as part of their name, or soils with hydric inclusions,  
13 and map units with conventional wetland symbols. Each soil survey feature not  
14 matching resources A, B, or C above may be a sampling unit.
- 15
- 16 E. Review other inventory tools, if available. Note sampling units as applicable.
- 17
- 18 F. Identify a single representative non-wetland (upland) sampling unit for each project  
19 area (tract or field) using the soil survey resource. The agency expert will use best  
20 professional judgment to select a single representative observation point within this  
21 sampling unit.  
22

### 23 **2.1.2 Information supplementing All Sections in the Corps Manual**

- 24 • Representative Observation Points (ROP) will be utilized each time a sampling unit is  
25 identified.
- 26 • Typically, the Representative Observation Points (ROP) will be annotated  
27 approximately halfway between the edge of the sampling unit and the center of the  
28 sampling unit and will not be located within a surface ditch or pit, if present.  
29 However, unique site characteristics or remote data set quality (e.g. cloud cover)  
30 may require flexibility in the location of any ROP.
- 31 • Factor indicators (remote or field) must be identified in the approximate ROP location  
32 and Flexibility Paragraph 23 may be invoked.  
33

#### 34 **State Procedure (S1-0):**

35 When determining the number and locations of sampling units (defined in FSA  
36 paragraph (2-12)) the agency expert will utilize desktop (in the office) methods to meet  
37 the intent of “traversing the area” and will not be required to identify sampling units in the  
38 field.  
39

### 40 **2.2 STATE OFFSITE METHOD (SOSM) SUPPLEMENTING “SECTION D, ROUTINE 41 DETERMINATIONS, SUBSECTION 1: ONSITE INSPECTION UNNECESSARY” AND 42 SUBSECTION 3 (for factors that are adequately characterized)**

43

44 “Section B, Preliminary Data Gathering and Synthesis,” directs the user to (among other things)  
45 determine whether the factor(s) are adequately characterized for the project area. The agency  
46 expert is to use the remote data to determine the characteristics that currently exist on the  
47 sampling unit, not what factor would exist at the sampling unit in the absence of disturbance.

---

<sup>1</sup> “Best Drained Conditions” are the best conditions that would be expected to occur following the pre-1985 drainage action during the spring of the year of a normal climatic year.

1 If the user is attempting to predict the conditions that would have occurred prior to disturbance  
2 (e.g., cropping), then Subsection 1 is not appropriate. The use of “Section F: Atypical  
3 Situations” (disturbance-based challenges) and “Section G: Problem Areas” (climate-based  
4 challenges) are not designed to be applied when the user selects Subsection 1, but rather when  
5 the user selects Subsection 2.  
6

7 **2.2.1 Hydrophytic Vegetation (no pre-1985 drainage) and the vegetation is not**  
8 **significantly disturbed or problematic due to climate:**

9 For each sampling unit, the dominant species in each vegetation layer must be known.  
10 Dominant species are those listed in any of the resources. Resources meeting one or  
11 more indicator test (from the Regional Supplements) demonstrates that the hydrophytic  
12 vegetation factor is met.  
13

14 **State Procedure (S1-1) to Subsection 1, Step 2:**

15 When determining “whether hydrophytic vegetation is present” from the summarized  
16 information in Section B, Step 4d, “Federal, State, or local government documents that  
17 contain information about the area vegetation,” the agency expert will utilize the federal  
18 documents in the manner indicated below.  
19

- 20 A. ESD – the Historic Plant Climax Community (or Reference Community) plant  
21 composition table indicates the sampling unit is composed of plants that meet the  
22 definition (meets any vegetation indicator from the appropriate Corps Regional  
23 Supplement). Refer to Attachment A for further information.  
24
- 25 B. Approved ND NRCS wetland reference sites that are within the same soil map unit  
26 (or inclusion), in the same Major Land Resource Area, and have similar precipitation  
27 zones. The selected reference site case file documentation indicates the sampling  
28 unit is composed of plants that meet the definition (meets any vegetation indicator  
29 from the appropriate Corps Regional Supplement).  
30
- 31 C. OSD – Use this only if ESD information is not available. 1) Use and Vegetation  
32 indicates the site has plants that meet the hydrophytic vegetation definition (lists  
33 hydrophytic vegetation) and/or 2) Remarks indicates the vegetative zone of a Class  
34 of wetland as defined by Stewart and Kantrud, 1971 in Resource Publication 92. All  
35 species listed or vegetative zones of a Class are considered dominant for purposes  
36 of the vegetation indicator(s) from the appropriate Corps Regional Supplement.  
37

38 **State Procedure (S1-2) to Subsection 1, Step 2:**

39 When determining “whether hydrophytic vegetation is present” from the summarized  
40 information in Section B, Step 4b, “NWI overlays or maps,” the agency expert will utilize  
41 the NWI mapping in the manner indicated below.  
42

43 NWI Mapping – If any portion of the sampling unit (or the ROP) is mapped as emergent,  
44 shrub vegetation, forested, or aquatic bed on an NWI map (e.g., PEM, PSS, PFO, PAB  
45 or wetter) then all listed species are considered in any vegetation indicator test from the  
46 Corps Regional Supplement. If individual species are not listed under the NWI class  
47 (e.g., “emergent”) then the sampling unit is considered to be dominated by hydrophytic  
48 vegetation and meets the definition.  
49  
50

1 **2.2.2 Hydric Soils (with or without pre-1985 drainage):**

2 For each sampling unit, the soil series must be known. The current national policy will  
3 be followed. The "NRCS shall identify hydric soils through the use of published soil  
4 maps which reflect soil surveys completed by or through the use of onsite reviews." (Title  
5 7 CFR § 12.31(a)(1)). The "NRCS shall determine whether an area of a field or other  
6 parcel of land has a predominance of hydric soils that are inundated or saturated as  
7 follows." (Title 7 CFR § 12.31(a)(2)).  
8

- 9 A. "If a soil map unit has hydric soil as all or part of its name, that soil map unit or  
10 portion of the map unit related to the hydric soil will be determined to have a  
11 predominance of hydric soils."  
12  
13 B. "If a soil map unit is named for a miscellaneous area that meets the criteria for hydric  
14 soils (i.e., riverwash, playas, beaches, or water) the soil map unit will be determined  
15 to have a predominance of hydric soils."  
16  
17 C. "If a soil map unit contains inclusions of hydric soils, that portion of the soil map unit  
18 identified as hydric soil will be determined to have a predominance of hydric soils."  
19

20 **State Procedure (S1-3) to Subsection 1, Step 5:**

21 When determining "whether hydric soils are present," the agency expert will utilize Title 7  
22 CFR § 12.31(a)(2) in the manner indicated below.  
23

24 If a soil map unit has hydric soil as part of its name or contains a hydric inclusion, that  
25 portion of the hydric component (major or minor) in the soil survey can be verified by  
26 either:

- 27 a. Identifying that the landform (such as pothole/playa or non-pothole/playa) of the  
28 sampling unit is consistent with the landform (such as depression, closed  
29 depression, flats, swale, drainageway) of the hydric component or inclusion on  
30 the hydric soils list; or,  
31 b. Using the soil series.  
32

33 **2.2.3 Wetland Hydrology (no pre-1985 drainage):**

34 For each sampling unit, there must be documented evidence of frequent inundation or  
35 soil saturation during the growing season. The NRCS defines wetland hydrology (FSA  
36 Wetland ID Procedures 2-19) as inundation or saturation of the site by surface or  
37 groundwater during a growing season at a frequency and duration sufficient to support a  
38 prevalence of hydrophytic vegetation.  
39

40 **State Procedure (S1-4) to Subsection 1, Step 3:**

41 When determining "whether wetland hydrology is present" the agency expert will  
42 independently assess the hydrology factor by utilizing the NRCS imagery review  
43 methodology in the manner indicated below.  
44

- 45 • Wetness signatures are found on at least 50 percent of imagery reviewed.  
46 • The imagery review will consist of all available normal years starting with the most  
47 recent year image going back to 1980 (see Attachment C).  
48 • Inundation wetness signatures are abbreviated as INU and are annotated as such on  
49 the data sheet.

- Saturation wetness signatures are abbreviated as WS and are annotated as such on the data sheet.
- All wetness signatures (INU and WS) are due to wetness that is reflective of NC that: a) was occurring on the date of the imagery, or b) that occurred previous to the imagery but the evidence of this wetting event remains evident in at least 50 percent of imagery reviewed.
- Inundation wetness signatures are due to the presence of surface water, even if partially or completely obscured by vegetation.
- Saturation wetness signatures (WS) are not to be confused with field hydrology indicators and are not necessarily the same as field hydrology indicators.
- Saturation wetness signatures (WS) provide clear distinctions in the condition of the sampling unit compared to the condition in the surrounding field including, but not limited to, size and color.
- Saturation wetness signatures (WS) visible on imagery can be interpreted from a variety of conditions. The agency expert is not required to document the condition that led to conclusion of the WS designation on the data sheet.
- Typical conditions include, but are not limited to: Hydrophytic vegetation; saturated conditions; flooded or drowned-out crops; stressed crops due to wetness; differences in vegetation due to different planting or replanting dates; inclusion of wet areas as set-aside or idled land; circular or irregular areas of unharvested crops within a harvested field; isolated areas that are not farmed with the rest of the field; areas of greener vegetation

## 2.3 INFORMATION SUPPLEMENTING “SECTION F: ATYPICAL SITUATIONS”

“Section B, Preliminary Data Gathering and Synthesis”, and “Section D, Routine Determinations”, Subsection 1 and Subsection 2, directs the user to (among other things) determine whether there is evidence of recent significant alteration due to human activity or natural events. And, if so then to proceed to Section F for one or more factors, as applicable.

### 2.3.1 Hydrophytic Vegetation (no pre-1985 drainage, with or without post 1985 drainage):

For each sampling unit, the dominant species in each vegetation layer may not be known. Positive indicators of this factor could not be found (or would be misleading) due to effects of recent human activities or natural events.

#### State Procedure (S1-5):

When determining “the type of vegetation that previously occurred” (“Section F, Subsection 1”, Step 3), “e. SCS records” are potential sources of such evidence. FSA Variance 5-31 states the agency expert will consider NRCS records, such as ecological site descriptions and data from NRCS reference sites, as potential data sources in addition to soil survey data.”

#### **“Section F, Subsection 1”, Step 3, “e. SCS/NRCS records” will be used as follows:**

- ESD – the Historic Plant Climax Community (or Reference Community) plant composition table indicates the sampling unit is composed of plants that meet the definition (meets any vegetation indicator from the appropriate Corps Regional Supplement). Refer to Attachment A for further information.

- 1 B. Approved ND NRCS wetland reference sites that are within the same soil map unit  
2 (or inclusion), in the same Major Land Resource Area, and have similar precipitation  
3 zones. The selected reference site case file documentation indicates the sampling  
4 unit is composed of plants that meet the definition (meets any vegetation indicator  
5 from the appropriate Corps Regional Supplement).  
6  
7 C. OSD – Use this only if ESD information is not available. 1) Use and Vegetation  
8 indicates the site has plants that meet the hydrophytic vegetation definition (lists  
9 hydrophytic vegetation) and/or 2) Remarks indicates the vegetative zone of a Class  
10 of wetland as defined by Stewart and Kantrud, 1971 in Resource Publication 92. All  
11 species listed or vegetative zones of a Class are considered dominant for purposes  
12 of the vegetation indicators from the appropriate Corps Regional Supplement.  
13

14 **“Section F, Subsection 1”, Step 3, “h. NWI” will be used as follows:**  
15

16 If any portion of the sampling unit (or the ROP) is mapped as emergent, shrub  
17 vegetation, forested, or aquatic bed on an NWI map (e.g., PEM, PSS, PFO, PAB, or  
18 wetter) then all listed species are considered dominant in any vegetation indicator test  
19 from the Corps Regional Supplement. If individual species are not listed under the NWI  
20 class (e.g., “emergent”) then the sampling unit is considered to be dominated by  
21 hydrophytic vegetation and meets the definition.  
22

23 **2.3.2 Hydrophytic Vegetation (with pre-1985 drainage, with or without post 1985  
24 drainage):**

25 Because of past drainage (and often current disturbance of vegetation), for each  
26 sampling unit, the dominant species will not typically be known, but rather must be  
27 inferred. Positive or negative indicators of this factor could not be found (or would be  
28 misleading) due to effects of recent human activities or natural events or the pre-1985  
29 drainage actions.  
30

31 **State Procedure (S1-6):**

32 When determining “the type of vegetation that previously occurred” (“Section F,  
33 Subsection 1”, Step 3), the agency expert may utilize the Regional Supplement Chapter  
34 5 – “Problematic Vegetation Procedures.”  
35

- 36 • When verifying that the sampling unit is in a landscape position that is likely to  
37 collect or concentrate water, the landscape position does not include the ditch  
38 itself, if applicable. If the drain no longer allows the sampling unit to “collect or  
39 concentrate water” (Normal Circumstances/best drained conditions) then the  
40 hydrology factor cannot be met and therefore the hydrophytic vegetation  
41 definition cannot be met.  
42
- 43 A. The Corps Methods, Regional Supplement Chapter 5 – “Problematic Vegetation  
44 Procedure” [Great Plains - (d); Midwest – (c)] “Areas affected by grazing,” approach  
45 (4) is used.
- 46 • Approach (4) states, “*if an appropriate ungrazed area cannot be located or if  
47 the ungrazed vegetation condition cannot be determined, make the wetland  
48 determination (Step 1) based on indicators of hydric soils and wetland  
49 hydrology.*”  
50

- 1 B. The Corps Methods, Regional Supplement Chapter 5 – “Problematic Vegetation  
2 Procedure” [Great Plains - (e); Midwest – (d)] “Managed plant communities,”  
3 approach 4 (Great Plains) or 5 (Midwest) is used.  
4 • Approach (4 or 5) states, “*if the unmanaged vegetation condition cannot be*  
5 *determined, make the wetland determination (Step 1) based on indicators of*  
6 *hydric soils and wetland hydrology.*”  
7

8 For drained non-wetland sampling units, the ESD or OSD resources from Section 2.3.1  
9 may still be used as these sampling units would not have had predominance of  
10 hydrophytic vegetation in their undrained condition.  
11

### 12 **2.3.3 Wetland Hydrology (post 1985 drainage with no pre-1985 drainage):**

13 For each sampling unit, the hydrology may not be known. Positive indicators of this  
14 factor may not be present (or would be misleading) due to effects of recent human  
15 activities or natural events.  
16

#### 17 **State Procedure (S1-7):**

18 When characterizing “the hydrology that previously existed in the area,” “Section F,  
19 Subsection 3”, Step 3, does not include all “potential sources of information.” Therefore,  
20 the agency expert may utilize the supplemental information below. Additionally, if the  
21 user is in a “Midwest County” and the “Midwest Regional Supplement Chapter 5 –  
22 Agriculture Lands” for (3) Hydrology is used then this information supplements tool 3.b.  
23 (aerial photography review) and tool 3.e. (hydrologic models), respectively.  
24

25 Imagery Review supplemental information:

- 26 • Wetness signatures must be found on at least 50 percent of imagery reviewed.
- 27 • The wetness signature review period will start from the year of drainage manipulation  
28 (e.g. potential conversion) and consist of all available normal years starting with the  
29 year of drainage manipulation (e.g. potential conversion) going back to 1980 (see  
30 Attachment C).
- 31 • Inundation wetness signatures are abbreviated as INU and are annotated as such on  
32 the data sheet.
- 33 • Saturation wetness signatures are abbreviated as WS and are annotated as such on  
34 the data sheet.
- 35 • All wetness signatures (INU and WS) are due to wetness that is reflective of NC that:  
36 a) was occurring on the date of the imagery, or b) that occurred previous to the  
37 imagery but the evidence of this wetting event remains evident in at least 50 percent  
38 of imagery reviewed.
- 39 • Inundation wetness signatures are due to the presence of surface water, even if  
40 partially or completely obscured by vegetation.
- 41 • Saturation wetness signatures (WS) are not to be confused with field hydrology  
42 indicators and are not necessarily the same as field hydrology indicators.
- 43 • Saturation wetness signatures (WS) provide clear distinctions in the condition of the  
44 sampling unit compared to the condition in the surrounding field including, but not  
45 limited to, size and color.
- 46 • Saturation wetness signatures (WS) visible on imagery can be interpreted from a  
47 variety of conditions. The agency expert is not required to document the condition  
48 that led to conclusion of the WS designation on the data sheet.
- 49 • Typical conditions include, but are not limited to: Hydrophytic vegetation; saturated  
50 conditions; flooded or drowned-out crops; stressed crops due to wetness; differences

1 in vegetation due to different planting or replanting dates; inclusion of wet areas as  
2 set-aside or idled land; circular or irregular areas of unharvested crops within a  
3 harvested field; isolated areas that are not farmed with the rest of the field; areas of  
4 greener vegetation  
5

6 **State Procedure (S1-8):**

7 Hydrologic Modeling supplemental information:

- 8 • The Objective Criteria for wetland hydrology modeling is: 14 or more consecutive  
9 days of inundation (flooding or ponding) or saturation (a water table within 12” of the  
10 soil surface) during the growing season with a 50 percent chance (or more) annual  
11 probability of occurrence.  
12

13 Users are advised that sampling units and wetness signatures in field(s)/tract(s) with perennial  
14 vegetative cover (such as pasture, rangeland, CRP, and woodland) may not be readily visible.  
15 In such cases, ***field verification may be required.***  
16

17 **2.3.4 Wetland Hydrology (post 1985 drainage with pre-1985 drainage):**

18 The agency expert will utilize the information from Section 2.3.3 within the context of  
19 FSA Variance (5-28). The supplemental information provided below explains how the  
20 agency expert utilizes FSA Variance (5-28).

- 21 • All imagery is to be used, regardless of the “slide indicator status.” The agency  
22 expert must determine Normal Circumstances in consideration of when the  
23 manipulation was installed and the best drained conditions of the sampling unit.  
24 • To determine the best drained conditions, the agency expert must review any  
25 available imagery years immediately following the approximate pre-1985 drainage  
26 manipulation year through 1985 or further, if necessary.  
27 • The agency expert must consider lack of maintenance (e.g., tile blowout) and recent  
28 maintenance when reviewing imagery.  
29

30 **2.4 INFORMATION SUPPLEMENTING “SECTION G: PROBLEM AREAS”**

31  
32 “Section D, Routine Determinations, Subsection 2,” directs the user to (among other things)  
33 determine whether normal environmental conditions are present (Step 5). And, if the area  
34 presently lacks hydrophytic vegetation or hydrologic indicators due to annual or seasonal  
35 fluctuations in precipitation or ground-water levels, or hydrophytic vegetation indicators lacking  
36 due to seasonal fluctuations in temperature then to proceed to Section G for one or more  
37 factors, as applicable.  
38

39 “Section D, Routine Determinations, Subsection 2,” first asks the user if the sampling unit is an  
40 atypical situation before asking the user about normal environmental conditions (climate  
41 challenges). Therefore, when the agency expert identifies an Atypical Situation (Section F) and  
42 the sampling unit is “climatically challenged” (Section G), then the agency expert will utilize  
43 Section F procedures  
44

45 **2.4.1 Hydrophytic Vegetation (no pre-1985 drainage):**

46 Refer to Section 2.3.1 for supplemental information and state variances.  
47

1 **2.4.2 Wetland Hydrology (no pre-1985 drainage):**

2 The procedures in Section G are supplemented by Chapter 5 of the Regional  
3 Supplements, "Wetlands that Periodically Lack Indicators of Wetland Hydrology,"  
4 Procedure 3.e. and 3.f.  
5

6 **State Procedure (S1-9):**

7 When determining "whether wetland indicators are normally present during a portion of  
8 the growing season" the agency expert will assess the hydrology factor by utilizing the  
9 NRCS imagery review methodology in the manner indicated below.  
10

11 A. Evaluating multiple years of aerial photography (Procedure 3.f.).

- 12 • Wetness signatures are found on at least 50 percent of imagery reviewed.
- 13 • The imagery review will consist of all available normal years starting with the most  
14 recent year image going back to 1980 (see Attachment C).
- 15 • Inundation wetness signatures are abbreviated as INU and are annotated as such on  
16 the data sheet.
- 17 • Saturation wetness signatures are abbreviated as WS and are annotated as such on  
18 the data sheet.
- 19 • All wetness signatures (INU and WS) are due to wetness that is reflective of NC that:  
20 a) was occurring on the date of the imagery, or b) that occurred previous to the  
21 imagery but the evidence of this wetting event remains evident in at least 50 percent  
22 of imagery reviewed.
- 23 • Inundation wetness signatures are due to the presence of surface water, even if  
24 partially or completely obscured by vegetation.
- 25 • Saturation wetness signatures (WS) are not to be confused with field hydrology  
26 indicators and are not necessarily the same as field hydrology indicators.
- 27 • Saturation wetness signatures (WS) provide clear distinctions in the condition of the  
28 sampling unit compared to the condition in the surrounding field including, but not  
29 limited to, size and color.
- 30 • Saturation wetness signatures (WS) visible on imagery can be interpreted from a  
31 variety of conditions. The agency expert is not required to document the condition  
32 that led to conclusion of the WS designation on the data sheet.
- 33 • Typical conditions include, but are not limited to: Hydrophytic vegetation; saturated  
34 conditions; flooded or drowned-out crops; stressed crops due to wetness; differences  
35 in vegetation due to different planting or replanting dates; inclusion of wet areas as  
36 set-aside or idled land; circular or irregular areas of unharvested crops within a  
37 harvested field; isolated areas that are not farmed with the rest of the field; areas of  
38 greener vegetation  
39

40 B. Hydrology Tools (Procedure 3.e.)

- 41 • Numerical hydrologic analysis methods which calculate that the frequency and  
42 duration of saturation and/or inundation meet the Objective Criteria.
- 43 • The Objective Criteria for wetland hydrology modeling is: 14 or more consecutive  
44 days of inundation (flooding or ponding) or saturation (a water table within 12" of the  
45 soil surface) during the growing season with a 50 percent chance (or more) annual  
46 probability of occurrence.  
47

48 Users are advised that sampling units and wetness signatures in field(s)/tract(s) with perennial  
49 vegetative cover (such as pasture, rangeland, CRP, and woodland) may not be readily visible.  
50 In such cases, ***field verification may be required.***

1 **2.4.3 Wetland Hydrology (with pre-1985 drainage):**

2 The agency expert will utilize the information from Section 2.4.2 within the context of  
3 FSA Variance (5-9). The supplemental information provided below explains how the  
4 agency expert utilizes FSA Variance (5-9).

- 5 • All imagery is to be used, regardless of the “slide indicator status.” The agency  
6 expert must determine Normal Circumstances in consideration of when the  
7 manipulation was installed and the best drained conditions of the sampling unit.
- 8 • To determine the best drained conditions, the agency expert must review any  
9 available imagery years immediately following the approximate pre-1985 drainage  
10 manipulation year through 1985 or further, if necessary.
- 11 • The agency expert must consider lack of maintenance (e.g., tile blowout) and recent  
12 maintenance when reviewing imagery.

13  
14 Users are advised that sampling units and wetness signatures in field(s)/tract(s) with perennial  
15 vegetative cover (such as pasture, rangeland, CRP, and woodland) may not be readily visible.  
16 In such cases, ***field verification may be required.***

17  
18 **2.5 FINALIZATION OF BASE MAP**

19 The agency expert will analyze each sampling unit answer to the three wetland diagnostic  
20 factors:

- 21 • If all three factor definition answers are yes (the factors are met) for a sampling unit  
22 then record a “Y” (yes) on the base map for the sampling unit.
  - 23 • If any factor definition answer is no then record an “N” (no) on the base map for the  
24 sampling unit.
  - 25 • Include the final base map in the case file.
- 26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50

1  
2  
3 **SECTION 3**

4 **3.0 FSA WETLAND DETERMINATION PROCESS STEP 2: ASSIGNMENT OF WC LABELS**

5 Sampling units identified as a “Y” (wetland) or “N” (non-wetland) will be assigned the  
6 appropriate WC compliance label as determined by any applicable exemptions found in the  
7 current version of the NFSAM. **Note:** Unless otherwise stated, the use of “1985” in this  
8 document refers to December 23, 1985.  
9

10 **3.1 VERIFICATION OF PRE- 1985 CROPPING HISTORY**

11 The following are suggestive (indicates) that pre-1985 cropping history (“agricultural commodity  
12 produced at least once before 1985” (7 CFR 12.2)) is met.  
13

- 14 1. Imagery (pre-1985) shows cropping and/or attempted cropping.
- 15
- 16 2. Imagery (pre-1985) shows open land-AND the sampling unit is on a soil and/or  
17 landform that historically supported native woody vegetation (e.g. woody vegetation  
18 is native to the ESD/OSD).
- 19
- 20 3. Farm Service Agency records indicate pre-1985 cropping history (crop must have  
21 been planted – does not include other records such as prevent plant) and imagery  
22 concurs.  
23

24 **Cropping History Decision Threshold (met if):**

- 25 1. Pre-1985 cropping history appears on at least one remote indicator.  
26
- 27 • Document decision on the data sheet and proceed to Section 3.2.  
28

29 **3.2 VERIFICATION OF PRE-DECEMBER 23, 1985, MANIPULATION(S)**

30 Manipulations are defined by regulation as an activity that drains, dredges, fills, levels, or  
31 otherwise manipulates (including the removal of woody vegetation or any activity that results in  
32 impairing or reducing the flow and circulation of water) for the purpose of or to have the effect of  
33 making possible the production of an agricultural commodity.  
34

35 **Responsibility to provide evidence (7 CFR 12.5(b)(7)) states, “it is the responsibility of**  
36 **the person seeking an exemption related to converted wetlands under this section to provide**  
37 **evidence such as receipts, crop-history data, drawings, plans or similar information, for**  
38 **purposes of determining whether the conversion or other action is exempt in accordance with**  
39 **this section.”**  
40

41 The following remote indicators are suggestive (indicates) that pre-1985 manipulation(s) could  
42 be confirmed.

- 43 • 1985 or earlier aerial photography showing a manipulation(s) (NFSAM Part 514).
- 44 • Pre-1985 NRCS records showing a verified manipulation(s).
- 45 • Pre-1985 land-based photographs showing a manipulation (e.g. tile inlet/outlet)  
46

47 **Pre-1985 Manipulation Decision Threshold (met if):**

- 48 1. The manipulation appears on at least one indicator.  
49
- 50 • Document decision on the data sheet and proceed to the next section.

1 **3.3 VERIFICATION OF POST-1985 POTENTIAL CONVERSION**

2 The following remote indicators are suggestive (indicates) that post-1985 a potential conversion  
3 occurred.  
4

- 5 • Post-1985 imagery/aerial photography showing a manipulation(s) (NFSAM Part 514). If  
6 the manipulation is first visible in 1986 imagery, further investigation is needed to  
7 determine whether the manipulation occurred before or after December 23, 1985.
- 8 • Post-1985 NRCS or Farm Service Agency records showing a manipulation(s).
- 9 • Post-1985 producer provided reliable records showing a manipulation(s).
- 10 • Post-1985 land-based photographs showing a manipulation (e.g. tile inlet/outlet)
- 11 • United States Geological Survey (USGS) NED 1/9 Arc Second LIDAR data showing a  
12 manipulation.  
13

14 **Post-1985 Potential Conversion Decision Threshold (met if):**

- 15 1. The manipulation appears on at least one indicator that is not LIDAR.
- 16
- 17 2. The manipulation appears on LIDAR and a second dated indicator.
- 18
- 19 • Remember, a site visit is required for potential wetland violations.
- 20
- 21 • Document decision on the data sheet and proceed to the next section.  
22

23 **3.4 VERIFICATION OF POTHOLE LANDFORM**

24 The following remote indicators are suggestive (indicates) that the site is either a pothole or  
25 playa.  
26

27 **For potholes:**

- 28 1. Imagery and/or land-based photography shows ponding of water or evidence that  
29 ponding occurs in a closed topographic depression<sup>2</sup> in a glaciated upland (non-  
30 floodplain, non-drainage way) landscape. The term upland follows the concept from the  
31 national Soil Survey Handbook (NSSH).  
32
- 33 2. LIDAR shows a closed topographic depression in a glaciated upland landscape position.
- 34
- 35 3. USGS Topographic map or other land survey shows a closed topographic depression in  
36 a glaciated upland landscape position.  
37
- 38 4. Soil Survey data shows a depression, pothole, or closed topographic depression in a  
39 glaciated upland landscape position. Refer to Attachment B for further information.  
40

41 **Pothole Decision Threshold (met if):**

- 42 1. The landform appears on at least one remote indicator.
- 43
- 44 • Document decision on the data sheet and proceed to the next section.  
45

---

<sup>2</sup> A closed depression is one that, prior to any anthropogenic drainage, ponded water.

1 **3.5 VERIFICATION OF CONSECUTIVE LENGTH (DURATION) OF PONDING AND/OR**  
2 **SATURATION DURING THE GROWING SEASON ON DECEMBER 23, 1985, IN MOST**  
3 **YEARS (50% CHANCE OR MORE)**  
4

- 5 • COMPLETE THIS STEP (3.5) ONLY IF A MANIPULATION WAS DOCUMENTED IN  
6 STEP 3.2.  
7
- 8 • If an area is a pre-1985 drainage manipulated pothole/playa and if the area is  
9 determined to be wetland in Step 1 (a “Y” on the base map), then the area is considered  
10 to meet the saturation duration and will be labeled as Farmed Wetland (FW).  
11
- 12 • If an area is a pre-1985 drainage manipulated pothole/playa and if the area is  
13 determined to be on a hydric soil yet not be wetland in Step 1 (an “N” on the base map),  
14 then the area will be labeled as Prior Converted (PC).  
15
- 16 • If an area is pre-1985 drainage manipulated and if the area is determined to be on a  
17 non-hydric soil in Step 1 (an “N” on the base map), then the area will be labeled as Non-  
18 Wetland (NW).  
19

20 ***For all other geomorphic settings (landscape positions):***

21 The best drained conditions indicate that the duration required to meet the criteria for a  
22 specific WC compliance label is met when:  
23

- 24 1. At least 50 percent of all years (identified as the best drained condition) with wetness  
25 signatures indicates inundation. Wetness signature abbreviations include INU  
26 (Inundation). Or,  
27
- 28 2. Results of analytical techniques (such as drainage equation(s)) show that ponding would  
29 not be removed from the sampling unit within 15 days.  
30
- 31 • Document decision on the data sheet and proceed to the next section.  
32  
33  
34  
35

36 **3.6 DETERMINATION OF THE REQUIRED CONDITIONS FOR THE FOLLOWING WC**  
37 **LABELS**  
38

39 Refer to Part 514 of the NFSAM, 7 CFR 12.2 and 7 CFR 12.5 for a full discussion of the  
40 requirements for various exemptions. This section only provides a convenient “lookup table”  
41 for certain labels (NW, W, PC, FW, FWP, \*CW, and \*CW plus year) and does not provide  
42 supplemental information for labeling. All WC compliance label assignments require the use  
43 of the NFSAM and possibly onsite investigations.  
44  
45  
46  
47  
48  
49  
50

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20

**Table 1.0 Wetland Conservation compliance label matrix.**

Step 1			Step 2						
Hydrophytic Vegetation	Hydric Soils	Wetland Hydrology	Pre-1985 Cropping History	Pre 12/23/85 Manipulation	Post 12/23/85 Manipulation	Landform	Ponding Duration	Saturation Duration	WC Label
Y for ALL factors			Y or N	N	N	Any	n/a	n/a	W
			Y	Y	N	Pothole/playa	Y or N	Y	FW
			Y	Y	N	Non-pothole	Y	n/a	FW
			N	Y	N	Pothole/playa	Y or N	Y	FWP
			N	Y	N	Non-pothole	Y	n/a	FWP
			Y	Y	N	Pothole/playa	N	N	PC
			Y	Y	N	Non- Pothole	N	n/a	PC
			Y	Y	N	Pothole/playa	Y or N	Y	NW
			Y	Y	N	Non- Pothole	Y or N	n/a	NW
			Y for ALL factors			Y or N	Y or N	Y only if 12/23/1985 to 1990	Pothole/playa
Y or N	Y or N	Y only if 12/23/1985 to 1990				Non- Pothole	Y	n/a	*CW
Y or N	Y or N	Y (any year)				Pothole/playa	Y or N	Y	*CW <sup>2</sup>
Y or N	Y or N	Y (any year)				Non-pothole	Y	n/a	*CW <sup>2</sup>
Y or N	Y or N	Y				Pothole/playa	Y or N	Y	*CW + yr
Y or N	Y or N	Y				Non- Pothole	Y	n/a	*CW + yr
N for any factor			Y or N	N	N	Any	N	N	NW
			Y or N	N	N	Any	Y	Y	NW
			Y or N	N	N	Any	Y	Y	NW
			Y or N	N	N	Any	N	N	NW
			Y or N	N	N	Any	Y	Y	NW
			Y or N	N	N	Any	N	N	NW

<sup>1</sup> No hydrologic manipulated remote indicator exists.  
<sup>2</sup> If the post-1985 drainage manipulation is completed by an organized Drainage District  
 \*For converted wetlands, an onsite investigation must be conducted and “making production possible or more possible” must be determined.

1  
2  
3  
4  
5  
6  
7  
8  
9

## SECTION 4

### 4.0 FSA WETLAND DETERMINATION PROCESS STEP 3: DETERMINATION OF SIZE AND DEVELOPMENT OF CERTIFIED WETLAND DETERMINATION MAP

#### 4.1 TRANSFERRING BASE MAP SAMPLING UNITS TO WC COMPLIANCE LABELED POLYGONS

10 The agency expert will, as appropriate, further divide or combine the sampling units identified in  
11 Section 2.0 into labeled polygons for the certified wetland determination map. This decision is  
12 based on the answers to the steps in Section 3.0 (e.g. pothole/non-pothole, cropping history,  
13 manipulation, hydrology duration).

14  
15 For example, a sampling unit has the following characteristics:

- 16 • Step 1 - Meets all 3 factors (e.g., base map = "Y")
- 17 • Step 2 - Has pre-1985 cropping history on the west half and no pre-1985 cropping  
18 history on the east half (in grass); has a pre-1985 manipulation in it; is a pothole;  
19 meets saturation duration.

20  
21 The sampling unit has different pre-1985 cropping history on the east and west halves,  
22 yet all other characteristics (Step 1 and 2 answers) apply to the entire sampling unit.  
23 Therefore, the sampling unit should be divided into two labeled polygons for the certified  
24 wetland determination map.

25  
26 The non-wetland polygon will represent the remainder of the project area acres.

#### 4.2 CERTIFIED WETLAND DETERMINATION (CWD) MAP

27  
28  
29  
30 The agency expert is reminded that size of an area is not part of the wetland criteria; there is no  
31 minimum size threshold. The NRCS determined that the labeled polygons on the CWD map are  
32 delineated using desktop digitizing methods.

33  
34 The suggested CWD map size is 1 square mile (section) on a 8.5" by 11" paper. Site number  
35 and acres will be labeled on the CWD map. A separate site map, at a higher quality scale, may  
36 be provided in addition to the labeled CWD map for clarity.

1  
2 **ATTACHMENT A**

3  
4 **ECOLOGICAL SITE DESCRIPTION (ESD) INFORMATION**

5  
6  
7  
8 A Soils Field Guide for Identifying Ecological Sites is available in Section 2, Ecological Site  
9 Description, Range Site Descriptions and Reference Work Sheets, of the ND Field Office  
10 Technical Guide (FOTG).

11  
12  
13  
14 Where to find ESDs:

- 15  
16 1. ND FOTG: 1) Select Section II; 2) Select an Ecological Site Description, Range Site  
17 Descriptions and Reference worksheet; 3) Select MLRA; 4) Select ESD  
18  
19 2. Web Soil Survey: 1) define area of interest; 2) Select Soils Data Explorer Tab; 3) Select  
20 Ecological Site Assessment Tab; 4) Select ESD  
21

22 Ecological Site Description System / ESIS website:

23 <http://esis.sc.egov.usda.gov/Welcome/pgReportLocation.aspx?type=ESD>  
24

25 In the event there is no ESD, agency experts may utilize the Range Site Descriptions. Contact  
26 the State Rangeland Management Specialist or State Biologist for assistance locating ESDs.  
27

28 Ecological Site Descriptions and Range Site Descriptions are based on relative weight of  
29 component species, rather than the percent cover measure cited in the Corps Methods. Both  
30 measures are viable for determining the ecological significance of the species comprising the  
31 plant community. Relative weight is arguably a better measure but was not specified in the  
32 Corps Methods because it is not a rapid assessment technique. Applying the hydrophytic  
33 vegetation indicator tests to the ESD or Range Site data is allowed by the Corps Manual,  
34 paragraph 23, flexibility provisions.  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

1  
2  
3  
4  
5  
6

## ATTACHMENT B

### SOILS INFORMATION

7 The NRCS will use the definition of pothole and the definition of playa as noted below. This  
8 definition is subject to change via the rule-making process. However, any change in definition  
9 will not change the soils the state considers pothole or playa soils.

- 10  
11 1. Pothole – [glacial geology] A type of small pit or closed depression, generally circular or  
12 elliptical, occurring in an outwash plain, a recessional moraine, or a till plain; including  
13 lake plains.

14 **Note:** A closed depression is one that, prior to any anthropogenic drainage, ponded  
15 water. Also, generally circular or elliptical does not preclude irregular shapes.  
16 Drainage is defined in the FSA Wetland ID procedures.

17  
18 **Potholes are found throughout North Dakota. Pothole soils include, but are not**  
19 **limited to, the following:**

20

21	Dimmick	25	Parnell	29	Tiffany
22	Hamar	26	Perlla	30	Tonka
23	Heil	27	Ranslo		
24	Mustinka	28	Southam		

Where to find Landform and hydric soils:

1. Web Soil Survey: 1) Navigate to your area; 2) Define area of interest; 3) Select Soils Data Explorer Tab; 4) Select Soil Reports Tab; 5) Hydric Soils, then click on View Soil Report
2. Official Soil Series Descriptions: <https://soilseries.sc.egov.usda.gov/osdnamequery.asp>

# ATTACHMENT C

## HYDROLOGY INFORMATION

If numerical analysis methods are used, wetland hydrologic conditions will be met in accordance with the criteria outlined below. In all instances, the agency reserves the option to implement techniques not outlined in this document provided the method results in computation of numbers that can be compared to the Objective Criteria.

### I. **Drainage Equations**

Drainage equations can be used for sampling units subject to pre- and/or post-1985 surface and subsurface drainage. The wetland hydrology threshold is met for areas a distance from a drainage feature at which the groundwater table is at or above 12" from the surface for 14 or more consecutive days.

The equation generally used shall be the van Schilfgaarde Equation, although Kirkham's Equation may be necessary for surface ponding. The surface storage factor shall be 0.1", the distance to impermeable layer shall be 10 feet, and the time factor shall be 14 days. Soils data inputs shall be computed using Rosetta software. Rosetta data shall be computed using the "Best Possible Model", and Rosetta inputs shall be obtained from Soil Data Access for the analyzed map units. The NDDrain software shall be used to perform the van Schilfgaarde computations.

### II. **Drainmod**

Drainmod software can be used for either undrained sites or sites drained by subsurface tiling or surface ditching. The Drainmod model uses daily data for temperature and precipitation. For pre-1985 conditions, the period of record used shall be 1971-2000. For post 1985 drainage conditions, the period of record shall end with the calendar year nearest the conversion date. Soils data requirements are the same as for Drainage Equations.

### III. **SPAW Model**

For Recharge Depressions, the SPAW model can be used to determine the depth, duration, and frequency of ponding. The weather data used for SPAW will consist of at least 20 years of continuous daily rainfall and temperature records from the closest NWS weather station. The model can be used for both pre-and post drainage conditions. For pre-drained conditions, the period of record used shall be 1971-2000. For post drained conditions, the period of record shall end with the calendar year nearest the conversion date. The watershed conditions used for the Field Model shall be based on pre-1985 conditions for pre-drainage analysis. The watershed conditions shall be based on the conditions at the time of drainage for post-1985 conversions.

### IV. **Flood Inundation Modelling**

For landscapes subject to stream flooding, such as riverine landscapes, wetland hydrology can be analyzed based on flooding inundation. Inundation can be analyzed either by hand computations, or by use of the HEC-EFM (Ecosystem Functions Model). Data inputs for HEC-EFM shall contain at least 20 years of continuous daily mean flow data, but no more than 30. This period of record shall end at the end of the available

water year closest to the determination date. The analysis can be used for both pre and post drainage conditions. For pre-1985 conditions, the period of record shall be the longest available continuous record set within the 1971-2000 period. For post 1985 conversions, the period of record shall be the longest available continuous record set ending with the water year closest to the conversion date, but no longer than 30 years.

**V. Groundwater Monitoring**

For groundwater monitoring, a minimum of 10 years of continuously collected records shall be used, and the records must cover the dates within the wetland growing season for each year. Records on a more than daily time step shall be converted to daily records by straight line interpolation. The daily records shall be used to calculate the 50th percentile of the groundwater depths within 12” of the surface for 14 or more consecutive days during the wetland growing season on an annual basis.

**VI. Other**

Other numerical analysis methods are appropriate if the method results in computation of numbers that can be compared to the Objective Criteria. These methods can include, but are not limited to, monthly time-step water budgeting, combinations of methods to cover combinations of dynamic flooding, static ponding, and soil saturation, and others.

The State Conservation Engineer **may** approve analysis methods not specifically detailed in this document.

Scenarios for the use of numerical analysis methods are: Normal Conditions and Converted Conditions. The period of record for the Normal Conditions climate factors, as well as other analysis inputs shall be those during the 1971-2000 period. The period of record for the Converted Conditions scenario shall be the period just preceding the conversion date.

For all numerical analysis methods used, the areal extent of inundation and or saturation can be mapped using the best available techniques for topographic mapping. These techniques include, but are not limited to, HEC-RAS, HEC-GeoRAS, and appropriate GIS Spatial Analyst methods.

**Development of National Weather Service Climate Station Rainfall Normalization Tables**

1. National Weather Service (NWS) Climate Stations are taken from the stations listed in *Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000* (NOAA Climatology of the United State Report No. 81) and similar reports for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota.
  - These climate stations meet the criteria set forth by Chapter 19, Part 650 (page 19-24), of the Engineering Field Handbook, “**Determine the climate station nearest to the site that has sufficient records to have had statistical information calculated for it.**”
  - These climate stations are reported and maintained with WETS tables through the NRCS National Water and Climate Center in Portland, Oregon.
2. WETS table information is used to complete the Rainfall Normalization Tables (also called Rainfall Data Sheets) developed for each NWS Climate Station utilized in the NWS Climate Station Zone Map.

- Climate Stations are listed by the Common Name and Station ID.
  - Other information taken from WETS table:
    - i. Latitude, Longitude
    - ii. County
    - iii. Normal Precipitation for March through September for the 1971-2000 year period.
    - iv. 30 percent Bounds (Dry and Wet) for March through September for the 1971-2000 year period.
    - v. Actual Precipitation for March through September for all years from 1980 to the current year.
  - Example:
    - i. Common Name: Courtenay 1 NW
    - ii. Station ID: ND1816
    - iii. Latitude, Longitude: 4714 , 09835 (47.14, -98.35 in Degrees Decimal Minutes)
    - iv. Normals and Bounds are reported in inches
    - v. Actual Precipitation is reported in inches
3. When data is missing, replacement data is taken from the NWS Climate Station reported in AgACIS WETS tables nearest to the station missing data. The replacement data is clearly identified and referenced on the Rainfall Normalization Table.
- Example: If in July 2007, data was missing for Courtenay 1 NW. The Edmunds Arrowwood Ref NWS Station (ND2536) would be used for this missing data.
4. The NRCS will utilize the official NWS climate station information.
- The NWS Climate Stations are used for precipitation normalization due to the data quality and the availability of statistical data.
  - If local and NWS station weather data exists, the NWS station data is used.
  - When a climate station no longer collects data or is “discontinued”, a replacement station may be identified for use.
5. The following is the procedure used for the Normalization.
- Determine 30 percent lower and upper boundaries for antecedent precipitation for the 3 prior months from the WETS table, and assign antecedent monthly weighting factors.
  - Weighting Factors:
    - i. 1<sup>st</sup> Prior Month = 3
    - ii. 2<sup>nd</sup> Prior Month = 2
    - iii. 3<sup>rd</sup> Prior Month = 1
  - Multiply the actual rainfall for each month by the weighting factor.
  - Sum the totals and compare this with the 30 percent bounds as multiplied with the weighted factor of the same period.
  - Apply a Normalization tag (Wet, Dry, Normal).

### **Development of NWS Climate Station Zone Map**

1. Each station is located on a map, using its historical Latitude and Longitude as given for the station from 2003 WETS table data.
2. A map of Thiessen Polygons is created from the NWS Climate Station locations so that each station's cell is divided into absolute Thiessen polygons.

### **Methodology of using Rainfall Normalization Tables**

1. Determine the NWS Climate Station (with available slide normalization data) to use for your sampling units.
  - Utilize the most recent Zones Associated with NWS Climate Station in ND with Slide Normalization map that is available in ND Field Office Technical Guide (FOTG), Section 2, Climatic Data, Climatic Data, which spatially outlines the area closest to each station as shown in the NWS Climate Station Zone Map, or
  - Utilize the NWS Climate Station Zone layer by overlaying the file over the sites' locations in your GIS platform.
  - If more than one station overlays your sampling unit, choose the predominant station for the sampling unit area.
2. Determine what aerial photographs/images are available.
  - The date (month, year, and day -when available) that the image was captured or processed must be part of the image's record.
3. Review of all aerial imagery is suggested, regardless of whether the months preceding the image are dry, normal, or wet for precipitation.
  - In a dry year, a wetland may have the darkest green color as it has moisture available when surrounding areas do not.
  - In wet years, sampling units may drown out, may not be cropped, or may have standing water.
  - These help the user locate all sampling units so that each can be examined for possible wetness signatures.
  - Generally, only images taken during the growing season are used. Using professional judgment, and following applicable methods, a dataset of available slides is compiled.
4. Using the known or estimated date of the images, determine the "Normal" years based on the Rainfall Data Sheets for the selected NWS Climate Station for your sampling units.
  - **Select all available normal years starting with the most current year that both imagery and normalization are available, back to 1980.**
  - If at least 5 normal years are not available, going back to 1980, then add an equal number of wet and dry years until a minimum of five years are obtained. Select wet and dry years that are nearest to the normal range. Do not select wet and dry years that are extremes.

The normal years are determined by applying the flight month and year to obtain the slides that have a slide indicator status of "NORM" or normal. Typically, the previous 3 months before the month of the slide flight are used to categorize the slide; however, if the slide was

flown late in the month (e.g., July 22 or later), the month of the flight should be used as one of 3 previous months.

- For example, if a photo was taken on **July 1** then April, May, and June are the 3 prior months that will be used. Therefore, **select July from the Slide Indicator Status** heading of the appropriate rainfall data sheet file because July uses the precipitation from the three previous months of April, May, and June.
- For example, if the slide was flown on **July 22 or later**; then May, June, and July are the 3 previous months that are used. Therefore, select **August from the Slide Indicator Status** heading of the appropriate rainfall data sheet file because August uses the precipitation from the three previous months of May, June, and July

5. Prepare a Remotely Sensed Data form of normal years.

- Indicate the year, month, and day (if available) of the imagery that has been selected for evaluation on the form.
- Review the imagery, and record the observed wetness signature using the codes provided on the form.
- Absence of a wetness signature can be noted with a dash.

6. Determine sampling unit hydrology.

- Count the number of wetness signatures observed for each sampling unit.
- Divide that total by the number of years reviewed to obtain a ratio or percentage.
- Record the ratio or percentage on the form.