



Plant Enhancement Activity – PLT02 – Monitor key grazing areas to improve grazing management

State Criteria (same as NATIONAL CRITERIA) with the following clarifications:

Implementation of this enhancement **requires** monitoring key grazing areas to improve grazing management. A key grazing area is a small area of a pasture that is identified as being representative of the entire pasture. Complete the 5 steps listed below:

1. Key grazing areas will be established for each pasture. Identify a key grazing area in each pasture on an aerial photo. Identify key forage plant(s) for each key grazing area. Recommended residual forage heights for common range and pasture plants in Nebraska based on the [NRCS Prescribed Grazing practice standard \(528DP\) Table 4](#) (See Attachment B).
2. Key grazing areas/monitoring sites will be monitored each year.
3. Annual monitoring in each pasture will include a landscape view photo during the growing season of the area identified in step 1, refer to: [http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-2_\(Instructions\).pdf](http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-2_(Instructions).pdf).
4. A gps point or fixed marker such as a disk blade or other permanent marker will be established in each pasture in order to return to the same monitoring site each year.
5. A written documentation of how monitoring data was evaluated and utilized to adjust grazing management plans.

Documentation Requirements (SEE NATIONAL ENHANCEMENT ACTIVITY JOBSHEET)

Additional State Documentation Requirements:

- Aerial photo or map of each pasture with the key grazing area clearly identified.
- Annual photograph landscape view of each pastures identified key grazing area (photo point).
- Written documentation of the monitoring data collected, **one or more of the following on Attachment A.:**
- Written documentation of how monitoring data was evaluated and utilized to adjust grazing management plans.

I certify that the following information meets specifications and the necessary documentation has been provided to NRCS:

Certified by: _____ **Date:** _____



ATTACHMENT A

a. Rangeland Apparent Trend

- i. [http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-12_\(Instructions\).pdf](http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-12_(Instructions).pdf)
- ii. http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-12_Apparent_Trend_Worksheet.pdf

b. Rangeland Health Assessment (for rangeland)

- i. <http://www.blm.gov/nstc/library/pdf/1734-6.pdf>
- ii. http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-11_Range_Health_Evaluation_Worksheet.pdf

c. Pasture Condition Scoring (for pastureland)

- i. [http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-13_\(Instructions\).pdf](http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-13_(Instructions).pdf)
- ii. http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-13_Pasture_Condition_Score_Sheet.pdf

d. Plant productivity determinations

- i. http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-60_Forage_Inventory_Example.pdf
- ii. http://efotg.nrcs.usda.gov/references/public/NE/NE-ECS-60_Forage_Inventory.pdf

e. Measurements of key forage plant heights (before and after grazing)

- i. Suggested pre- and post grazing heights of common Nebraska range and for age grasses are based on [NRCS Prescribed Grazing practice standard \(528DP\) Table 4](#).

ii. Example Data Collection Form For Key Forage Plant Heights Before and After Grazing

Pasture	Key Forage Plant	Livestock In Date	Key Forage Plant Height Before	Livestock Out Date	Key Forage Plant Height After



ATTACHMENT B

^{1/} Table 4. Recommendations for Beginning and Ending Grazing (Heights and Dates) for Nebraska Pastures				
Species	Begin Grazing		End Grazing	
	^{2/} Minimum Height of Vegetative Growth (inches)	Approximate Date*	^{2/} Minimum Residual Height (inches)	^{2/} Minimum Residual Height Before Killing Frost (inches)
Alfalfa	6	May 15	3	6
Alsike and red clover	6	May 15	3	6
Biennial sweetclover	6	May 1	3	6
Big & Sand bluestem	10	June 1	6	10
Birdsfoot trefoil	6	June 1	3	6
Cicer milkvetch	8	May 20	5	8
Creeping foxtail	6	May 1	3	6
Crested wheatgrass	4	April 20	3	6
Eastern gamagrass	18-20	June 1	8	10
Indiangrass	10	June 1	4	10
Intermediate wheatgrass	6	May 1	5	8
Kentucky bluegrass	4	May 1	2	3
Meadow brome	6	May 1	5	6
Orchardgrass	6	May 1	5	8
Pubescent wheatgrass	6	May 1	5	6
Reed canarygrass	8	May 1	4	8
Russian wildrye	6	May 1	3	4
Smooth brome	6	May 1	4	7
Switchgrass	10	June 1	6	10
Tall fescue	6	May 1	3	6
Tall wheatgrass	7	May 1	4	8
Timothy	6	June 1	4	5
Western wheatgrass	6	May 1	3	6

^{1/}Grass and legume mixtures should be grazed in a manner that favors the dominant or desired species. Height is the average height when leaves are lifted in a vertical position.

^{2/}All heights listed in Table 4 can be adjusted downward by 25% for all species in Vegetative Zone I in the Panhandle of Nebraska..