

CONSERVATION PRACTICE PHYSICAL EFFECTS WORKSHEET

STATE	Nebraska	FIELD OFFICE	Any	DATE	12/27/2011
PRACTICE: Irrigation System, Sprinkler 442		Baseline Setting:			
		Appropriate Land Use(s): Crop, Hay, Headquarters, Mined, Pasture, Recreation, Urban, Wildlife			
RESOURCES, CONSIDERATIONS AND CONCERNS	PHYSICAL EFFECTS	RATIONALE			
SOIL - EROSION					
Sheet and Rill	Not Applicable	Not applicable.			
Wind	Slight to Substantial Improvement	Wetting the surface reduces soil detachment by wind.			
Ephemeral Gully	Not Applicable	Not applicable.			
Classic Gully	Not Applicable	Not applicable.			
Streambank	Not Applicable	Not applicable.			
Shoreline	Not Applicable	Not applicable.			
Irrigation Induced	Slight to Substantial Improvement	Erosion reduced due to proper application of irrigation water.			
Mass Movement	Neutral	Over wetting of soil mass not practicable.			
Road, Roadsides, and Construction Sites	Neutral	Establishment of vegetation after construction may cause slight amount of soil erosion for a short duration.			
SOIL – CONDITION					
Organic Matter Depletion	Not Applicable	Not applicable.			
Rangeland Site Stability	Not Applicable	Not applicable.			
Compaction	Slight Worsening	There will be crusting of soil surface during seed germination and wheel compaction due to movement of the irrigation system.			
Subsidence	Not Applicable	Not applicable.			
Contaminants:					
• Salts and other Chemicals	Slight to Substantial Improvement	Improved irrigation allows the leaching of salt below the root zone.			
• Animal Waste and other Organics - N	Not Applicable	Not applicable.			
• Animal Waste and other Organics - P	Not Applicable	Not applicable.			
• Animal Waste and other Organics - K	Not Applicable	Not applicable.			
• Commercial Fertilizer - N	Not Applicable	Not applicable.			
• Commercial Fertilizer – P	Not Applicable	Not applicable.			
• Commercial Fertilizer – K	Not Applicable	Not applicable.			
• Residual Pesticides	Neutral	Application of sprinkler applied pesticides according to plan should have a neutral effect.			
Damage from Sediment Deposition	Neutral	Properly applied irrigation water will not cause deposition of soil			
WATER – QUANTITY					
Rangeland Hydrologic Cycle	Not Applicable	Not applicable.			

Excessive Seepage	Neutral	Properly applied sprinkler irrigation will not increase groundwater.
Excessive Runoff, Flooding, or Ponding	Slight to Moderate Improvement	Conversion from surface to sprinkler will reduce surface runoff.
Excessive Subsurface Water	Slight Improvement	More uniform applications reduces subsurface flows.
Drifted Snow	Not Applicable	Not applicable.
Inadequate Outlets	Slight to Substantial Improvement	Conversion from surface to sprinkler eliminates tailwater runoff.
Inefficient Water use on Irrigated Land	Substantial Improvement	More uniform application of water.
Inefficient Water use on Non-Irrigated Land	Not Applicable	Not applicable.
Reduced Capacity of Conveyances by Sediment Deposition	Slight to Substantial Improvement	Reduction in tailwater runoff.
Reduced Storage of Water Bodies by Sediment Accumulation	Slight to Substantial Improvement	Reduction in tailwater runoff.
Aquifer Overdraft	Slight to Substantial Improvement	More efficient application of irrigation water reduces aquifer withdrawals
Insufficient Flows in Water Courses	Slight Improvement	More efficient application of irrigation water requires smaller diversion from streams
WATER – QUALITY		
In Groundwater:		
• Harmful Levels of Pesticides	Slight to Moderate Improvement	Efficient and uniform irrigation reduces deep percolation.
• Excessive Nutrients and Organics	Slight Improvement	The action improves water use efficiency resulting in decreased deep percolation.
• Excessive Salinity	Slight to Moderate Improvement	Efficient and uniform irrigation reduces transport to ground water.
• Harmful Levels of Heavy Metals	Slight Improvement	Uniform water application reduces the potential for deep percolation.
• Harmful Levels of Pathogens	Slight Improvement	Uniform water application reduces the potential for deep percolation.
• Harmful Levels of Petroleum	Slight Improvement	More efficient irrigation system reduces leaching.
In Surface Water:		
• Harmful Levels of Pesticides	Slight to Moderate Improvement	Efficient and uniform irrigation reduces runoff and erosion.
• Excessive Nutrients and Organics	Slight to Moderate Improvement	Erosion and runoff are reduced by the efficient application of irrigation water.
• Excessive Suspended Sediment and Turbidity	Not Applicable	Not applicable.
• Excessive Salinity	Slight to Moderate Improvement	The action allows more efficient application of irrigation water, which reduces the potential for

		runoff from the field.
• Harmful Levels of Heavy Metals	Slight Improvement	More efficient application reduces potential runoff.
• Harmful Temperatures	Neutral	Reduced runoff of higher temperature water is likely.
• Harmful Levels of Pathogens	Slight to Moderate Improvement	Reduced runoff because of more efficient application
• Harmful Levels of Petroleum	Slight to Moderate Improvement	Reduced runoff because of more efficient application
AIR – QUALITY		
Particulate Matter less than 10 Micrometers in Diameter (PM 10)	Slight to Moderate Improvement	An irrigation application moistens the soil surface and reduces the erodibility of the soil. Increased production from irrigation lowers the soil wind erodibility group by one class.
Particulate Matter less than 2.5 Micrometers in Diameter (PM 2.5)	Slight to Moderate Improvement	An irrigation application moistens the soil surface and reduces the erodibility of the soil. Increased production from irrigation lowers the soil wind erodibility group by one class.
Excessive Ozone	Not Applicable	Not applicable.
Excessive Greenhouse Gas:		
• CO ₂ (Carbon Dioxide)	Not Applicable	Not applicable.
• N ₂ O (Nitrous Oxide)	Not Applicable	Not applicable.
• CH ₄ (Methane)	Not Applicable	Not applicable.
Ammonia (NH ₃)	Not Applicable	Not applicable.
Chemical Drift	Not Applicable	Not applicable.
Objectionable Odors	Neutral	Agricultural wastes and byproducts delivered through sprinklers will increase VOCs and particulates.
Reduced Visibility	Not Applicable	Not applicable.
Undesirable Air Movement	Not Applicable	Not applicable.
Adverse Air Temperature	Slight to Moderate Improvement	Sprinklers used for crop cooling and frost protection.
PLANTS – SUITABILITY		
Plants not Adapted or Suited	Not Applicable	Not applicable.
PLANTS - CONDITION		
Productivity, Health, and Vigor	Slight to Substantial Improvement	Increased water availability and managed application enhances plant growth, health and vigor.
Threatened or Endangered Plant Species:		
• Plant Species Listed or Proposed for Listing Under the Endangered Species Act	Not Applicable	Not applicable.
• Declining Species, Species of Concern	Not Applicable	Not applicable.
Noxious and Invasive Plants	Slight Improvement	Improved irrigation efficiency improves crop health and vigor which decrease weed competition.

Forage Quality and Palatability	Not Applicable	Not applicable.
Wildfire Hazard	Not Applicable	Not applicable.
ANIMALS - FISH AND WILDLIFE		
Inadequate Food	Not Applicable	Not applicable.
Inadequate Cover/Shelter	Not Applicable	Not applicable.
Inadequate Water	Slight Improvement	Water is temporarily provided during the irrigation season.
Inadequate Space	Not Applicable	Not applicable.
Habitat Fragmentation	Not Applicable	Not applicable.
Imbalance Among and Within Populations	Not Applicable	Not applicable.
Threatened and Endangered Fish and Wildlife Species:		
<ul style="list-style-type: none"> Fish and Wildlife Species Listed or Proposed for Listing Under the Endangered Species Act 	Neutral	Activities are designed, installed, and mitigated to an extent to maintain or enhance species of concern.
<ul style="list-style-type: none"> Declining Species, Species of Concern 	Neutral	Activities are designed, installed, and mitigated to an extent to maintain or enhance species of concern.
ANIMALS – DOMESTIC		
Inadequate Quantities and Quality of Feed and Forage	Moderate to Substantial Improvement	Production will be improved with uniform and consistent application of water.
Inadequate Shelter	Not Applicable	Not applicable.
Inadequate Stock Water	Not Applicable	Not applicable.
Stress and Mortality	Not Applicable	Not applicable.
HUMAN – ECONOMICS		
Land - Change in Land Use	Slight to Substantial	N/A if no change in crops irrigated, substantial if water use changes.
Land – Land in Production	Slight decrease	Slight short-term decrease in cropland as pipeline is installed
Capital – Change in Equipment	Substantial increase.	
Capital - Total Investment Cost	Moderate.	
Capital – Annual Cost	Moderate increase.	
Capital – Credit and Farm Program Eligibility	Situational.	
Labor - Labor	Moderate to Substantial Increase	Substantial increase using cable or hose toe, moderate increase if center pivot or solid set.
Labor – Change in Management Level	Moderate increase	Moderate increase, timing and maintenance require above average management skills.
Risk - Yield	Slight to Moderate Decrease	Slight to moderate decrease due to increased irrigation efficiency.
Risk - Flexibility	Substantial Decrease	Substantial decrease due to more flexible irrigation requirements.
Risk - Timing	Not applicable.	Not applicable.
Risk – Cash Flow	Substantial Increase	Substantial increase due investment cost.
Profitability – Change in Profitability	Situational	Moderate decrease or increase.
HUMAN - CULTURAL		

Cultural Resources and/or Historic Properties Present or Suspected to be PRESENT	Not applicable.	Not applicable.
HUMAN – ENERGY		
Depletion of Fossil Fuel Resources	Slight Decrease	This practice utilizes more energy than many other irrigation systems; however, water requirements are substantially lower under this practice.
Underutilization of Non-Fossil Energy Resources	Not Applicable	Not applicable.

Human Considerations Explanation

Considerations	Physical effects indicate:
Land - Change in Land Use	The degree to which implementing the conservation practice is expected to cause a change from one land use to another.
Land - Land in Production	The degree to which implementing the conservation practice is expected to cause an increase or decrease in the amount of land in production.
Capital - Change in Equipment	The degree to which implementing the conservation practice is expected to cause an increase or decrease in the amount of capital equipment required for farm or ranch operations.
Capital - Total Investment Cost	A qualitative measure of the increase in total investment dollars required in order to implement the conservation practice.
Capital - Annual Cost	A qualitative measure of the expected change in annual capital costs required in order to operate and maintain the conservation practice.
Capital - Credit & Farm Program Eligibility	Included to make conservation planners aware of the potential availability of funding for implementing conservation practices.
Labor – Labor	The degree to which implementing the conservation practice is likely to cause an increase or decrease in the total amount of overall farm or ranch labor required for operations.
Labor - Change in Management Level	The degree to which implementing the conservation practice is likely to cause an increase or decrease in the total amount of required active management on a farm or ranch.
Risk – Yield	The degree to which risk, as related to crop or livestock yields, is expected to increase or decrease as a result of implementing the conservation practice.
Risk – Flexibility	The degree to which risk, as related to the flexibility of farm or ranch operations, is expected to increase or decrease as a result of implementing the conservation practice. For example, converting from flood irrigation to a sprinkler system gives a farmer an increase in flexibility of irrigation, which results in a decrease in the level of risk associated with inflexibility of operations.
Risk – Timing	The degree to which risk, as related to the timing of farm or ranch operations, is expected to increase or decrease as a result of implementing the conservation practice.
Risk - Cash Flow	The degree to which risk, as related to cash flow in farm or ranch operations, is expected to increase or decrease as a result of implementing the conservation practice.
Profitability - Change in Profitability	The degree to which farm or ranch profitability is expected to increase or decrease as a result of implementing the conservation practice.
Cultural Resources and/or Historic Properties Present or Suspected to be Present	The degree to which implementation of the conservation practice is expected to increase or decrease the risk of cultural resource disturbance, degradation, or loss.
Depletion of Fossil Fuel Resources	Inefficient use of fossil-originated energy sources (diesel, gasoline, propane, natural gas, coal), lubricants, and other materials.
Underutilization of Non-Fossil Energy Sources	Available and cost-effective alternative energy sources (solar, wind, biofuel, hydroelectric, geothermal) are not being used or are being used inefficiently.