

## Hall County, Nebraska

Soil Map Symbol	Soil Map Unit Name	Crop Index
1021	Caruso loam, rarely flooded	45
2321	Inavale fine sand, 0 to 3 percent slopes	20
2338	Inavale loamy fine sand, very rarely flooded	28
2344	Inavale loamy sand, 3 to 11 percent slopes, very rarely flooded	25
2533	Coly silt loam, 11 to 30 percent slopes	37
2537	Coly silt loam, 6 to 11 percent slopes	44
2599	Hersh fine sandy loam, silty substratum, 3 to 6 percent slopes	38
2672	Holdrege silty clay loam, 3 to 7 percent slopes, eroded	44
2813	Uly and Holdrege silt loams, 6 to 11 percent slopes	47
2816	Uly silt loam, 1 to 3 percent slopes, eroded	39
2818	Uly silt loam, 3 to 6 percent slopes, eroded	39
2825	Uly, eroded-Coly silt loams, 6 to 11 percent slopes	39
2826	Uly, eroded-Hobbs silt loams, 2 to 40 percent slopes	41
2841	Uly, eroded-Coly silt loams, 11 to 17 percent slopes	37
2843	Uly, Holdrege, and Coly soils, 6 to 11 percent slopes, eroded	37
3110	O'Neill and Pivot loams, 0 to 2 percent slopes	35
3156	Brocksburg loam, 0 to 2 percent slopes	44
3182	Jansen fine sandy loam, overblown, leveled	41
3268	O'Neill sandy loam, 2 to 6 percent slopes	38
3515	Lamo silt loam, sand substratum, 0 to 1 percent slope	45
3545	Hobbs silt loam, channeled, frequently flooded	40
3561	Hobbs silt loam, occasionally flooded	60
3726	Detroit silt loam, 0 to 1 percent slopes	48
3820	Butler silt loam, 0 to 1 percent slopes	54
3864	Hastings silt loam, 0 to 1 percent slopes	65
3866	Hastings silt loam, 1 to 3 percent slopes	52
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	41
3881	Holder loam, 0 to 3 percent slopes, overblown	58
3885	Holder silt loam, 0 to 1 percent slopes	72
3887	Holder silty clay loam, 3 to 7 percent slopes, eroded	45
3889	Holder silty clay loam, 7 to 11 percent slopes, eroded	25
3912	Scott silty clay loam, frequently ponded	43
3947	Fillmore silty clay loam, occasionally ponded	44
3962	Hastings silty clay loam, 7 to 11 percent slopes, eroded	40
4131	Holdrege silt loam, 1 to 3 percent slopes, overblown	61
4207	Almeria loamy sand, frequently flooded	21
4220	Bolent fine sandy loam, occasionally flooded	29
4222	Bolent loam, occasionally flooded	28
4225	Bolent loamy sand, occasionally flooded	21
4227	Bolent-Calamus complex, occasionally flooded	28
4232	Calamus loamy fine sand, rarely flooded	33
4370	Libory loamy fine sand, 0 to 3 percent slopes	29
4461	Cullison fine sandy loam, 0 to 1 percent slopes	28
4563	Els-Tryon complex, 0 to 3 percent slopes	30
4646	lpage loamy fine sand, 0 to 3 percent slopes	21
4657	lpage-Tryon, wet, complex, silty substratum, 0 to 3 percent slopes	21
4668	Loup fine sandy loam, loamy substratum, 0 to 2 percent slopes	25
4672	Loup loam, 0 to 3 percent slopes	31
4687	Marlake loamy fine sand, frequently ponded	9
4791	Valentine fine sand, 3 to 9 percent slopes	20
4807	Valentine fine sand, rolling	17
4810	Valentine fine sand, rolling and hilly	13

## Hall County, Nebraska

Soil Map Symbol	Soil Map Unit Name	Crop Index
4818	Valentine loamy fine sand, 3 to 9 percent slopes	20
4828	Valentine loamy fine sand, loamy substratum, 0 to 3 percent slopes	23
4834	Valentine loamy fine sand, rolling	18
4867	Valentine-Libory complex, 0 to 9 percent slopes	26
4890	Valentine-Tryon, silty substratum, complex, 0 to 9 percent slopes	22
6310	Barney complex, channeled, frequently flooded	12
6322	Barney-Bolent complex, frequently flooded	22
6350	Leshara and Gibbon silt loams	41
6513	Blendon loam, 0 to 2 percent slopes	47
6527	Janude loam, calcareous, rarely flooded	42
6529	Janude sandy loam, very rarely flooded	42
6561	Thurman fine sandy loam, 0 to 2 percent slopes	31
6572	Thurman-Valentine loamy fine sands, terrace, 0 to 2 percent slopes	23
6579	Ortello loam, 0 to 1 percent slopes	44
6645	Boelus, O'Neill, and Pivot complex, 0 to 3 percent slopes	34
6700	Thurman loamy fine sand, 0 to 2 percent slopes	27
6710	Thurman loamy fine sand, loamy substratum, 0 to 3 percent slopes	30
6711	Thurman loamy fine sand, loamy substratum, 2 to 6 percent slopes	27
6849	Ortello fine sandy loam, silty substratum, 0 to 3 percent slopes	43
6857	Ortello, silty substratum-Holder, overblown complex, 0 to 3 percent slopes	47
8402	Alda loam, rarely flooded	34
8404	Alda sandy loam, rarely flooded	28
8447	Cozad, sand substratum-Hobbs, occasionally flooded, silt loams, 0 to 3 percent slopes	55
8451	Darr sandy loam, very rarely flooded	34
8460	Gayville loam, rarely flooded	21
8467	Gibbon loam, saline, rarely flooded	28
8469	Gibbon silt loam, rarely flooded	42
8491	Gothenburg loam, frequently flooded	15
8506	Lex silt loam, rarely flooded	32
8551	Silver Creek complex, saline-alkali, rarely flooded	27
8552	Silver Creek fine sandy loam, overblown, occasionally ponded	11
8568	Platte-Alda loams, channeled, frequently flooded	19
8570	Platte-Bolent complex, occasionally flooded	25
8572	Platte-Inavale complex, 0 to 6 percent slopes, occasionally flooded	23
8585	Wann loam, rarely flooded	41
8588	Wann sandy loam, rarely flooded	38
8811	Cozad loam, 0 to 1 percent slopes	54
8812	Cozad loam, sand substratum, 0 to 3 percent slopes	55
8840	Hall silt loam, 0 to 1 percent slopes	59
8842	Hall silt loam, 1 to 3 percent slopes, eroded	47
8845	Hall silt loam, sandy substratum, 0 to 1 percent slopes	59
8847	Hall silt loam. 3 to 6 percent slopes, eroded	48
8849	Hall, eroded-Hobbs, silt loams, 0 to 3 percent slopes	50
8869	Hord silt loam, 0 to 1 percent slopes	59
8870	Hord silt loam, 1 to 3 percent slopes	55
8872	Hord silt loam, 3 to 6 percent slopes	54
8874	Hord silt loam, sandy substratum, 0 to 1 percent slopes	57
8900	Lockton loam	45
8905	Ovina fine sandy loam	43
8932	Simeon sandy loam, 0 to 3 percent slopes	21

## Hall County, Nebraska

Soil Map Symbol	Soil Map Unit Name	Crop Index
8960	Wood River silt loam, 0 to 1 percent slopes	48
8962	Wood River-Silver Creek fine sandy loams, 0 to 1 percent slopes	49
8963	Wood River-Silver Creek silt loams, 0 to 1 percent slopes	40
9025	Gates fine sandy loam, 0 to 3 percent slopes, hummocky	53
9026	Gates silt loam, 0 to 1 percent slopes	43
9027	Gates silt loam, 1 to 3 percent slopes	43
9028	Gates silt loam, 3 to 6 percent slopes	41
9029	Gates silt loam, 3 to 6 percent slopes, eroded	34
9030	Gates silt loam, 6 to 11 percent slopes, eroded	37
9900	Fluvaquents, frequently flooded	9